TSD File Inventory Index

Date: <u>Systember 13,2003</u> Initial: <u>CM Hereves</u>

Facility Name: CMI Tech Cente	· '1)	Inc. (One Felder Site)	
Facility Identification Number: (MI) 041 8		*	
A.1 General Correspondence	1)	B.2 Permit Docket (B.1.2)	
A.2 Part A / Interim Status	7	.1 Correspondence	
.1 Correspondence	V	.2 All Other Permitting Documents (Not Part of the ARA)	
.2 Notification and Acknowledgment	V	C.1 Compliance - (Inspection Reports)	V
.3 Part A Application and Amendments	V	C.2 Compliance/Enforcement	
4 Financial Insurance (Sudden, Non Sudden)		.1 Land Disposal Restriction Notifications	
5 Change Under Interim Status Requests		.2 Import/Export Notifications	
.6 Annual and Biennial Reports		C.3 FOIA Exemptions - Non-Releasable Documents	
A.3 Groundwater Monitoring		D.1 Corrective Action/Facility Assessment	V
.1 Correspondence		.1 RFA Correspondence	
.2 Reports		.2 Background Reports, Supporting Docs and Studies	
A.4 Closure/Post Closure	1	.3 State Prelim. Investigation Memos	
Correspondence		.4 RFA Reports	
.2 Closure/Post Closure Plans, Certificates, etc		D. 2 Corrective Action/Facility Investigation	T
A.5 Ambient Air Monitoring		.1 RFI Correspondence	
.1 Correspondence		.2 RFI Workplan	
.2 Reports		.3 RFI Program Reports and Oversight	
B.1 Administrative Record		.4 RFI Draft /Final Report	

	The second secon
.5 RFI QAPP	.7 Lab data, Soil Sampling/Groundwater
.6 RFI QAPP Correspondence	.8 Progress Reports
.7 Lab Data, Soil-Sampling/Groundwater	D.5 Corrective Action/Enforcement
.8 RFI Progress Reports	.1 Administrative Record 3008(h) Order
9 Interim Measures Correspondence	.2 Other Non-AR Documents
.10 Interim Measures Workplan and Reports	D.6 Environmental Indicator Determinations
3.3 Corrective Action/Remediation Study	.1 Forms/Checklists
1 CMS Correspondence	E. Boilers and Industrial Furnaces (BIF)
.2 Interim Measures	.1 Correspondence
.3 CMS Workplan	.2 Reports
.4 CMS Draft/Final Report	F Imagery/Special Studies (Videos, photos, disks, maps, blueprints, drawings, and other special materials.)
.5 Stabilization	G.1 Risk Assessment
.6 CMS Progress Reports	.1 Human/Ecological Assessment
.7 Lab Data, Soil-Sampling/Groundwater	.2 Compliance and Enforcement
D.4 Corrective Action Remediation Implementation	.3 Enforcement Confidential
.1 CMI Correspondence	.4 Ecological - Administrative Record
.2 CMl Workplan	.5 Permitting
3 CMI Program Reports and Oversight	.6 Corrective Action Remediation Study
.4 CMI Draft/Final Reports	.7 Corrective Action/Remediation Implementation
.5 CMI QAPP	.8 Endangered Species Act
.6 CMI Correspondence	.9 Environmental Justice

Note: Transmittal Letter to Be Included with Reports.		
Comments: Downeta de not matiga	in deer deed tolder our schedule!	

A.1 Public
Participation

UNITED ST IS ENVIRONMENTAL PROTECTION / INCY REGION V

DATE: September 26, 1983

SUBJECT: Ethyl Corporation

MID 041803123

FROM: Sharon Kiddon

RAIU

TO: David Homer

STU #3

This is to inform you that the public comment period for Ethyl Corporation, Ferndale, Michigan, ended September 23, 1983. There were no public comments received.

cc: Part A File State Log

A.2 Part A/ Interim Status

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION V 111 West Jackson Blvd

111 West Jackson Blvd. CHICAGO, ILLINOIS 60604

REPLY TO ATTENTION OF: RCRA ACTIVITIES

C.J. Worrel, Supervisor of Safety & Security Ethyl Corporation R&D Laboratories 1600 West Eight Mile Road Ferndale, Michigan 48220

RE: Interim Status Acknowledgement USEPA ID No. MID041803123 FACILITY NAME: Ethyl Corporation R&D Laboratories

Dear Mr. Worrel:

This is to acknowledge that the U.S. Environmental Protection Agency (USEPA) has completed processing your Part A Hazardous Waste Permit Application. It is the opinion of this office that the information submitted is complete and that you, as an owner or operator of a hazardous waste management facility, have met the requirements of Section 3005(e) of the Resource Conservation and Recovery Act (RCRA) for Interim Status. However, should USEPA obtain information which indicates that your application was incomplete or inaccurate, you may be requested to provide further documentation of your claim for Interim Status. Our opinion will be reevaluated on the basis of this information.

As an owner or operator of a hazardous waste management facility, you are required to comply with the interim status standards as prescribed in 40 CFR Parts 122 and 265, or with State rules and regulations in those States which have been authorized under Section 3006 of RCRA. In addition, you are reminded that operating under interim status does not relieve you from the need to comply with all applicable State and local requirements.

The printout enclosed with this letter identifies the limit(s) of the process design capacities your facility may use during the interim status period. This information was obtained from your Part A Permit application. If you wish to handle new wastes, to change processes, to increase the design capacity of existing processes, or to change ownership or operational control of the facility, you may do so only as provided in 40 CFR Sections 122.22 and 122.23.

As stated in the first paragraph of this letter, you have met the requirements of 40 CFR Part 122.23; your facility may operate under interim status until such time as a permit is issued or denied. This will be preceded by a request from this office or the State (if authorized) for Part B of your application. Please contact Arthur Kawatachi of my staff at (312) 886-7449, if you have any questions concerning this letter or the enclosure.

Sincerely yours,

Karl J. Klepitsch, Jr., Chief Waste Management Branch

Enclosure cc: Robert Herzog, Executive Vice President

6108.	(3)			
6109.	FACILITY NAME			EDA ID NUMBER
6110.	THUY CODBOBIATON			開開開発機能機能が開催機能 以下PO 4 4 0 0 3 4 0 3
6111.	ETHYL CORPORATION			MID041803123
6112.				
6113.	DICETTER OPENING			
6114.	FACILITY OPERATOR			
6115.	2017 TAY COND			
6116. 6117.	ETHYL CORP			
6118.				
6119.	FACILITY OWNER			
6120.	FACILITY OWNER			
6121.	ETHYL CORP			
6122.	EINIE CORF			
6123.				
6124.	FACILITY LOCATION			
6125.	PACIFILI DOCATION			
6126.	1600 W EIGHT MILE RD			
6127.	FERNDALE	MJ	48220	
6128.	E DUMPADE	1534	70220	
6129.				
6130.	PROCESS CODE	DEST	GN CAPACITY	UNIT OF MEASURE
6131.		_ No ag 100 s	on curveria	ONTE OF MERCORE
6132.	801		5000.00000	G
6133.			0000000	
6134.				
6135.				
6136.				
6137.				
6138.		PRO-	APPROPRIATE	*
6139.	¥9		UNITS OF	* UNIT OF
6140.	PROCESS	CODE	MEASURE	* MEASURE
6141.				*
6142.	STORAGE:			* GALLONS
6143.	***			* LITERS
6144.	CONTAINER	501	G OR L	* CUBIC YARDS
6145.	TANK			* CUBIC METERS
	WASTE PILE	503	Y OR C	* GALLONS PER DAY
6147.	SURFACE IMPOUNDMENT	504	G OR L	* LITERS PER DAY
6148.	DISPOSAL:			* TONS PER HOUR
6149.	発 等 徐 智 奈 徳 徳			* METRIC TONS\HOUR
6150.				* GALLONS\HOUR
6151.			A OR F	* LITERS\HOUR
6152.	LAND APPLICATION	D81	B OR Q	* ACRE-FEET
6153.			U OR V	
6154.	SURFACE IMPOUNDMENT	D83	G OR L	* ACRES
6155.	TREATMENT:			* HECTARES
6156.				* POUNDS\HOUR
6157.	TANK			* KILOGRAMS\HOUR
6158.		T02	U OR V	* TONS PER DAY
6159.	INCINERATOR			* METRIC TONSIDAY
6160.	OTHER	T04	J.R.N.S.U.V	*

Closure

BX 2614

Form Approved. OMB No. 2050-0028. Expires 9-30-88. GSA No. 0246-EPA-07

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only Please refer to the *Instructions for Filing Notification* before completing this form. The information requested United States Environmental Protection Agency Washington, DC 20460 here is required by law (Section 3010 of the Resource Conservation Notification of Hazardous Waste and Recovery Act). For Official Use Only Comments **Date Received** (yr. Installation's EPA ID Number Approved mo. U. S. EPA, REGION V . Name of Installation I T E H E M II. Installation Mailing Address Street or P.O. Box T R 0 0 E S T E 0 D 6 W A 3 City or Town State ZIP Code E 2 III. Location of Installation Street or Route Number E R 0 D 0 W Ε S E G H T M 6 0 5 City or Town State ZIP Code N D L E Installation Contact Phone Number (area code and number) Name and Title (last, first, and job title) R D 0 0 6 Ownership A. Name of Installation's Legal Owner B. Type of Ownership (enter code) C Ι N E VI. Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes. Refer to instructions.) A. Hazardous Waste Activity X 1a. Generator ☐ 1b. Less than 1,000 kg/mo. 6. Off-Specification Used Oil Fuel (enter 'X' and mark appropriate boxes below) 2. Transporter 3. Treater/Storer/Disposer a. Generator Marketing to Burner 4. Underground Injection b. Other Marketer 5. Market or Burn Hazardous Waste Fuel (enter 'X' and mark appropriate boxes below) C. Burner 7. Specification Used Oil Fuel Marketer (or On site Burner) Who First Claims the Oil Meets the Specification a. Generator Marketing to Burner b. Other Marketer C. Burner VII. Waste Fuel Burning: Type of Combustion Device (enter 'X' in all appropriate boxes to indicate type of combustion device(s) in which hazardous waste fuel or off-specification used oil fuel is burned. See instructions for definitions of combustion devices.) A. Utility Boiler B. Industrial Boiler C. Industrial Furnace VIII. Mode of Transportation (transporters only — enter 'X' in the appropriate box(es) ☐ E. Other (specify) B. Rail C. Highway D. Water IX. First or Subsequent Notification Mark 'X' in the appropriate box to indicate whether this is your installation's first notification of hazardous waste activity or a subsequent notification. If this is not your first notification, enter your installation's EPA ID Number in the space provided below C. Installation's EPA ID Number A. First Notification ☐ B. Subsequent Notification (complete item C)

		. [ID	— For Official Use Onl	у .
	201	- v	C N		T/A C
X. Description of Haz				计特殊 化特别电流系统	
A. Hazardous Wastes from from nonspecific source	Nonspecific Sources s your installation hand	. Enter the four-digit num dles. Use additional sheet	nber from 40 CFR Part is if necessary.	261.31 for each listed ha	zardous waste
TOWY OF STATE	2	3	4	5	6
2001 7 = 1011	8	9	10	11	12
PAGIN BARTE					
B. Hazardous Wastes from specific sources your in	n Specific Sources. En stallation handles. Use	ter the four-digit number additional sheets if nece	from 40 CFR Part 261. ssary.	.32 for each listed hazard	dous waste from
13	14	15	16	17	18
19	20	21	22	23	24
25	, 26	27	28	29	30
				*	10
C. Commercial Chemical your installation handles	Product Hazardous Was s which may be a hazar	astes. Enter the four-digir dous waste. Use addition	t number from 40 CFR nal sheets if necessary.	Part 261.33 for each che	ernical substance
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
				1 4	
 D. Listed Infectious Waste pitals, or medical and re 	es. Enter the four-digit search laboratories you	number from 40 <i>CFR</i> Par ur installation handles. U	t 261.34 for each haza se additional sheets if i	rdous waste from hospita necessary.	als, veterinary hos-
49	50	51 .	52	53	54
E. Characteristics of Nonl your installation handles	isted Hazardous Waste s. (See 40 CFR Parts 26	es. Mark 'X' in the boxes 11.21 — 261.24)	corresponding to the c	haracteristics of nonliste	d hazardous wastes
1. Ignitable (D001)	<u> </u>	2. Corrosive (D002)	☐ 3. Reacti		4. Toxic
XI. Certification	S		12000		(2000)
I certify under pen- this and all attache obtaining the infor	ed documents, and mation, I believe th	ave personally exam I that based on my in at the submitted info mitting false informa	nquiry of those inc ormation is true, ac	lividuals immediatei curate, and completi	ly responsible for
Signature X William K RE	ardon		cial Title (type or print). K Reardon		Signed 7 (16/90

PATA



EPA Form 8700-12B (4-80)

ACKNOWLEDGEMENT OF NOTIFICATION OF HAZARDOUS WASTE ACTIVITY (VERIFICATION)

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER	MID041803123	REACH	KNOWLEI	GEMENT
	ETHYL CORPORATION 1600 W EIGHT MILE FERNDALE		MI	48220
INSTALLATION ADDRESS	1600 W EIGHT MILE FERNDALE	: RD	id I	48220

10/03/81

SEPA	NOTIFICATION OF HAZARDOUS WASTE ACTIVITY	
INSTALLA- TION'S EPA		label, affix it in the space at left. If any of the information on the label is incorrect, draw a line through it and supply the correct information
NAME OF IN-	MID041803123	in the appropriate section below. If the label is complete and correct, leave Items I, II, and III
I STALLATION	ETHYL CORPORATION	below blank. If you did not receive a preprinted label, complete all items. "Installation" means a
II. MAILING ADDRESS	1600 W EIGHT MILE RD FERNDALE, MI 48220	single site where hazardous waste is generated, treated, stored and/or disposed of, or a trans-
		porter's principal place of business. Please refer to the INSTRUCTIONS FOR FILING NOTIFI-
LOCATION	1600 H EIGHT 1000 018 4 AUG -8 80	CATION before completing this form. The information requested herein is required by law Section 3010 of the Resource Conservation and
LATION	OUT OF BUSINESS CLOSED FACIL	Retovery Act).
FOR OFFICIAL		
	COMMENTS	
C INSTALLAT	ION'S EPA I.D. NUMBER APPROVED OF ME AND	55
FMID 04	1 1 8 0 3 1 2 3 1 1 A 8 0 0 8 0 8 22	
I. NAME OF IN		在1980年 1980年 1980年 1980
ETHYL	CORPORATION	677
II. INSTALLAT	STREET OR P.O. BOX	PER LES MANAGEMENTS LA LICE.
31600	WEIGHT MILE RD	DE CHES DE LA COMPANIE DE LA COMPANI
15 16	CITY OR TOWN ST.	45 ZIP CODE
4FERND	ALE MI4	8220
15 16 11 LOCATION	OF INSTALLATION 40 41 42 47	51
	STREET OR ROUTE NUMBER	一种的现在分词的现在分词
5 7		45
S A	CITY OR TOWN ST.	ZIP CODE
6 9 17 15 16 IV INSTALLA	TION CONTACT 40 41 42 47	- 51
IV. INSTABLA	NAME AND TITLE (last, first, & job title)	PHONE NO. (area code & no.)
2 H u f f r	nan A. E. Dir. Admin & Ser	i c. 3 1 3 . 3 9 9 . 9 6 0 0
V. OWNERSHI	CENTRAL SOCIETA DE CONTRAL DE CON	CALL TO THE STREET, ST
Ethyl	A. NAME OF INSTALLATION'S LEGAL OWNER	
15 16	OWNERSHIP Dox VI. TYPE OF HAZARDOUS WASTE ACTIVITY	(antar "Y" in the appropriate box(call)
10 0 (100)	A. GENERATION	B. TRANSPORTATION (complete item VII)
F = FEDERA M = NON-F	EDEBVI TAT LES	D. UNDERGROUND INJECTION
VII. MODE OF	TRANSPORTATION (transporters only - enter "X" in the approprie	ate box(es))
A. AIR	B. RAIL C. HIGHWAY D. WATER E. OT	HER (specify):
	SUBSEQUENT NOTIFICATION propriets box to indicate whether this is your installation's first notification of	hazardous waste activity or a subsequent notification
	first notification, enter your Installation's EPA I.D. Number in the space provid	
		C. INSTALLATION'S EPA I.D. NO.
	ON OF HAZARDOUS WASTES	item C) M10041803123
man of the property of the party of the part	A STATE OF A STATE OF A STATE OF THE STATE O	

EPA Form 8700-12 (6-80)

AUG 08 1000

X. DESCRIPTION OF	HAZARDOUS WAST	ES (continued from)	front)		
A. HAZARDOUS WASTES waste from non-specific	FROM NON—SPECIFIC sources your installation	SOURCES. Enter the handles. Use additional	four—digit number from lands if necessary.	40 CFR Part 261.31 for	each listed hazardous
	2	3	4 7-9	5	6
F 0 0 2	F 0 0 4	F005	HEATRA D		
7	8	9	10	11	12
	5 (1 mg 12 J mg 12 J				
. HAZARDOUS WASTES specific industrial source				R Part 261.32 for each li	sted hazardous waste from
13	14	15	16	17	18
					23 - 26
19	20 - 26	21	23 - 26	23 - 26	24
25 25	26	27	28 - 26	29	30
COMMERCIAL CHEMI stance your installation	CAL PRODUCT HAZAF handles which may be a l	RDOUS WASTES. Enter hazardous waste. Use ad	the four—digit number f ditional sheets if necessar	rom 40 CFR Part 261.33	3 for each chemical sub-
31	32	33	34	35	36
		23 - 26	23 - 26	23 - 26	23 - 26
37	38	39	40	41	42
			23 - 26	23 - 26	23 - 26
43	23 - 26	45	46	47	48
			23 - 26		A A STATE
). LISTED INFECTIOUS hospitals, medical and re	WASTES. Enter the four esearch laboratories your	r—digit number from 40 installation handles. Us		h listed hazardous waste essary.	from hospitals, veterinar
49	50	51	52	53	54 2
give and a			23 26	23 - 26	23 - 26
. CHARACTERISTICS Of hazardous wastes your i	F NON-LISTED HAZA	RDOUS WASTES. Mark 40 CFR Parts 261.21 —	("X" in the boxes corres	sponding to the characte	ristics of non-listed
(D001)		2. CORROSIVE	∑3. REAC (D003)		№ 4. TOXIC
CERTIFICATION	Ve him the state of				
I certify under penali attached documents, I believe that the subi mitting false informati	and that based on my mitted information is	inquiry of those inc true, accurate, and c	lividuals immediately omplete. I am aware	responsible for obtain	ning the information,
IGNATURE	548639 A n - 6 - 4	NAME & OF	FICIAL TITLE (type or p	print)	DATE SIGNED
GE Huy	I furan	A. E. I	Huffman, Dir.		n 8/6/80

EPA Form 8700-12 (6-80) REVERSE

Alle Bernes

DETACHA

Please print or type in the unshaded areas only fill—in areas are spaced for elite type, i.e., 12 o	:h; ers/inch).	iiii///am-	androis prospers special in market cit		Form Approved OMB No.	158-R0	175	
	GENER	高加克斯特 高级线路电台	人名英格兰姓氏 医电流放射 电电影电影	2019년 1월 1일	I. EPA I.D. NUMBER			7/A C
GENERAL WEA		idated i	Permits Pr	ogram [1]	FMID0418	0 3 1	L <u>Z</u>	3 D
CABELITEMS EPA I.D. NUMBER					GENERAL INST If a preprinted label has	been pi	rovide	
					it in the designated space etion carefully; if any of through it and enter the	it is in	correc	ct, cross
III. FACILITY NAME		//			appropriate fill—in area be the preprinted data is ab	elow. A	lso, if	fany of
Y. FACILITY MAILING ADDRESS	EASE PLACE) \ 3 A B T	SEI IN	THIS SPACE	left of the label space that should appear), plea	lists the	info	mation
					proper fill—in area(s) be complete and correct, yo	u need	not c	omplete
					Items I, III, V, and VI must be completed regal items if no label has bee	rdiess).	Comp	plete all
VI. FACILITY LOCATION					the instructions for de tions and for the legal	tailed	item	descrip-
$7/7/7/1/\sqrt{1/7}$					which this data is collecte			
II. POLLUTANT CHARACTERISTICS INSTRUCTIONS: Complete A through J			. 5.00	eubmis anu namit annlisati	na forms to the EPA If you a	nmater "	VEC" 4	n anv
augetions you must submit this form and	the supplemental f	orm lis	ted in the	e parenthesis following the qu	jestion. Mark "X" in the box	n the th	nird co	slumn
if the supplemental form is attached. If yo is excluded from permit requirements; see S	u answer "no" to lection C of the inst	each qu truction	uestion, y is. See alsi	ou need not submit any of the . Section D of the instruction	iese forms. You may answer ins for definitions of bold—fe c	ed term	our ac S	tivity
SPECIFIC QUESTIONS	l ve	MAD	K'X' FORM ATTACHED		QUESTIONS		MARI	K'X' FORM
A. Is this facility a publicly owned tre	atment works				y <i>(either existing or proposed</i> enimal feeding operation o			
which results in a discharge to water (FORM 2A)	s of the U.S./	X	15		ion facility which results in		X 20	21
C. Is this a facility which currently result to waters of the U.S. other than thos	s in discharges	X			ity <i>(other than those describe</i> th will result in a discharge t	d	X	
A or B above? (FORM 2C)	22	23	24		ect at this facility industrial (26	27
E. Does or will this facility treat, store, hazardous wastes? (FORM 3)	X X	-	X	taining, within one q	ow the lowermost stratum co uarter mile of the well bor drinking water? (FORM 4)	e,	X	
G. Do you or will you inject at this facility		29	20		ect at this facility fluids for sp	<u>21</u> 6-	32	-
water or other fluids which are brough in connection with conventional oil or i duction, inject fluids used for enhance	natural gas pro-	X		process, solution mini	mining of sulfur by the Fras- ng of minerals, in situ combu	S-	$ \mathbf{x} $	
oil or natural gas, or inject fluids for st hydrocarbons? (FORM 4)	torage of liquid	4 35	36	(FORM 4)	recovery of geothermal energ	37	38	39 👈
Is this facility a proposed stationary some of the 28 industrial categories li	ource which is sted in the in-			NOT one of the 28 in	osed stationary source which adustrial categories listed in t	ne		
structions and which will potentially per year of any air pollutant regula Clean Air Act and may affect or be	ited under the	X		per year of any air poll	will potentially emit 250 to utant regulated under the Cle t or be located in an attainms	an	X	
attainment area? (FORM 5)		G 410	42	area? (FORM 5)	ico de locaceo in an artalisme	seeded L.	40	45
III. NAME OF FACILITY	oratio	n	R & I	Tillini Laborat	ori es	1 1		
IV. FACILITY CONTACT						69		
	TITLE (last, first,	& title)		B. PHONE (area code & no.)		_	
2 C. J. Worrel S	upv. Sa	f e	t y	& Security3	1 3 3 9 9 9 6 0	<u>`</u> o		
V. FACILITY MAILING ADDRESS				45 46	48 49 - 31 52 -	55.		
e[, , , , , , , , , , , , , , , , , , ,	REET OR P.O. BC	1,1	1 1 <u>. 1. 1</u>	1 1 1 1 1 1				
3 1 6 0 0 West Ei	ght Mi	, i , e	KO	o a d				
B. CITY 6	RTOWN	1 1	 	C.STATE D. ZIP C				
4 Ferndale		OCCUPATION NO.		MI 4 8 2	2.0			
VI. FACILITY LOCATION A. STREET, ROUTE NO	O. OR OTHER SPE	CIFIC	IDENTIF	IER I				
	g h t Mi	1.1	1 1_1	o a d				
15 16 B, COUNTY				45				
lliiliiliili Caklan d	1111	1 1	1 1 1					
46 C. CITY O	RTOWN			D.STATE E. ZIP C	ODE F. COUNTY CODE	7		
Ferndale	**************************************	1 1	1 1	MI 482	2 0 (if known)	1		
55 16 EPA Form 3510-1 (6-80)				40 41 42 47:	51 53 - 54	MEINII	- ORII	REVERS
Z. A 1 01111 03 (4° 1 (0°00)					14 1997	I I IIVUE	- 514 1	HEVERO

CONTINUED FROM THE FRONT			
VII. SIC CODES (4-digit, in order of priority) A. FIRST		B, SECOND	
c (specify)	L DOD 7201	(specify)	
15 16 - 19	ls, R&D /2.8,1,		nic Chemicals, R&D
C. THIRD	C 1 1	D. FOURTH	
7 15 16 - 19	7	19	
VIII. OPERATOR INFORMATION			
	A. NAME		B. Is the name listed in Item VIII-A also the
8 Ethyl Corporation			owner?
15 16		A Secondaria Caracteria	55 66
C. STATUS OF OPERATOR (Enter the appropriate lette		r", specify.)	PHONE (area code & no.)
F = FEDERAL M = PUBLIC (other than federal or sta S = STATE O = OTHER (specify) P = PRIVATE	P (specify)	A 8 Ø	4 7 8 8 5 0 0 0
E, STREET OR P.O. BOX			
PO Box 2189	<u> </u>		
F. CITY OR TOWN	G.STA	TE H. ZIP CODE IX. INDIAN	LAND
BRichmond	VA	112 3 2 1 7 1	y located on Indian lands?
	40 41 42	52	ES 🖾 NO
x, EXISTING ENVIRONMENTAL PERMITS	40 41 42		
	D (Air Emissions from Proposed	Sources)	
C T 1 9 N 9 P 155 16 17 18 - 30 15 16 17		30	
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)		
9 0		(specify)Discha	arge Permit, Detroi ewage Dept.
15 16 17 18 - 30 15 16 17 C. RCRA (Hazardous Wastes)	E. OTHER (specify)	30 Water & De	ewage Dept.
CTI IIIIIII CTI		(specify)	
9 R 15 16 17 10 - 30 15 16 17	18 -	30	
XI. MAP			
Attach to this application a topographic map of the are the outline of the facility, the location of each of its treatment, storage, or disposal facilities, and each wel water bodies in the map area. See instructions for preci-	existing and proposed intak I where it injects fluids und	ce and discharge structures, e	each of its hazardous waste s, rivers and other surface
XII. NATURE OF BUSINESS (provide a brief description)		ATTOMICS AND ADDRESS OF THE PARTY.	F9A15\$
Research & Development Automotive Research on fuel and le	abricant additivac	and amiggions cont	
dynamometer, chassis dynamometer		and emissions cont.	rois = engine
Chemical Research on fuel and lub	0	r automotive use: r	esearch and
development on industrial chemicals		- V	POIL KI
			190101
		± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	
	16 at 2	a ' 2	
WILL CONTROL OF THE C			
XIII. CERTIFICATION (see instructions)	were lead and one familiary		ol de al de carelles de constant ell
I certify under penalty of law that I have personally e attachments and that, based on my inquiry of those application, I believe that the information is true, acc false information, including the possibility of fine and	e persons immediately responsive and complete. I am a	onsible for obtaining the inf	formation contained in the
A. NAME & OFFICIAL TITLE (type or print)	B. SIGNATURE	-7/1	C. DATE SIGNED
Robert Herzog Executive Vice President	1/Mil	flames /	11/14/80
COMMENTS FOR OFFICIAL USE ONLY	V		
		11111111111	
15 16			55
EPA Form 3510-1 (6-80) REVERSE			

4

10

Marie Company		
III DD/	DEFECTO /	continued)
AAA A AAA		communear

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESSES (code "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

IV. DESCRIPTION OF HAZARDOUS WASTES

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Subpart D for each listed hazardous waste you will handle. If you handle hazardous wastes which are not listed in 40 CFR, Subpart D, enter the four-digit number (s) from 40 CFR, Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	ereer P	KILOGRAMS	K
TONS	T	METRIC TONS	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in Item III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous wastes: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in Item III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- 1. Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B,C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

 In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter
- "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other EPA Hazardous Waste Number that can be used to describe the hazardous waste.


EXAMPLE FOR COMPLETING ITEM IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.


				A				UNIT		D. PROCESSES																		
LINE NO.	W/	AS	TE	RE	0	B. ESTIMATED ANNUAL QUANTITY OF WASTE	5	OF MEA- SURE (enter code)			SURE (enter		SURE (enter		SURE (enter		SURE (enter				1	. PI			ss co ter)	DES	5	2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K	0) 3	5	4	900		P	7	,	0	3	D	8	0													
X-2	D	0) (0 .	2	400		P	7	7	0.	3	D	8	0		1	'										
X-3	D	0	0)	1	100		P	7	7	0.	3	D	8	0		I											
X-4	D	0) (0	2					T	1						l		included with above									

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. FOR OFFICIAL USE ONLY EPA I.D. NUMBER (enter from page 1) 4 18 3 MIDØ 1 2 33 DUP V. DESCRIPTION OF HAZARDOUS WASTES (continued) D. PROCESSES HAZARD. WASTENO (enter code) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) F 0 0 2 Shipped off site for disposal S 0 1 11 11 0/0 S Ø 1 00 5 F S 0/1 8.0 11 77 77 4 5 . 6 8 9 10 11 12 13 14 15 16 17 18 19 20 21 24 25 **CONTINUE ON REVERSE** EPA Form 3510-3 (6-80)

ETHYL CORPORATION SCALE: 1" . 184" R.W. S. 12/2/74







ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT · RESEARCH LABORATORIES

1600 WEST EIGHT MILE ROAD · FERNDALE, MICHIGAN 48220 · (313) 399-9600

February 22, 1984

RCRA Activities EPA, Region V P. O. Box A-3587 Chicago, IL 60690-3587

Attn: Biennial Report

Dear Sir:

Enclosed are the completed "Hazardous Waste Treatment, Storage and Disposal Facility Report for 1983" and the "Hazardous Waste Generator Report for 1983." Also enclosed are copies of State of Michigan Waste Disposal Manifests, Waste Characterization Reports and a tabulation of the contents of each container.

We have closed this location as a generator and storage facility of hazardous waste. Our approved closure plan has been completed and we have had the inspection and certification as required by 40 CFR 265.115. In closing the facility we cleaned out the chemistry laboratories and stockroom which accounts for the quantity of material shipped.

If you have any questions, please call W. J. Brown, (313) 399-9600.

Yours truly,

W. J. Brown

WJB/jtd

cc: (without enclosures)

Mr. W. E. Adams

Dr. K. A. Keblys (with reports only)

Mr. R. S. Silver

GENERATOR BIENNIAL HAZARDOUS WASTE REPORT FOR 1983

This report is for the calendar year ending December 31, 1983. Read All Instructions Carefully Before Making Any Entries on Form

I. NON-REGULATED STATUS

Complete this section only if you did not generate regulated quantities of hazardous waste at any time during the 1983

- Non-handler 1
- Small Quantity Generator

calendar year. Circle the <u>one</u> code at right that best describes your status during the entire year (see instructions for explanation of codes).	4 Exempt 5 Beneficial Use 9 Closed
Please print/type with elite type (12 characters per inch)	This Installation's Non-Regulated Status is Expected to Apply:
II. GENERATOR'S EPA I.D. NUMBER	☐ For 1983 Only ☐ Permanently
F M I D 0 4 1 8 0 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	☐ Other
	C303 ENTRY (OFFICIAL USE ONLY):
III. NAME OF INSTALLATION	
LE T H Y L C O R P O R A T I O N R & D 30	L A B O R A T O R I E S
IV. INSTALLATION MAILING ADDRESS	
3 1 6 0 0 W E S T E I G H T M I L E	R O A D 45
Street or P.O. Box	
4 F E R N D A L E	M I 4 8 2 2 0 41 42 47 51
City or Town	State Zip Code
V. LOCATION OF INSTALLATION (if different than section	IV above)
15 16	45
Street or Route number	
[6	41 42 47 51
City or Town	State Zip Code
VI. INSTALLATION CONTACT	
2 BIRIOIWINI WI IIILII II AIMI	45
L3 1 3 - 3 9 9 - 9 6 0 0 46 55	
Phone No. (area code & no.)	
VII. CERTIFICATION	
I certify under penalty of law that I have personally examined and am famili documents, and that based on my inquiry of those individuals immediately in	

submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Wi	11	Ιi	am	J.	Brown
NA I			am	U	DIOWII

Signature of Authorized Representative

2/22/84

Print/Type Name

Date Signed

Generator Biennial Hazardous Waste Report for 1983 (cont.)

This report is for the calendar year ending December 31, 1983.

Date rec'd:Rec'd by:	
VIII. GENERATOR'S EPA I.D. NO.	100 mm
G M I D 0 4 1 8 0 3 1 2 3 1 1 2 3 1 1 2 1 3 1 1 1 5	La Children 10 Ch
X. FACILITY'S EPA I.D. NO.	
F M I D 0 9 8 0 1 1 1 9 9 2	0000 0000 0000 0000 0000 0000 0000 0000 0000

IX. FACILITY NAME (specify facility to which all wastes on this page were shipped)

Nelson Industrial Services, Inc.

XI. FACILITY ADDRESS

12345 Schaefer Detroit, MI 48227

XII. TRANSPORTATION SERVICES USED

Nelson Industrial Services, Inc. MID098011992

XIII. W	4S⊺ ‡⊧⊤	re identification	5e		C. EPA Haza	ardous i		unini hangi u 124 pete teri punini ne in teritoria di pete teritoria punini ne in teritoria di peter d				Unit of
Sequence #	Line	A. Description of Waste	B. DOT Hazard		Waste N (see instruc		D.	Amou	nt of	Waste	e	E. Unit o
29 32	1	Glass Containers Sulfuric Acid	1 F 33 3	5 35 34 43	38 39	1 1 42 1 1 50	<u> </u> 51		1	_i 6 _i (O ₁ O	P 60
	2	Glass Containers 65% Sulfuric Acid	1	5	0101012			I l	L L	!	9, 4	Р
	3	65% Sulfuric Acid Glass Containers Perchloric Acid	ָן ן !	5	0 0 0 2	'	_	.ll			4, 2	Р _
	4	Glass Containers Acetic Anhydride	1,	5 D	0 0 0 2		1	1 1			5 ₁ 0	Р
	5	Glass Containers 90% Nitric Acid	1.		0 0 0 2				1 1	1	_ 7	Р
	6	P. E. Container Polyphosphoric Acid	1,	1 5	0:0:0:2				1	121	5, 0	Р
	7	avenue a constant de la constant de					ı	1 1		1 1		
	8			-				1 1		1 1	ı	į į
	9							1 1	F 1	1 1	_	2
	10	1.0.000							ı I	1 1	1	į
	11			-				1 1				
	12											

XIV. COMMENTS (enter information by section number-see instructions)

Items 1-6 from attached manifest MI 0100114

Date rec'd:

Rec'd by:

VIII. GENERATOR'S EPA I.D. NO.

T/A C

GMIDIO 4 1 8 0 3 1 2 3 1

SCA Chemical Services, Inc.

IX. FACILITY NAME (specify facility to which all wastes on

X. FACILITY'S EPA I.D. NO.

I L D 0 0 0 0 6 7 2 1 2 1

XI. FACILITY ADDRESS

this page were shipped)

11700 S. Stony Island Ave. Chicago, IL 66017

XII. TRANSPORTATION SERVICES USED

Great Lakes Environmental Services 22077 Mound Road

Warren, MI 48090

MID087478574

#	TE IDENTIFICATION	ard T	C. EPA Hazardous		E. Unit of Measure
Sequence # -		B. DOT Hazard code	Waste No. (see instructions)	D. Amount of Waste	E. U Mea
1 1 29 32	Lab-Packs of Organic Waste	1+ 5 33 34	DI QI QI QI I I I 35 38 39 42 43 46 47 50	1 3 3 9 3 7 51 59	P
2	Flammable and Toxic Organic Waste	115		, , , , , 1,1,5,5	G
3	Organic Waste Halogenated Organic Waste	1 5		1 1 1 1 1 1 0 4 5	G _
4	Lab-Packs of Organic Waste	1⊥5	D101010 1 1 1	1 41819 4	Р
5	Flammable and Toxic Organic Waste	1.5	D+0+0+1 + + + + + + + + + + + + + + + + +	1 4 4 4 0 0	G _
6	Flammable and Toxic Organic Waste	1 5	D:0:0:1	<u> </u> 	G
7	Halogenated Organic Waste	1⊤5	D: 0 0 1		G
8	Lab-Packs of Organic Waste		D:0:0:1 : :	4,9,6	Р
9		L			
10		1			
11					
12					

XIV. COMMENTS (enter information by section number-see instructions)

Lab-Pack and container contents are shown on the attached sheets.

Items 1-3	from	attached	manifest	ΜI	0035779		Lb/qal
Item 4	from	attached	manifest	ΜI	0100115	Item	Density
Item 5	from	attached	manifest	ΜI	0035767	2	8.0
Items 6-8	from	attached	manifest	ΜI	0100117	3	8.0
						5	8.0
						6	8.0
						7	8 O

Generator Biennial Hazardous Waste Report for 1983 (cont.)

This report is for the calendar year ending December 31, 1983.

Date rec'd:	Rec'd by:
VIII. GENERATOR'S EPA 1.1	
G1M111D1014111810131	T/A C 1 2 3 1 1 1 1 1 1 1 1
X. FACILITY'S EPA I.D. NO.	
[F]N Y D 0 4 9 8 3 6 16	6171 <u>9</u> 1

IX. FACILITY NAME (specify facility to which all wastes on this page were shipped)

SCA Chemical Services, Inc.

XI. FACILITY ADDRESS

1135 Balmer Road Model City, New York 14107

XII.TRANSPORTATION SERVICES USED Great Lakes Environmental Services 22077 Mound Road Warren, MI 48090

MID087478574

- 현소역, 10명 1일 일상 12명 12명 12명 12명 12명 12명 - 건강 1	· 是一个,他们也可以是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个		100 Sept. 100 S		
XIII. WASTE IDENTI	FICATION	μp	C. EPA Hazardous	•	it of
**************************************		문합	Waste No.		ast C
Sequence #	A. Description of Waste	8. DOT Hazard code	(see instructions)	D. Amount of Waste	E. Unit o
Lab-Pac	cks of Inorganic and		D O O O O O O O O O		5
LLL1 Bromir	nated Organic Chemicals	1+5 33-34	35 38 39 42	1	P
29 32		33 34		59	60
	rganic Liquid Waste	ا ا	Di Oi Oi I	1.7.0	
Contai	ning P&C1	1:5		11110	<u> </u>
3 Dhoanha	mana Ovyahlamida	1 5	Di 0i 0i 3		G
L I PROSPRO	rous Oxychloride	11.3	D101012	1 1 1 1 1 1 1 5 5	
4 Phospho	rous Trichloride	1, 5		1 1 1 1 1 1 15 15	
	Tous Trentoriae	11 3	DI 0 I 0 I 8 1 1		 13
5	lide/Oxide Deposits	1:5	l l	- 	G
	Sulfide Ore	1	Di0:0:3		
6 Copper Concen		1,5		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	<u>clace</u>	1			
7		1		1	
				- 	-
8] , :			
9				7	
10					1 ,
					,
11					
12			11.1		
					<u> </u>

XIV. COMMENTS (enter information by section number-see instructions)

Lab-Pack and container contents are shown on the attached sheets.

Items 1-6 from attached manifest MI 0100118

	Lb/gal
Item	D <u>ens</u> ity
2	9.2
3	11.7
4	11.7
5	20.8
6	23.3

FACILITY BIENNIAL HAZARDOUS WASTE REPORT FOR 1983

This report is for the calendar year ending December 31, 1983. Read All Instructions Carefully Before Making Any Entries on Form

I. NON-REGULATED STATUS See instructions before completing this section. This facility did not treat, store, or dispose of regulated quantities of hazardous waste at any time during 1983	Explain your non-regulated status in the space below.
Please print/type with elite type (12 characters per inch)	
II. FACILITY EPA I.D. NUMBER	This Facility's Non-Regulated Status is Expected to Apply:
	☐ For 1983 Only ☐ Permanently
T/A C F M 1 D 0 4 1 8 0 3 1 2 3 1 1 1 1 1 1 1 1 1	Other (explain in comment section)
	C303 ENTRY (OFFICIAL USE ONLY):
III. NAME OF FACILITY	
1 T T CONT	
ETHYL CORPORATION R&D	LABORATORIES
IV. FACILITY MAILING ADDRESS	
3 1 6 0 0 W E S T E G H T M I L E	(1 R O A D
Street or P.O. Box	
4 F E R N D A L E	M I 4 8 2 2 0 41 42 47 51
15 16	41 42 47 51
City and Taxonia	
City or Town	State Zip Code
	State Zip Code
V. LOCATION OF FACILITY (if different than section IV about	State Zip Code
V. LOCATION OF FACILITY (if different than section IV at	State Zip Code
V. LOCATION OF FACILITY (if different than section IV at 15 16	State Zip Code
V. LOCATION OF FACILITY (if different than section IV about 15 16 Street or Route number	State Zip Code
V. LOCATION OF FACILITY (if different than section IV at 15 16	State Zip Code bove) 45
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number	State Zip Code bove) 45
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45 41 42 47 51
V. LOCATION OF FACILITY (if different than section IV above the section	State Zip Code bove) 45 41 42 47 51 State Zip Code
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45 41 42 47 51 State Zip Code
V. LOCATION OF FACILITY (if different than section IV at 15 16 Street or Route number 6	State Zip Code bove) 45 41 42 47 51 State Zip Code
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45 41 42 47 51 State Zip Code ATES FOR FACILITIES 9 9 0 0 \$ 25 25 28 31 Facility Closure B. Cost Estimate for Post Closure Monitoring
V. LOCATION OF FACILITY (if different than section IV at 15 16 Street or Route number 6 15 16 City or Town VI. FACILITY CONTACT 2 B R 0 W N W I L L I A M 15 16 Name (last and first) VII. COST ESTIMA \$ 16 19 16 19 16 19 19 19	State Zip Code bove) 45 41 42 47 51 State Zip Code ATES FOR FACILITIES 9 9 0 0 \$ 25 , 28 , 31
V. LOCATION OF FACILITY (if different than section IV above 15 16 Street or Route number 6	State Zip Code bove) 45 41 42 47 51 State Zip Code ATES FOR FACILITIES 9 9 0 0 \$ 25 25 28 31 Facility Closure B. Cost Estimate for Post Closure Monitoring
V. LOCATION OF FACILITY (if different than section IV above 15 16 16 16 15 16 16 15 16 16 15 16 16 15 16 16 15 16 16 15 16 16 16 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 17 16 17 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17	State Zip Code bove) 45 41 42 47 51 State Zip Code ATES FOR FACILITIES 9 9 9 0 0 \$ 25 , 28 , 31 Facility Closure B. Cost Estimate for Post Closure Monitoring and Maintenance (disposal facilities only)
V. LOCATION OF FACILITY (if different than section IV above the section	State Zip Code bove) 45 ATES FOR FACILITIES 9 9 9 0 0 \$ 25
V. LOCATION OF FACILITY (if different than section IV above 15 16 16 16 15 16 16 15 16 16 15 16 16 15 16 16 15 16 16 15 16 16 16 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 17 16 17 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17	State Zip Code bove) 45 ATES FOR FACILITIES 9 9 9 0 0 \$ 25
V. LOCATION OF FACILITY (if different than section IV above the section	State Zip Code bove) 45 ATES FOR FACILITIES 9 9 9 0 0 \$ 25

Facility Biennial Hazardous Waste Report for 1983 (cont.) This report is for the calendar year ending December 31, 1983.

This report is for the	calendar year ending December 31, 1983.						
Date rec'd:Rec'd by:	XI. GENERATOR NAME (specify generator from whom all wastes on this page were received)						
IX. FACILITY'S EPA I.D. NO.	ON-SITE 🗆						
F M 1 D 0 4 1 8 0 3 1 2 3 1 1 2 13 14 15	XII. GENERATOR ADDRESS						
X. GENERATOR'S EPA I.D. NO.							
Gr M] D 0 4 1 8 0 3 1 2 3							
S01 L S02 L S02 L S02 L S04 S05	BER 31, 1983 (complete this section only once for your facility)						
S04 L L L L L L L L L L L L L L L L L L L	DI LI SOS I I I I I I I I I I I I I I I I I						
XIV. WASTE IDENTIFICATION	e of						
equence # A. Description of Waste	B. EPA Hazardous C. Waste No. Handling (see instructions) Method D. Amount of Waste						
Glass Containers	D 10 10 12 1 1 1						
Sulfuric Acid	33 36 37 40 S O 1 1 1 6 O D						
Glass Containers 65% Sulfuric Acid	S 0 1 9 4 P						
Glass Containers Perchloric Acid	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						
Glass Containers Acetic Anhydride	$D_1O_1O_12$						
Glass Containers 90% Nitric Acid	D ₁ O ₁ O ₂						
P.E. Container Polyphosphoric Acid	D 0 0 2						
Z Lab-Packs of	D101010						
Organic Waste 8 Flammable and Toxic	D 0 0 1						
Halogenated Organic	D ₁ O ₁ O ₁ O ₂						
Waste Lab-Packs of	D ₁ O						
Organic Waste	S ₁ 0 ₁ 1 S ₁ 0 ₁ 1 S ₁ 0 ₁ 4 P						
Flammable and Toxic Organic Waste	D O O O O O O O O O						
Flammable and Toxic Organic Waste	D O O 1						
XV. COMMENTS (enter information by section numb	per—see instructions)						
Lab-Pack and container contents are shown on attached sheets. Items 1-6 from attached manifest MI 0100114 Items 7-9 from attached manifest MI 0035779 Item 10 from attached manifest MI 0100115 Item 11 from attached manifest MI 0035767 Item 11 8.0							
Item 12 from attached manifest	MI 0100117 12 8.0						

This report is for the calendar year ending December 31, 1983.

Date rec'd: Rec'd by:	XI. GENERATOR NAME (specify generator from whom all wastes on this page were received)							
IX. FACILITY'S EPA I.D. NO.	ON-SITE X							
F M I D O 4 1 8 0 3 1 2 3 1	ON-3112 X							
1 2 13 14 15	XII. GENERATOR ADDRESS							
X. GENERATOR'S EPA I.D. NO.								
GMID04118031123								
XIII. TOTAL WASTE IN STORAGE ON DECEMBER 31, 1983 (complete this section only once for your facility) S01								
VIV. WASTE IDENTIFICATION								
XIV. WASTE IDENTIFICATION	B. EPA Hazardous C. Waste No. Handling (see instructions) Method D. Amount of Waste							
equence # A. Description of Waste	(see instructions) Method D. Amount of Waste							
Halogenated Organic Waste	33 36 37 40 S 0 1 1 1 1 3 3 0 G 41 44 45 48 49 51 52 60 61							
2 Lab-Packs of Organic Waste	D 0 0 1							
Lab-Packs of Inorganic and	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$							
Brominated Organic Chemicals Mixed Organic Liquid Waste	D-0-0-1							
Containing P&Cl	D ₁ O ₁ O ₁ 3							
5 Phosphorous Oxychloride	D ₁ O ₁ O ₁ O ₂							
6 Phosphorous Trichloride	S ₁ O ₁ 1 S ₁ O ₁ 1 S ₁ O ₁ 5 G							
Lead Halide/Oxide Deposits	D101018							
Copper Sulfide Ore Concentrate	$D_1O_1O_13$ S_1O_11 S_1O_1 S_1O_2							
9								
10								
11								
12								
XV. COMMENTS (enter information by section number—see instructions)								
Lab-Pack and container contents are shown on attached sheets Lb/gal								
Items 1-2 from attached manifest MI 0100117 Items 3-8 from attached manifest MI 0100118 Item $\frac{1}{1}$ Density $\frac{1}{8.0}$								
4 9.2								
	5 11.7 6 11.7							
	7 20.8 8 23.3							

TELEPHONE MEMORANDUM

WITH Bill Brown	DATE 3/19/84					
REPRESENTING Ethyl Corporation	TIME 12:45					
PERMIT NO. MUD 04/803 123 900	PHONE 313-399-5600					
EPA STAFF David Hower						
SUBJECT Closure letter douted March 16,19	84					
NOTES & SUMMARY: FOLIC	W-UP DATE					
He stated that the facility was not generalor any longer and to doled						
the system. I told him I would check the file to						
see if there was enough into to be	sele-up ha claim					
and then have generator status dely						
I would get back to him						

Signature David Home

OCT 1 1 1983

Mr. C. J. Worrel
Supervisor of Safety and Security
Ethyl Corporation
Research and Development Department
1600 West Eight Mile Road
Ferndale, Michigan 48220

Re: Closure Plan

EPA ID No.: MID 041803123

O MAIN DO

Dear Mr. Worrel:

On June 3, 1983, you submitted formal application of closure of your hazardous waste storage facility. The closure plan described the disposal of waste from the storage area, decontamination of equipment and disposal of that rinsate. A 30-day public comment period of the plan ended September 23, 1983, and no comments were received.

The closure plan for your facility is hereby approved. Please submit the necessary certification after the approved closure has been completed (40 CFR 265.115 enclosed).

You may contact Dr. David Homer of my staff at (312) 886-3790, if you have any questions on this matter.

Sincerely,

Basil G. Constantelos, Director Waste Management Division

Enclosure

5HW

cc: Alan Howard, MDNR

INITIALS DATE	TYPIST OF 10/3/183	AUTHOR DU	STU #1 CHIEF	STU #2 CHIEF	STU #3 CHIEF	TPS CHIEF	WMB CHIEF KJK	DIR
√-13:DHOME	ER:ap:6-37	90:10/3/8	33		100/ 4/83	10/4/07	10/5/831	118/6/07

OCT 1 1 1983

Closure Plan: Ethyl Corporation, Ferndale, Michigan EPA ID No.: MID041803123

Karl J. Klepitsch, Jr., Chief Waste Management Branch

B. G. Constantelos, Director Waste Management Division

The subject facility proposed the closure of the hazardous waste storage facility at their Research and Development Laboratories. They will remove all wastes off-site for disposal, and decontaminate all equipment with the appropriate solvents. The rinsate will be sent off-site for disposal. Therefore, it is recommended the plan be approved with no conditions.

						Bus	ME	
INITIALS DATE	TYPIST ap 10/3/83	AUTHOR DH 10/4	STU #1 CHIEF	STU #2 CHIEF	STU #3 CHIEF	TPS CHIEF	WMB CHIEF	WM5 DIRECT
					1 1 60 1	10/4/87	10/5/83	lojo



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION V 230 SOUTH DEARBORN ST. CHICAGO, ILLINOIS 60604

District Laura

REPLY TO ATTENTION OF

MAR 16 1984

Mr. W. J. Brown, P.E.

Ethyl Corporation
Research and Development Department
1600 West Eight Mile Road
Ferndale, Michigan 48220

RECEIVED MAR 271984

Re: Certification of Closure Plan EPA I.D. No. MID041803123

Dear Mr. Brown:

Your February 14, 1984, letter informed this Agency that the approved closure plan for Ethyl Corporation Research and Development Laboratories' storage facilities has been executed, and that closure has been certified by Peter F. Atkins, P.E.. The facility will retain its identification number as a hazardous waste generator. Please be advised that you must ensure your waste is handled in accordance with the generator standards outlined in 40 CFR Part 262.

Please contact Dr. David Homer of my staff at (312) 886-6146, if you have any questions.

Sincerely,

Basil G. Constantelos, Director

Waste Management Division

cc: Alan Howard, MDNR &

HECEIVED HAR 20 1984

EXTERIOR VICABLE PRVISION

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT · RESEARCH LABORATORIES

1600 WEST EIGHT MILE ROAD · FERNDALE, MICHIGAN 48220 · (313) 399-9600

February 14, 1984

Mr. Basil G. Constantelos, Director Waste Management Division U. S. Environmental Protection Agency Region V 230 South Dearborn Street Chicago, IL 60604

Attention: 5HW-13

MID OHI 803 423 6, TED, PA

Dear Mr. Constantelos:

In conformity with 40 CFR 265.115 Ethyl Corporation certifies that the closure of its hazardous waste storage facility EPA ID No.: MID041803123 has been completed in accordance with the approved plan. All hazardous waste has been removed and an inspection by the Michigan Department of Natural Resources confirmed this. An independent registered professional engineer certified the facility has been closed in accordance with the specifications in the approved closure plan. His letter of certification, with seal, is enclosed.

Signed for Ethyl Corporation

W. J. Brown, P.E.

State of Michigan #18311

WJB/jtd Enclosure

cc: (with enclosure)

Mr. W. E. Adams Dr. K. A. Keblys Mr. R. S. Silver

2.24-84

WASTE MANAGENENT



Verification of Closure

Introduction

The report serves to verify that the Ethyl Corporation Laboratories located at 1600 West Eight Mile Road, Ferndale, Michigan have been closed in accordance with the specifications in their approved closure plan. The Ethyl Corporation has an Interim Status Permit to store hazardous waste under the Resource Conservation and Recovery Act (RCRA), PL 94-580, October 21, 1976. License number MID 041803123. Federal regulations under RCRA, 40 CFR Part 265, Subpart G, Closure and Post Close, require certification by an independent registered professional engineer. The certification of closure is being supplied by Peter F. Atkins, Jr. P.E. (State of Michigan).

Summary

The Ethyl Corporation Ferndale Laboratoreis were inspected on February 8, 1984. The inspection included the following areas:

- Drum storage area
- Active Metals storage area
- Chemicals Research Laboratories
- Chemical Engineering Projects area
 - Hazardous Chemicals storage area
 - General Chemicals storage area



During the inspection all the above areas were thoroughly examined, all storage cupboards and lockers were opened, and all rooms and closets were entered. No chemicals or chemical wastes of any kind were found at this site.

Signed

Peter F. Atkins, Jr. P.E.

State of Michigan #20799

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT · RESEARCH LABORATORIES

1600 WEST EIGHT MILE ROAD · FERNDALE, MICHIGAN 48220 · (313) 399-9600

June 3, 1983

U.S. Environmental Protection Agency Region V 230 South Dearborn St. Chicago, Illinois 60604 MID ON

MID 041 803 123, PA, G, TSD, PASI

Dear Sirs:

Enclosed is the Closure Plan for the Ethyl Corporation Research and Development Laboratories in Ferndale, Michigan. This is submitted in compliance with RCRA Rules, Part 265, Subpart G. This facility has been a generator of hazardous waste under USEPA ID No. MID 041803123 in compliance with interim status standards. It is expected that we will no longer generate hazardous waste after August 31, 1983. Final closure is anticipated to be December 31, 1983, when we would no longer store hazardous waste at this facility.

Please advise us of your considered action in this matter.

Very truly yours,


C. J. Worrel

Supervisor of Safety and Security

CJW/lcb

Enclos.





CLOSURE PLAN FOR FERNDALE LABORATORIES

- Foreword: The Ethyl Ferndale laboratories has an Interim Status Permit as storers of hazardous waste under the Resource Conservation and Recovery Act (RCRA), Public Law 94-580--October 21, 1976. Our license number is MID 041803123. The purpose of this plan is to comply with Federal Regulations under RCRA, 40 CFR Part 265, Subpart G, Closure and Post-Closure.
- Objective: To close the facility so as to minimize the need for further maintenance as a hazardous waste storage facility and to control or eliminate the need to protect human health and the environment from the effects of such use.
- Policy: The provisions of this plan will be carried out upon closure of the facility.

Procedure:

- (1) This facility will be closed by decision of the owners, the Ethyl Corporation, with headquarters at 330 South Fourth St., Richmond, Virginia 23217.
- (2) Partial closure or unclosure of these facilities is not anticipated.
- (3) The maximum inventory of waste in storage during the life of this facility is estimated at forty-five 55-gallon drums.
- (4) To decontaminate the facility, wash all containers and equipment with appropriate solvents, drum washings and ship drums as hazardous waste. (Estimate five 55-gallon drums of washings as maximum, included as part of forty-five drums in (3) above.)
- (5) It is anticipated that waste will no longer be accumulated within approximately 60 days prior to the final closure date.
- (6) The waste inventory on hand will be shipped within approximately 30 days prior to final closure.
- (7) When closure is impending, the Ethyl Corporation will submit this closure plan, at least 180 days prior to the expected date, to the Regional Administrator, U.S. Environmental Protection Agency, Region V, 230 South Dearborn St., Chicago, Illinois 60604.
- (8) This plan will be kept at these laboratories to be used in the event the facility is closed. It may be amended whenever such amendment is needed and must be amended when changes in operation or facility use affect this closure plan.

NOTICE OF CANCELLATION

Hazardous Waste Liability Certificate o1Liability Insurance

f	ĺ		8	d		leg-	t	h	
---	---	--	---	---	--	------	---	---	--

Name

ENVIRONMENTAL PROTECTION AGENCY

Address

ATTENTION MR THOMAS GOLZ

WASTE MANAGEMENT BRANCH

230 SOUTH DEARBORN STREET

CHICAGO IL 60604

OCT 11 1985

U.S. THA, REDUN Y MASTE MANGRAM WISH TEMPHES WASTE ENFORTMENT (AM.

This is to advise that policy #

TREE-SLG-108T148-2-82

(Named Insured)

ETHYL CORPORATION

(Mailing Address)

330 SOUTH FOURTH ST

RICHMOND VA 23219

(Facility Name)

ETHYL RSD LABS

(Facility Address)

1600 WEST EIGHT MILE RD

FERNDALE MI 48220

EPA I.D.# MID 041803123

TRAVELERS INDEMNITY COMPANY

(Name of Company)

One Tower Square Hartford, Connecticut 06115

said policy no longer covers the Liability Insurance requirements for a Hazardous Waste Facility Certificate effective as of the 1ST day of JANUARY, 1986 12:01 a.m. standard time at the address of the named insured as stated in said policy, provided said date is not loss than THIRTY(30) days after the receipt of this notice by the Regional Administrator.

RICH-179 10-08-85

Societary (Om) Secretary, Authorized

Representative of The Travelers

Insurance Companies

One Tower Square

Hartford, Connecticut 06115

Suite 1000 Seventh and Franklin Buil. 3 Richmond, Virginia 23219

telephone (804) 643-0234 twx 710-956-0212 cables Colybrand

March 25, 1983

Ethyl Corporation 330 South Fourth Street Richmond, Virginia 23219

Dear Sirs:

We have examined the consolidated balance sheet of Ethyl Corporation and Subsidiaries as of December 31, 1982 and the related consolidated statements of income, retained earnings, additional paid-in capital and changes in financial position for the year then ended, and have reported thereon under date of January 28, 1983. Our examination was made in accordance with generally accepted auditing standards and, accordingly, included such tests of the accounting records and such other auditing procedures as we considered necessary in the circumstances.

During the course of our examination, which was made for the purpose of enabling us to express an opinion on the aforementioned financial statements, we have reviewed the letter submitted by Mr. Lawrence E. Blanchard, Jr., Vice Chairman of Ethyl Corporation, to the Environmental Protection Agency and state regulatory agencies administering similar functions required by regulation 40 CFR Parts 264 and 265 and compared the data specified as having been derived from the aforementioned financial statements for the year ended December 31, 1982 to these financial statements. In connection with this procedure, we obtained no knowledge of any matter that would require that the specified data should be adjusted.

This letter is solely for the information of, and assistance to, the Environmental Protection Agency in conducting their investigation of the affairs of Ethyl Corporation in connection with regulation 40 CRF Parts 264 and 265 and those state regulatory agencies administering similar functions and is not to be used, circulated, quoted, or otherwise referred to, for any other purpose.

Very truly yours,

Coopers & Lybrand

MID 041 803 123

ETHYL CORPORATION MID 04 803 123

330 SOUTH FOURTH STREET

POST OFFICE BOX 2189

RICHMOND, VIRGINIA 23217



WASTE MANAGEMENT BRANCH

Regional Administration Environmental Protection Agency Region V 230 South Dearborn Street Chicago, Illinois 60604

Attn: RCRA Financial Requirements

Dear Sir:

I am the chief financial officer of Ethyl Corporation, 330 South Fourth Street, Richmond, Virginia. This letter is in support of this firm's use of the financial test to demonstrate financial assurance, as specified in Subpart H of 40 CFR Parts 264 and 265.

1. This firm is the owner or operator of the following facilities for which financial assurance for closure or post-closure care is demonstrated through the financial test specified in Subpart H of 40 CFR Parts 264 and 265. The current closure and/or post-closure cost estimates covered by the test are shown for each facility.

EPA ID	Facility	Closure <u>Cost</u>	Post Closure Cost
MIDO41803123	Ethyl R&D Labs 1600 West Eight Mile Rd. Ferndale, MI 48220	\$ 2,512	\$

2. This firm guarantees, through the corporate guarantee specified in Subpart H of 40 CFR Parts 264 and 265, the closure or postclosure care of the following facilities owned or operated by subsidiaries of this firm. The current cost estimates for the closure or post-closure care so guaranteed are shown for each facility:

None

3. In states where EPA is not administering the financial requirements of Subpart H of 40 CFR Parts 264 or 265, this firm, as owner or operator or guarantor, is demonstrating financial assurance for the closure or post-closure care of the following facilities through the use of a test equivalent or substantially equivalent to the financial test specified in Subpart H or 40 CFR Parts 264 and 265. The current closure and/or post-closure cost estimates covered by such a test are shown for each facility:

	EPA ID	Facility		Closure Cost	Post Closure Cost
		Le Collection of the Collectio		B	
	GAD003273224	The William L. Bonnell Company, Inc. P. O. Box 428 Newnan, GA 30264	\$	5,641	\$
	TND047000898	The William L. Bonnell Company, Inc. P. O. Box 279 Carthage, TN 37030		5,641	
	PAD003004405	Capitol Products Corp. P. O. Box 3070 Harrisburg, PA 17105		9,720	-
j	IND057396608	Capitol Products Corp. P. O. Box 146 Kentland, IN 47951		9,339	a an
	ARD05258809	Ethyl Corporation P. O. Box 729 Magnolia, AK 71753		8,191	3,277
	TXD008096158	Ethyl Corporation P. O. Box 472 Pasadena, TX 77501	-	l,350,000	16,991
	SCD043384072	Ethyl Corporation P. O. Box 1028 Orangeburg, SC 29115		1,108	****
	CAD044430668	Ethyl Corporation Wilmington Terminal P. O. Box 462 Wilmington, CA 90744		1,092	
	SCD04267448	Hardwicke Chemical Co. Route 2, Box 50-A Elgin, SC 29045		765	

4. This firm is the owner or operator of the following hazardous waste management facilities for which financial assurance for closure or, if a disposal facility, post-closure care, is not demonstrated either to EPA or a State through the financial test or any other financial assurance mechanism specified in Subpart H of 40 CFR Parts 264 and 265 or equivalent or substantially equivalent State mechanisms. The current closure and/or post-closure cost estimates not covered by such financial assurance are shown for each facility:

None

This firm is required to file a Form 10K with the Securities and Exchange Commission (SEC) for the latest fiscal year.

The fiscal year of this firm ends on December 31. The figures for the following items marked with an asterisk are derived from this firm's independently audited, year-end financial statements for the latest completed fiscal year, ended December 31, 1982.

ALTERNATIVE I

	1.	Sum of current closure and post-closure cost estimated (total of all cost estimates shown in the four paragraphs above)\$ 1.414.277
*	2.	Total liabilities (if any portion of the closure or post-closure cost estimates is included in total liabilities, you may deduct the amount of that portion from this line and add that amount to lines 3 and 4 692,359,000
×	3.	Tangible net worth
ж	4.	Net worth 831,537,000
ж	5.	Current assets 483,448,000
火	6.	Current liabilities 208,918.000
	7.	Net working capital (line 5 minus line 6) 274,530,000
*	8.	The sum of net income plus depreciation. depletion, and amortization
*	9.	Total assets in U. S. (required only if less than 90% of firm's assets are located in the U. S.)

	Yes	No
10.	Is line 3 at least \$10 million?X	
11.	Is line 3 at least 6 times line 1? x	
12.	Is line 7 at least 6 times line 1? X	
*13.	Are at least 90% of firm's assets located in the U. S.? If not, complete line 14	X
14.	Is line 9 at least 6 times line 1? X	
15.	Is line 2 divided by line 4 less than 2.0? x	Marie Marie Constitution
16.	Is line 8 divided by line 2 greater than 0.1?. X	droofin measurement attorney
17.	Is line 5 divided by line 6 greater than 1.5?. X	-

I hereby certify the wording of this letter is identical to the wording specified in 40 CFR 264.151(f) as such regulations were constituted on the date shown immediately below.

ETHYL CORPORATION

L.E. Blanchard, Jr.

Vice Chairman

Date <u>March 25, 1983</u>

Enclosures: Ethyl Corporation 1982 Annual Report Special Report from Coopers & Lybrand

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT

July 13, 1982

PLEASE ADDRESS REPLY TO: P. O. BOX 341 BATON ROUGE, LA. 70821

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Regional Administrator EPA Region V 230 South Dearborn Street Chicago, Illinois 60604

Attention: Valdus Adamkus

Dear Sir:

Attached is the hazardous waste facility certification of liability insurance for Ethyl Corporation Research and Development Labs in Ferndale, Michigan (MID041803123). This certificate meets the requirements of 40CFR 264.147.

Sincerely,

D. E. Park, Director

Corporate Environmental Affairs

DEP:ba

Attachment

HAZARDOUS WASTE FACILITY CERTIFICATE of LIABILITY INSURANCE

MTravelers Indemnity Co ☐Travelers Indemnity Co ☐The Phoenix Insurance	ompany of Ameri	ica	Travelers Inc	demnity Company of Rhode Island demnity Company of Illinois Fire Insurance Company	đ
	One Tower Hartford,		ut 06115		
hereby certifies that i property damage to	t has issued l		nsurance coverin	g bodily injury and	
	Mailing Addre	ss 330	SOUTH FOURTH ST		
		***************************************	HMOND VA 23219		
in connection with the under 40 CFR 264.147 or	insured's obli 265.147. The	gation to coverage	demonstrate fina applies at	ncial responsibility	
E.P.A. I.D. NUMBER		NAME		ADDRESS	
1. MID041803123	es es	ETHYL R&D	LABS	1600 WEST EIGHT MILE RD FERNDALE MI 48220	
2.				, and (100) year (100)	
for:					
Sudden accider □ non-sudden acciden □ sudden and non □	cidental occurr	rences	rrences		
The limits of liability	y are \$ <u>1</u>	,000,000		ach occurrence	
	\$ _2	.000,000	8.	nnual aggregate	
exclusive of legal def	ense costs. T	he coverag	ge is provided un	der	
	Policy Number	TREE-SLO	<u>108T148-2-82</u>	······································	
	Issued on	01-26-8	2	ggreenets	
The effective date of	said policy is	01-01-8	2	·	

RICH-179 07-06-82

(CONTINUED ON REVERSE)

ETHYL CORPORATION

330 SOUTH FOURTH STREET

POST OFFICE BOX 2189

RICHMOND, VIRGINIA 23217

June 29, 1982

Regional Administrator Environmental Protection Agency Region V 230 South Dearborn Street Chicago, Illinois 60604

ATTN: RCRA Financial Requirements

Dear Sir:

I am the chief financial officer of Ethyl Corporation. This letter is in support of this firm's use of the financial test to demonstrate financial assurance, as specified in Subpart H of 40 CFR Parts 264 and 265.

 This firm is the owner or operator of the following facilities for which financial assurance for closure or post-closure care is demonstrated through the financial test specified in Subpart H of 40 CFR Parts 264 and 265. The current closure and/or post-closure cost estimates covered by the test are shown for each facility.

EPA ID	<u>Facility</u>	Closure <u>Cost</u>	Post Closure Cost
LAD000814137	Ethyl Disposal Well Serial #135688 Section 27 Township 8 South Range 12 East, LA	\$ 5,641	
LAD07940895	Ethyl Corporation P. O. Box 341 Baton Rouge, LA 70821	93,928	3,277
SCD043384072	Ethyl Corporation P. O. Box 1028 Orangeburg, SC 29115	3,277	
MID041803123	Ethyl R&D Labs 1600 West Eight Mile Rd. Ferndale, MI 48220	2,512	

2. This firm guarantees, through the corporate guarantee specified in Subpart H of 40 CFR Parts 264 and 265, the closure or post-closure care of the following facilities owned or operated by subsidiaries

of this firm. The current cost estimates for the closure or post-closure care so guaranteed are shown for each facility:

EPA ID	Facility	Closure <u>Cost</u>	Post Closure Cost
IND057396608	Capitol Products Corp. P. O. Box 146 Kentland, IN 47951	\$ 9,339	
NJD000310961	Saytech, Inc. 880 Main Street Sayreville, NJ 08872	15,291	
SCD04267448	Hardwicke Chemical Co. Route 2, Box 50-A Elgin, SC 29045	765	

3. In states where EPA is not administering the financial requirements of Subpart H of 40 CFR Parts 264 or 265, this firm, as owner or operator or guarantor, is demonstrating financial assurance for the closure or post-closure care of the following facilities through the use of a test equivalent or substantially equivalent to the financial test specified in Subpart H of 40 CFR Parts 264 and 265. The current closure and/or post-closure cost estimates covered by such a test are shown for each facility:

EPA ID	<u>Facility</u>	Closure <u>Cost</u>	Post Closure Cost
GAD003273224	The William L. Bonnell Company, Inc. P. O. Box 428 Newnan, GA 30264	\$ 5,641	
TND047000898	The William L. Bonnell Company, Inc. P. O. Box 279 Carthage, TN 37030	5,641	
PAD003004405	Capitol Products Corp. P. O. Box 3070 Harrisburg, PA 17105	9,720	
ARD05258809	Ethyl Corporation P. O. Box 729 Magnolia, AK 71753	8,191	3,277
TXD008096158	Ethyl Corporation P. O. Box 472 Pasadena, TX 77501	1,350,000	16,991

EPA ID	<u>Facility</u>	Closure <u>Cost</u>	Post Closure Cost
CAD044430668	Ethyl Corporation Wilmington Terminal P. O. Box 462 Wilmington, CA 90744	1,092	

4. This firm is the owner or operator of the following hazardous waste management facilities for which financial assurance for closure or, if a disposal facility, post-closure care, is not demonstrated either to EPA or a State through the financial test or any other financial assurance mechanism specified in Subpart H of 40 CFR Parts 264 and 265 or equivalent or substantially equivalent State mechanisms. The current closure and/or post-closure cost estimates not covered by such financial assurance are shown for each facility: NONE

This firm is required to file a Form 10K with the Securities and Exchange Commission (SEC) for the latest fiscal year.

The fiscal year of this firm ends on December 31. The figures for the following items marked with an asterisk are derived from this firm's independently audited, year-end financial statements for the latest completed fiscal year, ended December 31, 1981.

ALTERNATIVE I

. careers	Sum of current closure and post-closure cost estimates (total of all cost estimates shown in the four paragraphs above)
*2.	Total liabilities (if any portion of the closure or post-closure cost estimates is included in total liabilities, you may deduct the amount of that portion from this line and add that amount to lines 3 and 4
*3.	Tangible net worth
*4.	Net worth
* 5.	Current assets
*6.	Current liabilities
7.	Net working capital (line 5 minus line 6) 287,113,000
*8.	The sum of net income plus depreciation, depletion, and amortization
*9.	Total assets in U. S. (required only if less than 90% of firm's assets are located in the U. S.)

ALTERNATIVE I - (continued)

102		Yes	No
10.	Is line 3 at least \$10 million?	Х	
11.	Is line 3 at least 6 times line 1?	χ	
12.	Is line 7 at least 6 times line 1?	Х	2 113
13.	Are at least 90% of firm's assets located in the U. S.? If not, complete line 14	3	X
14.	Is line 9 at least 6 times line 1?	Χ	
15.	Is line 2 divided by line 4 less than 2.0?	Χ	
16.	Is line 8 divided by line 2 greater than 0.1?	Х	N =
17.	Is line 5 divided by line 6 greater than 1.5?	Χ	9

I hereby certify the wording of this letter is identical to the wording specified in 40 CFR 264.151(f) as such regulations were constituted on the date shown immediately below.

ETHYL CORPORATION

JUN 2 9 1982 Date:

Lawrence E. Blanchard, Jr.

Vice Chairman

Ethyl Corporation 1981 Annual Report Special Report from Coopers & Lybrand Enclosures:

Corporate Guaranty Re Capitol Products Corp.

Coopers &Lybrand Suite 1000 Seventh and Franklin Building Richmond, Virginia 23219

telephone (804) 643-0234 twx 710-956-0212 cables Colybrand

June 29, 1982

Ethyl Corporation 330 South Fourth Street Richmond, Virginia 23219

Dear Sirs:

We have examined the consolidated balance sheet of Ethyl Corporation and Subsidiaries as of December 31, 1981 and the related consolidated statements of income, retained earnings, changes in financial position, and additional paid—in capital for the year then ended, and have reported thereon under date of January 28, 1982. Our examination was made in accordance with generally accepted audit—ing standards and, accordingly, included such tests of the accounting records and such other auditing procedures as we considered necessary in the circumstances.

During the course of our examination, which was made for the purpose of enabling us to express an opinion on the aforementioned financial statements, we have reviewed the letter submitted by Mr. Lawrence E. Blanchard, Jr., Vice-Chairman of Ethyl Corporation, to the Regional Administrator of the Environmental Protection Agency required by regulation 40 CFR Parts 264 and 265, and compared the data specified as having been derived from the aforementioned financial statements for the year ended December 31, 1981 to these financial statements. In connection with this procedure, we obtained no knowledge of any matter that would require that the specified data should be adjusted.

This letter is solely for the information of, and assistance to, the Environmental Protection Agency in conducting their investigation of the affairs of Ethyl Corporation in connection with regulation 40 CFR Parts 264 and 265 and those state regulatory agencies administering similar functions and is not to be used, circulated, quoted, or otherwise referred to, for any other purpose.

Very truly yours,

Coopers & Lybrand

CORPORATE GUARANTEE FOR CLOSURE OR POST-CLOSURE CARE

Guarantee made this 29th day of June, 1982 by Ethyl Corporation, a business corporation organized under the laws of the State of Virginia, herein referred to as guarantor, to the United States Environmental Protection Agency (EPA), obligee, on behalf of our subsidiary, Capitol Products Corporation of P. O. Box 146, Kentland, IN 47951

Recitals

- 1. Guarantor meets or exceeds the financial test criteria and agrees to comply with the reporting requirements for guarantors as specified in 40 CFR 264.143(f), 264.145(f), 265.143(e), and 265.145(e).
- 2. <u>Capitol Products Corporation</u> owns and operates the following hazardous waste management facility covered by this guarantee:

EPA ID#IND057396608 Capitol Products Corporation P. O. Box 146 Kentland, IN 47951 Closure

- 3. "Closure plans" and "post-closure plans" as used below refer to the plans maintained as required by Subpart G of 40 CFR Parts 264 and 265 for the closure and post-closure care of facilities as identified above.
- 4. For value received from <u>Capitol Products Corporation</u> guarantor guarantees to EPA that in the event that <u>Capitol Products Corporation</u> fails to perform <u>closure</u> of the above facility in accordance with closure or post-closure plans and other permit or interim status requirements whenever required to do so, the guarantor shall do so or establish a trust fund as specified in Subpart H of 40 CFR Parts 264 and 265, as applicable, in the name of <u>Capitol Products Corporation</u> in the amount of the current closure or post-closure cost estimates as specified in Subpart H of 40 CFR Parts 264 and 265.
- 5. Guarantor agrees that if, at the end of any fiscal year before termination of this agreement, the guarantor fails to meet the financial test criteria, guarantor shall send within 90 days, by certified mail, notice to the EPA Regional Administrator for the Region in which the facility is located and to <u>Capitol Products Corporation</u> that he intends to provide alternate financial assurance as specified in Subpart H of 40 CFR Parts 264 or 265, as applicable, in the name of <u>Capitol Products Corporation</u>. Within 120 days after the end of such fiscal year, the guarantor shall establish such financial assurance unless <u>Capitol Products Corporation</u> has done so
- 6. The guarantor agrees to notify the EPA Regional Administrator by certified mail, of a voluntary or involuntary proceeding under Title 11 (Bankruptcy), U. S. Code, naming guarantor as debtor, within 10 days after commencement of the proceeding.

- 7. Guarantor agrees that within 30 days after being notified by an EPA Regional Administrator of a determination that guarantor no longer meets the financial test criteria or that he is disallowed from continuing as a guarantor of closure or post-closure care, he shall establish alternate financial assurance as specified in Subpart H of 40 CFR Parts 264 or 265, as applicable, in the name of Capitol Products Corporation unless Capitol Products Corporation has done so.
- 8. Guarantor agrees to remain bound under this guarantee notwithstanding any or all of the following: amendment or modification of the closure or post-closure plan, amendment or modification of the permit, the extension or reduction of the time of performance of closure or post-closure, or any other modification or alteration of an obligation of the owner or operator pursuant to 40 CFR Parts 264 or 265.
- 9. Guarantor agrees to remain bound under this guarantee for so long as Capitol Products Corporation must comply with the applicable financial assurance requirements of Subpart H of 40 CFR Parts 264 and 265 for the above-listed facilities, except that guarantor may cancel this guarantee by sending notice by certified mail to the EPA Regional Administrator for the Region in which the facility is located and to Capitol Products Corporation, such cancellation to become effective no earlier than 120 days after receipt of such notice by both EPA and Capitol Products Corporation, as evidenced by the return receipts.
- 10. Guarantor agrees that if <u>Capitol Products Corporation</u>
 fails to provide alternate financial assurance as specified in <u>Subpart H of</u>
 40 CFR Parts 264 or 265, as applicable, and obtain written approval of such assurance from the EPA Regional Administrator within 90 days after a notice of cancellation by the guarantor is received by an EPA Regional Administrator from guarantor, guarantor shall provide such alternate financial assurance in the name of <u>Capitol Products Corporation</u>.
- ll. Guarantor expressly waives notice of acceptance of this guarantee by the EPA or by <u>Capitol Products Corporation</u>. Guarantor also expressly waives notice of amendments or modification of the closure and/or post closure plan and of amendments or modifications of the facility permit.

I hereby certify that the wording of this guarantee is identical to the wording specified in 40 CFR 264.151(h) as such regulations were constituted on the date first above written.

ETHYL CORPORATION

Lawrence E. Blanchard, Jr.

Vice Chairman

WITNESS OR NOTARY

ETHYL CORPORATION

July 29, 1982

EASE ADDRESS REPLY TO: P. O. BOX 341 BATON ROUGE, LA . 70821

AUG 3 1982

WASTE MANAGEMENT BRANCH EPA. REGION V

Mr. Valdus Adamkus, Regional Administrator EPA Region V 230 S Dearborn Street Chicago, ILL 60604

Dear Sir:

The compliance date for submission of annual reports at hazardous waste treatment storage and disposal facilities was postponed until August 1, 1982. (47FR 7841). EPA Washington was contacted to obtain forms and requirements for the annual report.

Following conversations with Mr. Bob Axelrad, EPA Program Officer Hazardous Waste Division, Washington and Ms. Anita Ducco, Agency Clearance Officer, Office of Management and Budget, Washington, it was determined that the form required for annual reporting at RCRA facilities is not available at this time.

It is my understanding that the form is still under review in OMB, and that no submission to EPA is required until OMB clearance has been given.

According to Mr. Axelrad, there will be a notice in the Federal Register when OMB review is completed. We will comply with the submission requirements in the forthcoming notice.

Sincerely.

D. E. Park, Corporate Director

Environmental Affairs

DEP:jht

STATE OF MICHIGAN

NATURAL RESOURCES COMMISSION



JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES

STEVENS T. MASON BUILDING BOX 30028 LANSING, MI 48909

RONALD O. SKOOG, Director January 25, 1984

Ethyl Corporation R & D Laboratories 1600 W. Eight Mile Road Ferndale, MI 48220

U.S. EPA I.D. No.: MID 041803123

Attention: William J. Brown, Research Supervisor

Dear Mr. Brown:

OMAS J ANDERSON CAROLLO

JACOB A. HOEFER STEPHEN F. MONSMA

HILARY F. SNELL PAULTI WENDLER

DARRY IT WHILLEY

On January 19, 1984, as an authorized representative of the United States Protection Agency, I conducted an inspection at your facility to determine compliance of that facility with the requirements of the Resource Conservation Recovery Act (RCRA) as amended.

Based on my observations and review of your manifest records at the time of my visit, it appears that you have completed closure of your site as a storage facility of hazardous waste as per your closure plan approved by the EPA on October 11, 1983. It was indicated that this closure included decontamination of equipment, disposal of that rinsate and disposal offsite of all containerized hazardous waste. The company, as indicated in your records, shipped over 300 55-gallon drums of hazardous waste in September, 1983.

As discussed, it is necessary that you submit to the Regional Administrator certification by the owner or operator and by an independent registered professional engineer that the facility has been closed in accordance with the specifications in the approved closure plan.

Thank you for your cooperation. If you have questions regarding this matter, please feel free to contact me at (313) 368-3335.

Sincerely,

HAZARDOUS WASTE DIVISION

Ledigie

Laura L. Lodisio

DETROIT DISTRICT OFFICE

LLL/rc

cc: U.S. EPA - Region V

J. Bohunsky

K. Burda

RCRA Inspection Report

EPA Identification Number: M 1 I	04180	3123
Installation Name: FTHVL	OORPORATION -	R&D LABORATORIES
Location Address: 1600	WEST EIGHT M	ILE RO.
City: <u>FERNDALE</u>	State: MICHIGAN	148230
Date of inspection: $01/14/84$	Time of inspection (from)	3:30 (to) 4:30
Person(s) interviewed	Title	Tel ephone
WILLIAM J. BROWN	RESEARCH SUBERVIS	OR (313) 399-9600
Inspector(s) LAURA LOOISID	Agency/Title MDNR - RESOURCE SPECIALIST	Tel ephone (3/3)368-3335
Installation Activity (mark only one	e box)	Inspection Form(s)
Treatment/Storage/Disposal per 40 Generation and/or Transportation	O CFR 265.1 and/or	A
Treatment/Storage/Disposal (no ge	eneration or Transportation) A
☐ Generation and Transportation		. B, C
☐ Generation only	•	В
Transportation only		C
NHICH WAS APPROVED WHICH WAS APPROVED WAS SET FOR DEC. STOKAGE FACILITY ON BASED ON MY OBSER INSPECTION IT APP	OCT. 11,1983. F11 .31,1983. (CO. W ULY.) .VATIONS & EVALUE DEARS THAT CO	UAL CLOSURE PAS GENERATOR \$ ATION DURING . HAS COMPLETEL DEO PLAN.
	•	(douth) HED)

anarks: COMPANY STORED IN CONTAINERS ONLY. PRUM RACK STORAGE AREA FOR HAZ. WASTES WERE EMPTIED. ONLY RAW MATERIAL STORAGE RACKS CONTAINED DRUMS. ALSO, STORAGE AREA IN BLOG. WAS EMPTY. REVIEWED MANIFESTS. MANIFESTS INDICATE THAT CO. SHIPPED OVER 300 DRUMS (55 CAL.) IN SEPTEMBER, 1983. ALL SHIPMENTS WERE TRANSPORTED. BY GREAT LAKES ENVIRONMENTAL TO SOA IN CHICAGO FOR INCINERATION. ALL MANIFESTS COOKED IN ORDER. OO. HAS DO INTENTIONS OF FUTURE GENERATION OF HAZ. CO. CURRENTLY GENERATES WASTE OIL (APPROX. 1800 GALS. FOR 1983) AND WASTE GASOLINE (APPROX. 4500 GALS. FOR 1983) CONTAMINATED WY ADDITIVES NO CONGER USABLE AS MOTOR FUEL. THIS WASTE IS PICKED UP AS BY BUCKS WASTE OK. (PAID FOR RECYLE) AS 136 WASTE. BLENDED FOR RE-USE AS BOILER FUEL. MANIFESTS APPEAR TO BE IN ORDER. CO. HAS NOT YET GOTTEN CERTIFICATION OF CLOSURE FROM REGISTERED P.E., AS PER 40

MID04-803/23(750,6)

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT : RESEARCH LABORATORIES 1000 WEST EIGHT MILE ROAD * FERNDALE, MICHIGAN 48220 · (313) 300-0000 CEIV AUG 31 1982

'ALITY

August 30, 1982

EPA ID# MIDO41803123

SEP 0 3 1982

State of Michigan Department of Natural Resources 2455 N. Williams Lake Road Pontiac, Michigan 48054

Attention: Ms. Andrea Stewart

Dear Sirs:

In reply to your request, we submit this response to your inspection of our research and development facilities on August 4 to evaluate compliance with subtitle C of RCRA.

Of the 88 items you checked, you found us in non-compliance with six in your letter of August 10, 1982. We respond as follows:

- 1. You found no danger signs posted in our storage area as required by 40CFR265.14(c). We believe that exemptions cited in 265.14(a)(1) and (a)(2) applied in our case inasmuch as our outdoor drum rack storage is enclosed by an eight-foot chain link fence. Furthermore, our security guard regularly makes a watchclock station stop and inspection at the drum rack, outside of our regular work hours. Also, warning signs are posted in all directions around the drum rack reading "Danger -- No Smoking, Matches or Open Lights." We are purchasing additional signs to designate our hazardous waste area.
- 2. An inspection log has been started and all observations recorded as mandated by 40CFR265.15(d). See Appendix I. Previously, only positive reports had been made by our security guards, fuel house personnel and pilot plant personnel.
- 3. You found that our training records do not show an annual review of initial training as required by 40CFR265.16(c). Our records do show waste management training for our personnel for 1979, 1980 and 1981. See Appendix II. Each successive year has seen a thorough review of waste management requirements, although 1982 training has not been completed as yet. We will henceforth document each training session on waste disposal for those personnel having responsibility.

State of Michigan Department of Natural Resources August 30, 1982 Page 2

- 4. Our contingency plan has been amended to show our evacuation plan. Please replace page 5 of your copy of the plan with the new page 5 enclosed.
- 5. Our written waste management operating record as required by 40 CFR 265.73 is enclosed herewith. See Appendix III.
- 6. See items 2 and 5 above. No information or records were knowingly withheld. Our primary and secondary waste management contact persons were not in the laboratories at the time of this inspection.

If you have any questions regarding this response, please contact me.

Sincerely,

6 Kvenel C. J. Worrel

CJW/lcb

Enclos.

WASTE INSPECTION

1982

Γime/ Date	Location	Inspector	Observations/Remedial Action
	-		
			-
	· management		· ·

Appendix II

WASTE MANAGEMENT TRAINING AND RETRAINING

C. J. Worrel, Supervisor of Safety & Security, provides overall advice and guidance on waste disposal.

Nolwood Chemical Recovery Systems RCRA Seminar in Detroit, March 10, 1981.

ACS Detroit Chapter Meeting on "Coping with Hazardous Waste Management," December 4, 1980

Seminar on New Air, Water, Solid and Hazardous Waste Laws and Rules for Michigan, sponsored by Michigan State Chamber of Commerce, Lansing, September 23, 1980.

<u>U. A. Lehikoinen</u>, Research Supervisor, Supervises group that prepares chemical waste for disposal.

Nolwood Chemical Recovery Systems RCRA Seminar in Detroit, March 10, 1981.

ACS Detroit Chapter Meeting on "Coping with Hazardous Waste Management," December 4, 1980.

Hazardous Waste Management Symposim at Michigan Tech. in Houghton, June 25-27, 1980.

Treatment and Disposal of Hazardous and Toxic Wastes Symposium at Michigan Tech. in Houghton, June 28-29, 1979.

J. M. Guccione, Research Engineer, in direct charge of waste disposal.
Seminar on hazardous waste by Safety Council for Southeast Michigan in Detroit, March 26, 1981.

K. A. Keblys, Assistant Director Research, supervises chemists who are waste generators.

ACS Detroit Chapter Meeting on "Coping with Hazardous Waste Management," December 4, 1980

G. G. Knapp, Research Associate, Safety Committee Member, Area Safety Representative, waster generator.

ACS Detroit Chapter Meeting on "Coping with Hazardous Waste Management," December 4, 1980.

B. R. Meltsner, Research Chemist, Chemical waste generator.

Hazardous Materials Conference in Miami Beach, Florida, April 25-27, 1979.

WASTE MANAGEMENT OPERATING RECORD

To conform with 40 CFR 265.73 under U.S. EPA Resource Conservation and Recovery Act.

All hazardous waste that is generated in the individual laboratories and the pilot plant is collected in 55-gallon drums at the north end of U-Bldg.by pilot plant personnel. A Waste Management Operating Record showing the type, analysis, amount, disposal date, manifest number, incidents and inspection of each drum of waste is maintained on the attached tabular form. The drums of waste are stored on the Drum Rack (Bldg. "V").

Closure cost estimate for this facility is \$2512.00.

WASTE DESCRIPTION					RECORD OF					
TYPE	ANALYSIS	AMOUNI	Disposal Date	Manifest Number	INCIDENTS	INSPECTIONS				
***							- velocitation			
							4			
			TANKS OF THE PROPERTY OF THE P				***			
			-							
		1								
				,						
• .										

- Large spills will require outside assistance for pick up and removal.
 For assistance, see "outside Contact for Assistance" under heading marked "Notification Telephone Numbers."
- 3. Waste shall be picked up for disposal only by approved waste haulers.
- 4. <u>Small or Large Spills of Liquid Chemical</u>. The pick up of such materials, if possible, shall be accomplished by containment and pumping into an empty tanker or empty drums with covers and thus be ready for disposal. The remainder of a spill, not capable of being pumped, shall be picked up using shovels along with suitable sorbent materials. The debris shall be held in drums with covers and held ready for disposal.
- 5. Spills of Hazardous Substances/Hazardous Waste. Shall be picked up with sorbent materials and stored in lined drums with covers and held ready for disposal. In the case of Polychlorinated Biphenyls (PCB's) disposal requirements are given in 40CFR 761.10 and requirements for highly toxic materials listed in 161.333 are given in 261.5. All sorbent materials and all materials that come in contact with PCB's (including wood, rags, leaves, trees, containers, shovels, concrete, sand, earth, etc.) shall be picked up and stored on high ground in a specially roped off area, under protective cover (not under the weather), the storage area shall have an impermeable floor with curbs to prevent dissipation of the substance(s) beyond the confines of the area until they have been disposed of according to regulations. The storage area shall be restricted from normal access and traffic and shall be conspicuously posted as "Storage Area, Toxic Substances."

B. Disposal

Disposal of all spilled substances and/or contaminated debris, shall be only in approved sanitary or chemical landfill areas according to applicable regulations. All wastes classified as hazardous must be disposed in accordance with the regulations of 40 CFR 262, 263, 264 and 165.

VII. Evacuation

In the event of fire, explosion or release of vapors or gases made the facility untenable, as determined by the Emergency Coordinator or higher authority, evacuation would be carried out as described in Operations Bulletin No. 35., "Major Emergency Procedures." The alarms and evacuation routes described therein would be used.

EPA

2455 N. Williams Lake Road Pontiac, Michigan 48054

August 10, 1982

Ethyl Corporation R & D Laboratories 1600 W. Eight Mile Road Ferndale, Michigan 48220

Attention: Mr. Ross Stevenson

Gentlemen:

On August 4, 1982 staff of the Department of Natural Resources conducted an investigation of your facility located at 1600 W. Eight Mile Road in Ferndale, Michigan to evaluate compliance of that facility with requirements of subtitle C of the Resource Conservation and Recovery Act (RCRA) as amended.

As a result of that investigation, staff of the Department of Natural Resources have determined that the above facility is in violation of the requirements of subtitle C of RCRA. Specifically, staff found that:

- 1. No danger signs were posted at entrance (to storage area) as required in 40 CFR 265.14 (c).
- 2. No inspection log is maintained as required in 40 CFR 265.15 (d).
- Personnel training records do not indicate that personnel have taken part in an annual review of initial training as required in 40 CFR 265.16 (c).
- The contingency plan does not include an evacuation plan for personnel as required in 40 CFR 265.52 (f).
- 5. No operating record is maintained as required in 40 CFR 265.73.
- 6. All required facility records were not available as required in 40 CFR 265.74 (a).

We request that you respond to this letter by September 1, 1982 providing documentation to this office regarding those actions taken to correct these violations.

If you have any questions regarding this matter, please feel free to contact me at (313) 666-2700.

Sincerely, Andrea Howart

Andrea Stewart Resource Specialist

RCRA Inspection Report



EPA Identification Number: $M \perp D$ Installation Name: ETHYL CORPORATION LABORATORIES 1600 WEST EIGHT MILE ROAD Location Address: State: MICHIGAN City: FERNDALE Date of inspection: 8/04/82 Time of inspection (from) 10:45A.M.(to) 12:30 P.M. Person(s) interviewed Title Tel ephone ROSS STEVENSON (313) 399 - 9600 ADM. SERVICES JOHN GUCCIONE RESEARCH ENGINEER (313) 399 - 9600 Agency/Title MONR - AIR QUALITY Inspector(s) ANDREA STEWART Installation Activity (mark only one box) Inspection Form(s) Treatment/Storage/Disposal per 40 CFR 265.1 and/or Generation and/or Transportation A · Treatment/Storage/Disposal (no generation or Transportation) A Generation and Transportation B, C Generation only В Transportation only C

INSPECTION FORM A

Section A: SCOPE OF INSPECTION.

- 1. Interim status standards for treatment storage or disposal of HAZARDOUS WASTES SUBJECT TO 40 CFR 265.1. Complete Inspection Form A sections B, C, D, E, and G.
- Place an "X" in the box(es) corresponding to the facility's treatment, storage and disposal processes, and generation and/or transportation activity (if any). Complete only the applicable sections and appendixes.

Permit	i Iqq6	catio	n process(es) (EPA Form 3510-3) Insp	ection Form	A section(s)
•	501	M	storage in containers		I
	\$02		storage in tanks		J
	T01		treatment in tanks		J
	S04		storage in surface impoundment		K,F
	T02		treatment in surface impoundment		K,F
	083		disposal in surface impoundment		K,F
	\$03	And the second second	storage in waste pile		L
	081	Sangaroth Federal (g) or	disposal by land application		M,F
	080		disposal in landfill		N, F
	T03	rate	treatment by incineration		0/P
	T04		treatment in devices other than tanks impoundments, or incinerators	, surface	Q
ther acti	vities				
GEN	ERATOR	X		APPENDIX	GN
TRANSI	ORTER	and any amount		APPENDIX	TR

- Indicate any hazardous waste processes, by process code, which have been omitted from Part A of the facility's permit application.
- 4. Indicate any hazardous waste processes (by process code and line number on EPA Form 3510-3 page 1 of 5) which appear to be eligible for exclusion per 40 CFR 265.1(c). Provide a brief rationale for the possible exclusion.

		Section B: GENERAL FACILI	ITY STANDARDS:		(Part	265 Subpart B)		
			YES	NO	MI*	Remarks		
		the Regional Administrator n notified regarding: 265.12						
	ā.	Receipt of hazardous waste from a foreign source?	-POINS-PROJECT	ails est en accentate.	1	NO WASTE RECEIVED. FROM FOREIEN SOURCE		
	b.	Facility expansion?	0014 #800#81-0	ting to the second to	and demon	NO FACILITY EXPANSION		
	C.	Change of owner or operator?	Websterned 400 mls	000400-011-000	1	NO CHANGE OF DWNER/OPER		
2.	Gen	eral Waste Analysis: 265.13						
	ð.	Has the owner or operator obtained a detailed chemical and physical analysis of the waste?	A. S.	the estimate and all constraints	AMPERIONS ON SHOWING			
	b.	Does the owner or operator have a detailed waste analysis plan on file at the facility?	<u></u>	ASPERINGS COMM	1 d MiProjo (j. apportacio	WASTE IS GENERATED BY BATCH PROCESS - EACH BATCH IS ANALYZED AND RECORDED IN A LOG		
	C.	Does the waste analysis plan specify procedures for inspection and analysis of each movement of hazardous waste from off-site?	Opportunities when	novelski kalikovi		WHICH IS KEPT ON FILE.		
3.	Sec	curity - Do security measures include (if applicable) 265.14	7 V					
	. 5	24-Hour surveillance?	~	AND PLYCONOMICS	Provincial control of the control of	ettisistetisistenis minest minesti siin siin siin siin siin siin siin s		
	þ.	or i. Artificial or natural barrier around facility?	Maderan	· ·	*IIIOONA COMP	e - 15 p. v. e - Norman a - North and a south and a south and a south and a south a so		
		and ii. Controlled entry?	Constitution of the Consti	ottosppy mensiderali	terres positioneres de	. In the second of the second contract of the second of t		
	c.	Danger sign(s) at entrance?		<u>J</u> .	Millionida voluçuluyadırığı	for the state of the control of the		
4 -	0wi	ner or operator inspections: 265.15						
	ð .	Does the owner or operator inspect the facility for malfunctions, deterioration, operator errors, and dischanges of hazardous waste that may affect human health or the environment?		inmegacion-ruo				

	gant.	ave	the owner or operator an inspection schedule he facility?	Ľ.	oorte draithe Mellin	Management and a second	**
	t	fs: he tem	o, does the schedule address inspection of the following s:				
	© pamer	u u	monitoring equipment?		Davidnes vindrige	Ni libityon adamelin ali Mé	HEAT DETECTOR
	Ŷ. ¶	i .	safety and emergency equipment?		Erm/ScierObardell	n-mecanical	
	. 111	ì .	security devices?	Market Control	erongen and P	Aurilla Addition of Park	
	í١	1.	operating and structural equip- ment (i.e. dikes, pumps, etc.)?	бічкияна ба мен	e-millerenance).	Variable.	
	Ĭ		type of problems to be looked for during the inspection (e.g. leaky fitting, defective pump, etc.)?	1	in a management of the second	diameter exactly are reside to	
	γ.	g dans	inspection frequency (based upon the possible deterioration rate of the equipment)?		111 ANG THE ANG HIS SHEET		STORAGE AREA INSPECTED DAILY
			areas subject to spills inspect- daily when in use?	<u>/</u>	-Esmannia-	ti conco panalintárnian	
		an f	s the owner or operator maintain inspection log or summary of er or operator inspections?	ook open een kopon v			
			s the inspection log contain the lowing information:				
			the date and time of the inspection?	nglegegjenskomplemvilisk	. managama pangangida		
	î	i.	the name of the inspector?	n Activity—TSA mellon	попиналист	- Lamber	
	الْهُ عَلَى الْمُ	j	a notation of the observations made?	Aromedication sector	~ ~ ~ түүсэг гэр		
	i	٧.	the date and nature of any repairs or remedial actions?	.conceinavenile	oni Olemna (S) 1924 ф	/	
5.	Do personn include:		training records 65.16			·	
	ā.	Job	titles?	<u> </u>	2004A2004Y	est contract	
	4	Jah	descriptions?	the state of the s			

YES NO NI

Remarks

		•	AF2	NU	NI	Remarks
	C *	Description of training?	1	un. , uhdespegg	and the second second	
	d.	Records of training?	1	Ed americalis	ggy Amber de agondo	de militario de digici militario de primato de primato de la composición propriedo por propriedo de la composición
	е.	Did facility personnel receive the required training by 5-19-81?	<u> </u>	**************************************	deckammersses	
	£ ,,	Do new personnel receive required training within six months?	WE STATE OF	www.nd.emindd.filedinds	and a survey	. MM-PROVIDE Anti-American Material School, American Accessory and accessory accessory.
	9.	Do personnel training records indicate that personnel have taken part in an annual review of initital training?	10/го жизме реклич.	J. Sandan Maria		
) _e	req	required, are the following special uirements for ignitable, reactive, incompatible wastes addressed? 265.1	7			•
	ð.	Special handling?	Y.,	-00 hallinear California.	MODERNISTING SACROWN	
	b.	No smoking signs?	<u> </u>	GOVERNMENT AND A	h Park Edich Think for controller	
	Ç «	Separation and protection from ignition sources?	1	systemate telefolit	drildniger / Frysolfe	** *** *** *** *** *** *** *** *** *** *** *** **

Section C: PREPAREDNESS AND PREVENTION: (Part 265 Subpart C)

green as	Maintenance and Operation of Facility: 265.31	YES	NO	A	Remarks
	Is there any evidence of fire, explosion, or release of hazardous waste or hazardous waste constituent?	To the rest	· .	Р Ч. "Б	
2.	If required, does the facility have the following equipment: 265.32				*.
	a. Internal communications or alarm systems?	V	nave strandaricasi	977AA****ibJA46\w	
	b. Telephone or 2-way radios at the scene of operations?		ANIAM SEPTIMBE	95481 компонентара	
	c. Portable fire extinguishers, fire control, spill control equipment and decontamination equipment?	1	ikenpila njagogleja ja ji	SMANNING NAME	
	Indicate the volume of water and/or foar	m avai	lable	for fir	re control:
	2 HOSES FOR WATER AVAIL,	ABLE	der S S Servensentlied Enricht-Geleg v 2-aggen (andere	mil 1 (pri-sport no estivista appropriation de l'accommission de l	
	150-18. PORTABLE DRY CHE	MICA	L. /	FIRE	EXTINGUISHER
3.	Testing and Maintenance of Emergency Equipment: 265.33				
	a. Has the owner or operator established testing and maintenance procedures for emergency equipment?	~	gh ^e	месенция.	
	b. Is emergency equipment maintained in operable condition?	Veneza	a.Estanola.Linkapo	35 kiljyjiinnay k	and a state of the
4.	Has owner or operator provided immediate access to internal alarms? (if needed) 265.34	No.	An an all and a second	Almbor varyggoggg	
5.	Is there adequate aisle space for unobstructed movement?		No officialism recommen	Makelments) ne norqu	
6.	Has the owner or operator attempted to make arrangements with local authorities in case of an emergency at the facility?	1	or editor-some	dayah kilamangan garanang	

YES NO NI Remarks

and a	Does	the	Contingency	Plan	contain	the
			information		265.52	

a. The actions facility personnel must take to comply with §265.51 and 265.56 in response to fires, explosions, or any unplanned release of hazardous waste? (If the owner has a Spill Prevention, Control, and Countermeasures (SPCC) Plan, he needs only to amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with the requirements of this Part (as applicable.)

b. Arrangements agreed by local police departments, fire departments hospitals, contractors, and State and local emergency response teams to coordinate emergency services pursuant to §265.37?

c. Names, addresses, and phone numbers (office and home) of all persons qualified to act as emergency coordinators?

d. A list of all emergency equipment at the facility which includes the location and physical description of each item on the list and a brief outline of its capabilities?

e. An evacuation plan for facility personnel where there is a possibility that evacuation could be necessary? (This plan must describe signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes?)

 Are copies of the Contingency Plan available at the site and local emergency organizations? 265.53

. Marine		•	
aggardina and a second	and Managaragania		

			162 NO	14.1	velidiks
l es	Eme	rgency Coordinator 265.55			
	ä.	Is the facility Emergency Coordinator identified?		et/finhamitet-traffi	U.A. LEHIKOINEN
	b. '	Is coordinator familiar with all aspects of site operation and emergency procedures?	·	ASSAmilla Cort For Sty	
	C.	Does the Emergency Coordinator have the authority to carry out the Contingency Plan?	<u> </u>	Walingsto Long-schiop	
4.	Em∈	rgency Procedures 265.56			
	at Co:	an emergency situation has occurred this facility, has the Emergency ordinator followed the emergency occurred in 265.56?		/	NO EMERGENCY SITUATION HAS OCCURRE

			4	Section E:	MANIFES	ST SYSTEM.	, RECO	RDKEE	PING.	AND	REPORT	ING: (Part 2	65 Subpart	E)
								YES	NO	NI	Re	ma rk s			
c **		Use	of	Manifest Sy	stem	265.71	FACI	LITY	DO	ES	NOT	RECE	EIUE	WASTE	
		à.	pro pro (Pa the gen	s the facil cedures list cessing each rticularly signed mar erator with ivery.)	ted in a h manifo sending hifest ba	§265.71 for each of the copy o	or	·	enanani-main	J E Baun	es generations	от завешения выполнения	hmilliod nillin en samagegasis in net		a
		b.		records of ained for 3		ripments		AMMADER AT FO	SAMPHIES www.ysinga	شطيعية (المنافية المنافية الم	Ore (Micromotive	onorme university (All Carlo	THE THE PERSON NAMED IN THE PE	Ор-о-Ф	and the second seco
t *	2.	req	uire	e owner or ments regar pancies?				NOWALLIE VALUE	1889-dakan stonak 2744.	Mangillowene, and	ing waterget with	Sant Profession and State Vision and State Plant State S	in with the second second second	vennento en	ing Outline Councils or commen
r ve	of	on-s	ite	ble to owner facilities waste from	that do	not	S *								·
	3 .	0pe	rati	ng Record	265.73										
		ð.	mai rec	es the owner intain an op cord as requ 5.73?	erating			316003 - CORP CO.		خصتناماللا <u>د</u> شتواپداید	#Milare	***		ANNUARIUS ARIA COMPANIO PRINCIPALIS AND ANNUARIUS ARIA COMPANIO PRINCIPALIS AND ANNUARIUS AND ANNUARIUS AND AN	
		b.	cor	es the opera ntain the fo formation:											
			* 900	The method of each was storage, of required Appendix	iste's t or dispo in 40 CF	reatment, sal as	5	AND THE PROPERTY OF THE PROPER	nihkarasanska karandikir	a de la companya della companya della companya de la companya della companya dell	T.		erro, vizili mizzon, de rizonto velen daza		6+ 6 /
			Ť Ť •	The locate each hazar facility? should be to specifif waster by a mani-	ndous wa (This cross-r ic manif was acco	ste withi informati eferenced est numbe	n the on	an Jacombon (sandijilaku	Notestalaksi kilano musu		entition.	noverto ⁿ ile for severage, _{def} resonance, and severage of the severage of th			
		青塘塘青	4 .	A map or cell or d										•	

^{***} only applies to disposal facilities

	YES NO NI Remarks
showing the location and quantity of each hazardous waste? (This information should be cross-referenced to specific manifest number, if waste was accompanied by a manifest.)	NOT A DISPOSAL FACILITY
iv. Records and results of all waste analyses, trial tests, monitoring data, and operator inspections?	
v. Reports detailing all incidents that required implementation of the Contingency Plan?	
vi. All closure and post closure costs as applicable?	
Availability of Records 265.74	
Are all facility records required under 40 CFR Part 265 available for inspection?	
.**Unmanifested Waste Reports 265.76 FA	CILITY DOES NOT RECEIVE WASTE
a. Has the facility accepted any hazardous waste from an off-site generator subject to 40 CFR 262.20 without a manifest or or shipping paper?	
b. If "a" is yes, provide the identity of the source of the waste and a description of the quantity, type, and date received for each unmani-	
fested hazardous waste shipment.	

^{**} Not applicable to owners or operators of on-site facilities that do not receive any hazardous from off-site sources.

Section G - CLOSURE AND POST CLOSURE (Part 265 Subpart G)

YES NO

NI

Remarks

\$ a.	Clo	sure	265.	112							
	ð.			cility closu lable for in		The second secon	TOMANDARY	мочетом дености		arancuntain maansa aran ah aran makan	ст често тися места места, тестина се мето места на поста на поста на поста на поста на поста на поста на пост Стата поста на пост
	b.	Does	the	plan identif	y:						-
		à pener		um extent un acility life		L	ningpoint and	deliler-carioto		CONTROL CO.	alle self-alle s
		s years	maxim vento	um hazardous ry?	waste in-	Market of the second	namon manusigisti is ladje	sharene sent journey,	шесциомесь конталуусын текусереринуттін қаза	constants and the second s	kturyy pamy martyn a czychany pa piejsky tiejsky tiejs
		íV.	estim	ated year of	closure?	The state of the s	officers and many	OCHERNINESSES	"CLOSURE	Not	ANTICIPATE
		٧.	sched	iule of closu	re activities?		Більтуфатуўуну уч.	district of the same			
	C.	Has	closu	ire begun?		- Character State		ppfigmanauquinigilar	mentiggerigini ar singkunin di Albany (NA) di Albany (NA) (NA) (NA) (NA)	pantows and a second	And the same of th
2.	Pos	st-Cl	osure	265.118	NOT A DI	SPOSA	la F	ACILI	ITY		
	ā,			ost-closure pection?	lan available	Vitti E shili / n grou hart he	hive y gaziniye ki an kiti.	horrowspace de	epitore spoonse por se management en militare branch de management de management de management de management de	registranty II biolotika Triannasti sembilistra skopin tra s	void vermanniam et tria diferentationism lain void commencement route de la visit de
	b.	Doe:	s this	plan contai	It:				* .		
		eneral de	monit	ription of gr coring activi uencies?		an edote edote edo	m/res/unicorriedo	d Order van Opera	Fundad A Fill A huma till del del pigli del pill del mille del la companya del se del companya del se del comp	n Jackson 1875 and PS MILITER AND AN ARCHITECTURE AND AN ARCHITECTURE AND	
		of the second		ription of ma vities and fi							
			AA.	integrity or cover, or costructures, cable		pan pytonomical district	*** durine (Hole (This))	TORM STREET CO-VERT			
			88.	**	nitoring equip-						
		· · · · · · · · · · · · · · · · · · ·	of p	erson or off	nd phone number ice to contact ure care period			ing Witnessin Austral			
	C.	Has		J 1	period begun?	STATE STATES	***************************************	SCHEEN AND PROMISE	esteratestante demonstrança study del professional del del del del del del del del del de		·
	d.		·	ritten post-	,	nd nadistraction	**************************************	COLUMN ANDRO	sternargey annyaprashipm minust edit jama Africal (gary (fina) (gar)	r-kiral-Ci-manikitoranya-a-mananakakim	### ##################################
	u •			available?	265.144	verri, who side Massiva.	VII-HIBNIBKEV/FOUTD	BMARAPIALIY-WHISKA	warp win's distributed to separate transfer to the contract of	· ·	O CONTRACTOR CONTRACTO

G-1

4/82-A

pplies only to disposal facilities.

Section I - USE AND MANGEMENT OF CONTAINERS (Part 265, Subpart I)

		YES	NO	NI	Remarks	
T	Are containers in good condition? 265.171		жиж илия	C/MANANAMIA		+2-62-1100
2.	Are containers compatible with waste in them? 265.172	1	Anglischer (nj. gypold ga	cy-maje on viscours to		ntonya malaamii
3.	Are containers managed to prevent leaks? 265.173	4	tellinophinings (p	William of the second of the		and the state of t
4.	Are containers stored closed?	1	ADDRESS AND STREET	V olling to the particular parti	characteristic springer or the forest construction on the same of the system when the same and the same of the sam	PDC-Milinary city
5.	Are containers inspected weekly for leaks and defects.		nero-mensolo.	enerá nomero-mo		**************************************
6.	Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the	265.17	6			
	facility property line? (Indicate if waste is ignitable or reactive).	· Name of the second	designation of the second			
7.	Are incompatible wastes stored in separate containers? (If not, the provisions of 40 CFR 265.17(b) apply). 265.177	i Marine	NOTION CANCELLISTS.	el halle la produce Stan		
8.	Are containers of incompatible waste separated or protected from each other by physical barriers or sufficient distance?		SSINGTH-ARTON PANA	Principle Dissillation		Wi oroNakanakhtawikh

es 1			A	20	
Sect	ì	$\Omega \Omega$	£3 .	3.00	ope
And you get for	8	528 1 5	() »	1965	w Clark

Complete this Appendix if the owner or operator of a TSD facility also gener	
nazardous waste that is subsequently shipped off-site for treatment, storage	9
or disposal.	

Sect	ion E	3: MANIFEST REQUIREMENTS (Part 262, Subpart	В)			
			YES	NO	NI	Remarks
(1)		s the operator have copies of the manifest ilable for review? 262.40	1		overled in the debate of the same	
(2)	mon	mine manifests for shipments in past 6 ths. Indicate approximate number of ifested shipments during that period.	Olikhi diddilizmo karanji pojepo	\ <u>-</u>		
(3)	fol' cop fest	the manifest forms examined contain the lowing information: (If possible, make ies of, or record information from, manities) that do not contain the critical ments). 262.2)				
	ð.	Manifest document number?	James de la companya del companya de la companya del companya de la companya de l	*ni uminima O magi i	quarrely and many with 400	
	р°	Name, mailing address, telephone number, and EPA ID number of Generator		the mar popular single his high-	symposium of humanoscopes	MATERIORANIA MATERIA (Sprannen de manera manera manganganganganganganganganganganganganga
	С.	Name and EPA ID Number of Transporter(s)?	i kantalandari sin stratistica samu		***************************************	
	d.	Name, address, and EPA ID Number Designated permitted facility and alternate facility?	Land of the Control o	**************************************	g tersh a viewda kaske	
	6.	The description of the waste(s) (DOT shipping name, DOT hazard class, DOT identification number)?	L ooper of	**************************************	ATTIVATE LABORATOR MANAGEMENT AND ASSESSMENT	
	f.	The total quantity of waste(s) and the type and number of containers loaded?	NA CANTENDAMENTO		sser (rang) er (förkreykriggs rangs	
	g .	Required certification?	V	na telemberkildid	*************************************	
	h.	Required signatures?	- Landon		PHINTEN NO CHINENGE CONTROL	
(4)	Rep	ortable exceptions 262.42				
	ā.	For manifests examined in (2) (except for enter the number of manifests for which the signed copy from the designated facility we ment.	e gene	erato	r has	NOT received a
	þ.	For manifests indicated in (4a), enter the has submitted exception reports (40 CFR 26				

	WA	STE DISPOSAL MANIFEST	🔀 Act 64 Wast	e (HAZAF. JS)	☐ Act	136 W	/aste (OTHE	R)			M	[$H(\mathbb{C})$	357	7:			
Γ	Gener	rator's Name	Primary Transpor	ter's Name				Tre	atment,	Stor	age	or D	isposal	Facilit	у				
	Eth	nyl Corporation	Great Lal	<u>kes Environmenta</u>	al Serv	/ices		SCA Chemical Services, Inc.											
	Site A	Address 1600 West Eight Mile Road	Transporters Address							dress		a	^^ -						
₹		Ferndale, MI 48220	2.3	22077 Mound F				11700 S. Stony Island Ave.											
K		*	·	Warren, MI 48	090				Chicago, IL 60617										
崖	Phone	e Number	Phone Number Phone Number																
DENTIFICATION	(313	3) 399-9600	(313)758-						(312)646-5700 Facility Site EPA I.D. Number										
₽	Genera	rator's Site EPA I.D. Number	Transporter's EPA	A I.D. Number				Fac	ility Sit	e EP	A LD	. Nu	mber						
	МЩ	1D1 OL 41 11 81 01 31 1 1 21 31	M <u>IIID: 0: 8</u> :	7 4 7 8 5 7 4				11	LID	0_() <u> _</u> ()	_61_	7121	1 2	11		·		
		more than one Transporter is to be utilized, give the Name an	d EPA I.D. Numbe	er of each:								•							
	-1									,			· · · · · · · · · · · · · · · · · · ·			r			
	S.	U.S. D.O.T. Shipping Name		D.O.T. Hazard Class		A1.	Haz.	Cont	ainer		Form						Hazardou		
	0	0.3. D.O.T. Shipping Name		D.O.T. Hazaro Class	U.N./N.A	. NO.	Class	No.	Туре	Solid	Liquid) fg	Weigh	t or V	/olume	Units	Waste		
	-									S	= -	Stu			····		Number		
ĕ	1.	Hazardous Waste, Solid, n.o.s.		ORM-E	NA 91	189	,	40	DR	x			1 1	2 : 2	0 0	Gai	D101010		
Ι¥												+	1		1-1-	-	-1-1-1-		
WASTE INFORMATION	2.	Hazardous Waste, Liquid, n.o.s.		ORM-E	NA 9	189		21	DR		x		, ,	111	<u> 5 5</u>	Cal	D 0 0 1		
Ē		,aca, aca,,,,,,			,,,,	100			, , , , , , , , , , , , , , , , , , ,		\uparrow	+			10 10	001	2,0,0,		
쁘	3. L	lazardous Waste, Liquid, n.o.s.	·	ORM-E	NA 9	189	1	19	DR		\mathbf{x}		1 1	1 0	14 15	Gal	D ₁ 0 ₁ 0 ₁ 2		
.¥S		The state of the s			· · · · · · · · · · · · · · · · · · ·			-1-3			^	\top							
														1					
	5.																		
	_										_ _				\coprod				
	6.						,												
40	Includ	de Safety precautions and special handling instructions.								بلـــ					Ш.		<u> </u>		
N TS	1.	55–gal. Fiber drums of organic waste	in plastic	and glass conta	iners	(Lab	pack	(s) L	191-	9,	12-	14	.16,	17,1	9-2	2,74-	41,43-4		
¥.	2.	55-gal. Plastic or steel drums of fla	mmable and	d toxic organic	waste.	320	1-4	O		·			•	•			•		
COMM		55-gal. Plastic or steel drums of halo							•										
		FOR CERTIFICATION: I certify that the above named materials					rator S		re	····			-,			1 -	. 60		
lab	eled an	nd are in proper condition for transportation according to the app	icable regulations	of the Department of Transp	ortation and				, •							мо	ale Shipped DAY YEAR		
		If further certify that the information contained on the manifest is on requested by the manifest constitutes a violation of 1979 PA64 a					12 1	1			/	1							
		administrative and court proceedings.	nazor PA (36, 1 surt	ner uncersiano mai mis man	nest may be	" D ([1]	ON	10		,		•		0.8	119183		
		S CERTIFICATION: I certify acceptance of the above identified	Transporter	1/0-0		Trans	sporter	8198	ture		~						e(s) Received		
		r transportation. I further certify that I shall deliver the hazardous ogether with this manifest, only to the destination specified by the	Vehicle N	o. 1 H-8305	<i>\\\\</i>	2	1 ///	14								128	1/19181		
		on this manifest. I understand that this manifest can be used in	Subsequent				sequent	trans	porter(s) sig	natur	e(s)			******		1, 1		
adı	ministra	ative and court proceedings.	Transporter Vehicle I.D. No	s's	1 1	38													
If t	he ship	pment cannot be delivered, describe the reasons for non-delive	ry.						-										
		RTIFICATION: I certify receipt at this facility of the above identifi		•			Signa	ture						□ Ar	ccepted	Da	ite Received		
		also certify that the wastes were accompanied by a manifest prope the destination indicated on the manifest. I understand that this ma					ity Site	EPA I	D. Nur	nber			4		ejected				
							سلسل	1_1	11	1		L_			····				
ues	scribe a	any significant discrepancies between manifest and shipment.		•															

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT
BOX 50000
LANSING, MICHIGAN 48909

		0000//
SECTION A.		
WASTE GENERATOR	R IDENTIFICATION	NOTAMPON !
EPA IDENTIFICATION NUM	BER	
MID 041803	123	
BUSINESS NAME		
Ethyl Corpo	ration	•
ADDRESS		
1600 West Eic	ht Mile Road	
CITY	STATE	ZIP CODE
Ferndale	MI	48220
•		TELEPHONE NUMBER
•	.	2121 200 0000

WASTE CHARACTERIZATION	Ethyl Corporati	on	
REPORT	ADDRESS		
	1600 West Eight Mile Road		
	Ferndale	STATE MI	ZIP CODE 48220
ME AND TITLE OF CONTACT PERSON	•	TELEPHO	ONE NUMBER
C. P. Jarema		<u> </u>	9-9600-
SECTION B. COMMON NAME OF THE WASTE		(2,2,	
Organic Laboratory Waste - Liquid	form and the source or process f	ram which it was produced.	
SECTION C. LISTED HAZARDOUS WASTE			
	200 200 6200 200 6210 200	5011	HAZARDOUS
if the waste is listed in tables 501 a, b, c, or d of Rule 299.63 305 of Rule 299.6317, enter the hazardous waste number			WASTE NO.
If the waste is a discarded commercial chemical product,			
container or spiri residue of a substance listed in Table 3		••	
Table 302 b or c, Rule 299.6313 or 299.6314, respectively	· ·	,	•
waste number from the applicable table			
1 If waste contains any substances listed in table 302 a, b,	, or c,	COMPONENT CONCENTRATION	
Rule 299.6312, 299.6313,or 299.6314, respectively, enter the		to%	
hazardous waste number(s) from the applicable table ANI	D record	to %	
the component concentrations.		to %	
& if the waste contains viable desease-causing agents listed		;	
Rule 299.6316, enter the hazardous waste number(s) from	the table	***************************************	
SECTION D. HAZARDOUS WASTE BASED ON CHARACTER Ignitable Wastes		Pt	
5a. Liquid flash point test (aqueous solutions	Test Results	Parameters	Reference
containing less than 24% alcohol by volume	<60°C.		
are excluded from this test).	to °c	Flash Pt. 60°c	299.6201 (c) (i)
5b. Non-liquid — Is it ignitable based on		mash F1. OU C	233.0201 (C) (I)
conditions stated in the reference?	☐ Yes ☐ No	See Reference	299.6201 (c) (ii)
5c. Compressed gas — is the waste a flammable			
compressed gas as defined in the reference?	☐ Yes ☐ No	See Reference	49 CFR § 173.300
5d. Oxidizer — is the waste an oxidizer as			
defined in the reference?	☐ Yes ☐ No	See Reference	49 CRF § 173.151
5e. Enter "D001", as the hazardous waste number if the		of the parameters listed or	D 0 0 1
meets the definition of a hazardous waste based o	n the reference	•••••••••	$[D_1 \ 0_1 \ 0_1 \ 1]$
1 Corrosive Wastes (concentrated salt solutions	Test Results	Parameters	Reference
#re by definintion not coorosive)			
6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test	ph	See Reference	299.6201 (a) (i)
6c. Albino rabbit skin test — Is the tissue	mm/yr	Rate 6.35 mm/yr	299.6201 (a) (ii)
destroyed or irreversibly changed?	Yes No	See Reference	229.6201 (a) (iii) & 49 CFR § 173.240
6d. Enter "D002", as the hazardous waste number if the			49 C/H § 1/3.240
* Peactive wastes		a di la paramotora natoa	
7a. Is the waste normally unstable and capable of und	ergoing violent chemical or p	hysical change	
without detonating?		6	Yes 🛭 No
76. Does it react with water forming potentially explosi	ive mixtures with water?		Yes 😡 No
7c. When mixed with water, does it generate toxic gases, vapors, or furnes?			
7d. Is it a sulfide or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5,			
can generate toxic gasses, vapors, or fumes?			Yes 🛭 No
7e. Is the waste capable of detonation or explosive rea	action when subjected to a st	rong	
Initiating source or if heated under confinement?			☐ Yes 🙀 No

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT
BOX 30000
LANSING, MICHIGAN 48909

WASTE CHARACTERIZATION REPORT

1	ON A. E GENERATOR I	DENTIFICAT	TON INFORMATION
EPA IDI	ENTIFICATION NUMBE MID 0408031	P 23	COV10803123
BUSINE	ss NAME Ethyl Corpo	ration	
ADDRES	ss 1600 West E	ight Mile	Road
CITY	Ferndale	STATE MI	zip code 48220
			TELEBUONE MUNICIPA

	<u></u>	1000 HCSC ER	gire mile read	
	CITY	Ferndale	STATE MI	ZIP CODE 48220
NAME AND TITLE OF CONTACT PERSON	. 1	· · · · · · · · · · · · · · · · · · ·	TELE	PHONE NUMBER
C. P. Jarema			(212)	399-9600
SECTION B. COMMON NAME OF THE WASTE	· · · · · · · · · · · · · · · · · · ·		(515)	
ENTER TYPE OF WASTE (i.e. common name) characterized on the	his form and th	ne source or process	from which it was produc	ed.
Organic Laboratory Waste - Se				10000
SECTION C. LISTED HAZARDOUS WASTE	<u> </u>			
	. 6206 200 61	no 200 6310 or 290	6311 respectively or ta	HAZARDOUS able Waste No.
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299	9,6308, 299, 6,	oppropriate table		
305 of Rule 299.6317, enter the hazardous waste num	per from the	appropriate table		
2. If the waste is a discarded commercial chemical prod	uct, on-speci	200 6312 or	••	
container or spirit residue of a substance listed in Tab	ile 302a, nuie	255.0512, 01		
Table 302 b or c. Rule 299.6313 or 299.6314, respective		E 1182810085		
waste number from the applicable table			COMPONENT	•
3. If waste contains any substances listed in table 302 a	, D, OF C,		CONCENTRATION %	
Rule 299.6312, 299.6313.or 299.6314, respectively, ente	AND record	•	to %	
hazardous waste number(s) from the applicable table	AND record		to %	
the component concentrations.	atad in table	304		
4. If the waste contains viable desease-causing agents li	sten til tanje	504,		
Rule 299,6316, enter the hazardous waste number(s) f	itom the tabi	s ,		
			•	
TOTION D. HAZARDOUS WASTE BASED ON CHARAC	I ERISTICS	Test Results	Parameters	Reference
J. Ignitable Wastes		Test nesura	, grameters	
5a. Liquid flash point test (squeous solutions				
containing less than 24's alcohol by volume	-	to°c	Flash Pt. 60°c	299.6201 (c) (i)
are excluded from this test).			, , , , , , , , , , , , , , , , , , , ,	±201000 (-) ()
5b. Non-liquid — is it ignitable based on		☐ Yes 🖵 No	See Reference	299.6201 (c) (ii)
conditions stated in the reference?		□ 169 26 140	000 1101010101	
5c. Compressed gas — is the waste a flammable		☐ Yes ☒ No	See Reference	49 CFR § 173.300
compressed gas as defined in the reference?				
5d. Oxidizer — Is the waste an oxidizer as		☐ Yes 😡 No	See Reference	49 CRF § 173.151
defined in the reference? 5e. Enter "D001", as the hazardous waste number if	f the waste ex		· · · · · · · · · · · · · · · · · ·	
meets the definition of a hazaroous waste base	nd on the ref	erence		السلسلال السلسا
	ed on the ler	Test Results	Parameters	Reference
6. Corrosive Wastes (concentrated salt solutions		, 1230 1100000		
are by definintion not coordsive)		ph	See Reference	299.6201 (a) (i)
6a. Aqueous Solution — ph test		mm/yr	Rate 6.35 mm/yr	
6b. Liquid-Steel (type SAE 1020) corrosion test				229.6201 (a) (iii) 8
6c. Albino rabbit skin test — Is the tissue		☐ Yes ☒ No	See Reference	49 CFR § 173.240
destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number	if the waste			
			•	
 Reactive wastes 7a. Is the waste normally unstable and capable of 	underopino	violent chemical or	physical change	
without detonating?				🗌 Yes 🔯 N
7b. Does it react with water forming potentially ex	olosive mixtu	res with water?		☐ Yes 🗔 N
7c. When mixed with water, does it generate toxic			÷	☐ Yes 🙀 N
7c. When mixed with water, does it generate toxic 7d. Is it a sulfide or cyanide bearing waste which	when expose	ed to ph conditions	s between 2 and 12.5.	
can generate toxic gasses, vapors, or tumes?	THE STATE OF THE S			🗌 Yes 🔀 N
7e. Is the waste capable of detonation or explosiv	e reaction w	hen subjected to a	strong	
initiating source or if heated under confineme			~	🗌 Yes 🗔 N
initiating source of it hearso priori commente				

Mun contails was sont to SCA on 8/19/8: Atta Debbie Muller

COMBUSTIBLE CHEMICAL WASTE

"Lab Packs"

LP-1

Alkylated phenols 37.0 lbs

(eg. 2,6-Di-tert-butyl-4-ethyl phenol)

Alkylaromatic Amines 1.5 lb

38.5 lbs

Alkylaromatic acetic acid		10 lbs
Alkylated phenols	•	35 lbs
Hydroxy alkylaromatics		23 lbs
(eg. Alkyl hydroxy benzaldehyde)		
		68 lbs

<u>LP-3</u>

Alkylated phenols

70.5 lbs

Alkylated phenols	93 lbs
Alkyl alcohols	20 lbs
(eg. Pentaerythritol)	
Paraformaldehyde	50 lbs
	163 lbs

<u>LP-5</u>

Alkylated phenols		· · · · · · · · · · · · · · · · · · ·	•	65 lbs
Fatty acids	* .	·		100 lbs
		• .		
			•	165 lbs

Alkylated phenols

146 lbs

<u>LP-7</u>

Aromatic hydrocarbons	50 lbs
(e.g. Benzophenone)	•
Fatty acids (Long Chain)	40 lbs
Alkylated phenols	20 lbs
	110 lbs

Paraformaldehyde	75 lbs
Alkylated phenols	125 lbs
Sulfurized alkyl phenols	2 lbs
Aromatic esters, acids, ketones (e.g. benzoquinone, benzoic acid)	5 lbs
Alkylamino phenolics	3 lbs
	210 lbs*

^{*} Total sulfur content c.a. 0.1%.

LP-9

Alkylated phenols	• 56 lbs
Long chain alcohols (C20)	45 lbs
Biphenyl	5 lbs
	
	106 lbs

<u>LP-11</u>

Dimethylphenol	50 lbs
Alkylated phenol	60 lbs
Analytical phenol samples	4 lbs
	114 lbs

<u>LP-12</u>

Dimethylphenol	40 lbs
Paraformaldehyde	30 lbs
Other organic lab samples	25 lbs
	95 lbs

<u>LP-13</u>

Dimethylphenol	40 lbs
Oil friction reduction modifier	35 lbs
Diethylchlorothiophosphates	3 lbs
	78 lbs

Total contained S - c.a. 0.06 lbs

<u>LP-14</u>

Brominated aromatics - lab samples	10 lbs
Organic borate esters	2 lbs
Aromatic amine derivatives	17 lbs
Solid alkylated aromatics	3 lbs
Organic phosphates	1 lb
	33 lbs

Total contained Br - c.a. 4 lbs.



C ₂₀ alcohols	40 lbs
Misc. organic analytical samples	30 lbs
Methylenebis(dibutylphenols)	10 lbs
p-Bromophenol	2 lbs
Tetrabromoxylene derivative	2 lbs
Aminobromonitrobenzene	0.5 lbs
Chlorodiphenylsulfide	l lbs
Gasoline additive	0.5 lbs
Alkylated phenols	1.5 lbs
Activated carbon catalyst	0.5 lbs
Misc. Organometallics	0.3 lbs
	88 lbs

Contained S - c.a. 0.2 lbs

Contained Br - c.a. 2.3 lbs

<u>LP-17</u>

Lauric acid	65 lbs
Methylbutylaniline	30 lbs
<u>Tert</u> -butylphenol derivatives	15 lbs
Stearic acid-based ahless dispersants	15 lbs
Phosphonitrilic chloride	3 lbs
Other organics	3 lbs
	131 lbc

<u>LP-19</u>

Methylenebis(dibutylphenol)	15 lbs
Sorbitol	15 lbs
Hydroxymethyl and ethyldibutylphenols	10 lbs
Dibutylbenzoquinone	10 lbs
Dicyclopentylphenol and other phenolics	35 lbs
	85 lbs

LP-20

Methylenebis(dibutylphenol) and borate ester	8 lbs
Boric acid	4 lbs
Misc. organic laboratory samples	12 lbs
Thiobis(butylcresol)	12 lbs
	36 lbs

Contained S - c.a. 1.1 lbs

C ₂₀ Alcohol	16 lbs
Chlorinated aromatics	3.2 lbs
Tetrachlorobenzene	5 lbs
Aliphatic chloro compounds	0.5 lbs
Misc. organic bromo compounds	1.0 lb
Teflon molding compound	2 lbs
Boric acid	6.6 lbs
Sulfanilamide	2.0 lbs
Dilauryldithiodipropionate	2.0 lbs
Misc. organosulfur reagents	1.3 lb
Metal carboxylates and acetylacetonates	10 lbs
Alkylated aromatic amines and phenols	11 lbs
Misc. Stock Room organic chemicals	12 lbs
	73 lbs

Contained S - c.a. 0.8 lbs



	77 lbs
Bromochlorophenol	0.5 lbs
Mercaptothiazole and misc. sulfur compounds	10 lbs
Boric acid	2 lbs
Misc. phenols and anilines - samples	2 lbs
Misc. phenolic antioxidants	5 lbs
Dimethylphenol	57 lbs

Contained S - c.a. 2. lbs

Contained Br - c.a. 0.3 lb

<u>LP-24</u>

Methylenebisanthranilic acid ester	75 lbs
Benzothiazole and other sulfur compounds	4 lbs

	79 lbs

Contained S - c.a. 0.8 lb

<u>LP-25</u>

Dimethylphenol .	45 lbs
Butylphenol-formaldehyde product	15 lbs
Methylenebis(butyl-o-cresol)	5 lbs
Polyisobutylene	
Distearylthiodipropionate	10 lbs
	90 lbs

Dimethylphenol	130 lbs
Misc. organosulfur compounds	1 lb
	Mandata and Andrew Company of the Co
	131 lbs

Contained S - c.a. 0.2 lbs

LP-27

Phenolic antioxidant (330)	30 lbs
Spent carbon catalyst .	20 lbs
Polybutadiene	15 lbs
Thiuramdisulfide and other sulfur compounds	4 lbs
	69 lbs
	07 105

Contained S - c.a. 0.9 lbs

Silicone surfactants	0.13 lbs
Alkylated phenolic derivatives (e.g. Alkyl phenoxy acetic acid)	35 lbs
Alkyl/aromatic esters and ketones (hydroxylated benzophenones, resorcinol, casting resin, vinyl butyral, etc.)	27 lbs
Alumina	18 lbs
Alkylaromatic amines (e.g. alkylated diamines)	12.5 lbs
Zinc chloride	6.20 lbs
Metal catalysts	7.75 lbs
Ferrocene	0.25 lbs
Chloroaminothiazene	5 lbs
Organic sulfur compounds	5 lbs
	~117 lbs*

^{*} total sulfur content estimated at ~2%.

Alkyl amides and imides		11	lbs
Aliphatic nitro compounds (e.g. nitro propanediol)		4	lbs
Alkyl hydrocarbon wax		4	lbs
Alkylated phenols		~80	lbs*
Alkyl and aromatic aldehydes and ketones (e.g. paraformaldehyde, benzoic acid)		15	lbs
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		114	lbs

^{*} contains 0.2 to 0.5% of sulfurized phenols.

LP-30

Alkylated phenols			20 lbs
Aryl acetic acid derivatives	· ,	•	95 lbs
		.*	<u> </u>
			105 lbs

<u>LP-31</u>

2, 6-Dimethylphenol	95 lbs
Ethylene-propylene copolymer	5 lbs
Small sample bottles EPDM	5 lbs
	105 lbs

<u>LP-32</u>

Alkyl phenols . 71 lbs

(e.g. 2, 6-Di-tert-butylphenol)

LP-33

Alkyl phenols	66 lbs
Phenols	12 lbs
Cyclic carbonates	35 lbs
	Since an across to FF Proc School on the Control of
	113 lbs

LP-34

Metal containing compounds	75 lbs
Polyurethane prepolymers (TDI terminated polyols)	20 lbs
Alkylated phenols	22 lbs
•.	119 lbs

LP-35

Amines (solid)	118 lbs
Alkylated phenols	12 lbs
	130 lbs

LP-36

Phosphorous-containing organic compounds		40 lbs
Halogenated compounds	1 4	35 lbs
Alkylated phenols	,	15 lbs
		90 lbs

<u>LP-37</u>

Halogenated compounds	45 lbs
Alkyl phenols	35 lbs
·	80 lbs

T.P-38

Alkylated phenols	35 lbs
Sulfurized alkylated phenols	70 lbs
	the continuous continuous continuous continuous continuous continuous continuous continuous continuous continuo
	105 lbs*

* Total sulfur content is estimated to be ~10%.

Alkylated phenols	45 lbs
Nitrogen-containing compounds	47 lbs
Sulfur-containing compounds	8 lbs
· · · · · · · · · · · · · · · · · · ·	
	100 lbs*

* Total sulfur content is estimated to be 1.2%.

LP-40

Alkylated phenols	36 lbs
Phosphorous containing compounds	5 lbs
Monomeric and polymeric aromatic diisocyanate	15 lbs
Hydrocarbons	5 lbs
Halogen containing compounds	35 lbs
	96 lbs



Alkylated phenols	125 lbs
Sulfur containing compounds	3 lbs
	. California
	128 lbs*

* Total sulfur content estimated to be ~0.5%.



Alkylated phenols	÷	12 lbs
Bromodibutylphenol	•	10 lbs
Phenolic antioxidant	•	5 lbs
Lube additives		20 lbs
Dibutyl hydroxy dimethylthiobenzamide		5 lbs
		52 Ibs

Contained S - c.a. 0.6 lb Contained Br - c.a. 1.4 lb

Dibutylphenol-formaldehyde adduct	28 lbs
Methylenebis(dibutylphenol) and its borate	8 lbs
Misc. lab. organic and analytical samples	5 lbs
Dicyclopentyl-p-cresol	5 lbs
Bisphenol-A	3 lbs
Dibutylphenols	3 lbs
Ferrocene	2 lbs
Neopentanoic acid	2 lbs
Phthalic anhydride	2 lbs
Sodium phenoxide	1 lb
Hydroquinone benzyl ether	1 lb
Docosene	1 lb
Diphenyl carbonate	1 1 b
Diphenoxy ethane	l lb
Tetrabromobisphenol-A	1 lb
Bis(pentabromophenoxy) ethane	1 lb
Thiobis(butyl cresol)	1 lb
	66 lbs

Contained Br - c.a. 1.3 lb


Contained S - c.a. 0.1 lb

Code No.

			Composition
<u>G-10</u>			•
	Hydrocarbons		10
	1, 2-Dichloroethane	•	10
	Carbon tetrachloride		9
	Alkyl halides		9
	1, 2-Dichlorobenzene		7
•	Chloroform		6
	Aryl halides	·	1.1
	Acetone		5
	Methylene chloride		4
	Freon 113		4
	1, 1, 1-Trichloroethane		12
	Ethyl acetate		2
	Toluene	•	2
	Organophosphate		2
•	Methanol		1
	Alcohol		1 .
-	Chlorobenzene		. 1
	Others		4

Mixed Halogenated Waste

Code No.



Diethylaniline hydrochloride	100 lbs
Lube additives	20 lbs
Xylenol	15 lbs
Trimethylpropanediol	10 lbs
Phenolic antioxidant	10 lbs
C ₁₆ Alcohol	15 lbs
	Characterist of the Control of the C
	170 lbs

Mixed Halogenated Waste

			Composition
<u>G-12</u>			
	Chlorobenzene	4 .	30
	Toluene		10
	Aliphatic chloro compounds		20
	Mixed lab. wastes (32% Cl)		40

Code No.

Percent Composition

<u>G-13</u>

Hydrocarbons	•	17
Acetone		- 11
Methanol		10
Chloroform		9
1, 1, 1-Trichloroethane		7
1, 1, 2, 2-Tetrachloroethane		6
Carbon tetrachloride		5
Bromocumene	•	4
Methylene chloride		4
Bromostyrenes		3
Chlorobenzene	· ·	3
Alkyl halides	•	5
Acetic acid		2
Toluene		2
1, 2-Dichloroethane		2
Tetrahydrofuran	•	1
Methylene bromide	:	1
Alkyl nitrates	•	1
<u>n</u> -Butanol		1
1, 2-Dibromoethane		1
Tetrachloroethylene		1
Others		4

Code No.

			Percen Composi	
<u>G-14</u>			• .	
•	Hydrocarbons	•	19	
	Dichlorobenzenes		16	
	Carbon tetrachloride		16	
•	Chloroform		15	
	Alcohols, esters, ketones		13	
	Acetic acid		6	
	Dibromotoluenes		5	
	Ethylene dichloride		4	
	Tribromostyrenes		4	
	Sulfur compounds		1	
	Toluene		1	
<u>G-15</u>				
	Tribromocumenes		35	
	Dibromocumenes		20	
,	Methylene bromide		34	
	Allyl Chloride		5	
	Toluene		* 3	
	Others	·	3	
G-16				
	Ethylene dichloride		31	
	Esters, alcohols, ketones		30	
	Mixed halogenated organics		14	
٠	Fluorinated organics		10	
	Chloroform		8	
	Tribromobenzenes	e ense	4	
۲.	Othora	=_ .	3	

<u>G-17</u>

Prichlomethylene	28
Misc. halogenated compounds	18
Chlorophenol	17
Phenol-boron trifluoride	5
Chloroalkanes	5
Carbon tetrachloride	4
Toluene	4
Trichlorobenzene	3
Bromoalkanes	3
Chlorotoluenes	3
Epichlorohydrin	2
Dichloroethane	2
Dibromoalkanes	2
Chloroethanol	2
Dichlorobenzene	2

		Percent
G-18		Composition
3-10		
	Hexane	36
	Toluyl chloride	13
	Chloroepoxypropane	12
	Allyl chloride	10
	Hydrocarbon oil	9
	Propylene chlorohydrin	6
	Other halogenated organics	6
	Dowtherm H	4
	Ethylene dichloride	2
	Chloroprene	2
<u>G-19</u>		
	Aromatic hydrocarbons	37
4	Dibutylchlorophosphate and analogs	17
	Alkyl and aryl phosphates	17
	Diethylthiochlorophosphate and analogs	14
18	Gear oil	8
	Dibutylchloromethyl phosphonates	7

		Percent	
		Composition	-
<u>G-20</u>			
	Fuel oil	42	
	Chlorophosphate esters	16	
	Alkyl phosphates	14	
	Triaryl phosphates	14	
	Thiophosphate esters	10	
	Aromatic hydrocarbons	3	
	Amino phosphates	1	
G-21			
<u>G-21</u>	N		
	Chlorobenzene	51	
	Phenol	49	
G-22			
<u> </u>			
	Chlorobenzene	52	
	Phenol	32	
v	Cumene	16	
<u>G-23</u>		•	
	Chlorobenzene	51	
	Phenol .	49	
<u>G-24</u>			
	Tris(chloropropyl)phosphate	100	

		•	ercent mposition
<u>G-25</u>			
	Chlorobenzene	· ·	56
	Triethylamine		44
<u>G-26</u>			
	Tetrachloroethane		67
•	Chlorobenzene		33
G-27			
	Octene		45
	Trichloroethylene		17
	Organo phosphites and phosphates		11
	Hexane		10
	Dichlorobenzene		5
	Ethylene dichloride		4
	Acetone		4
	Carbon tetrachloride		2
	Others	•	2
<u>G-28</u>	•		
	Chlorobenzene	•	51
	7 % 3		40

Mixed Organic Chemical Waste

Code No. Percent Composition

Hydrocarbons
Toluene
Phenols
Nitroaromatics
Alkyl nitrates
Alkylated anilines
Alkyl amines
Amine polymer
Acetone
Methanol
Alcohols
Alcohol, C ₂₀
Fatty acids
Sulfurized oleic acid
Succinic anhydride
Polyisobutyl succ. acid
Butyl borate
Dichlorobenzene
Chloroform
Silicone oil
Others

B-20	<u>B-21</u>	<u>B-22</u>	<u>B-23</u>	B-24	B-25	B-26	B-27	<u>B-28</u>	B-29	B-30
6	37	100	33	34	72	90	100	82	100	56
5	15		38	30						
12	10				6	10		16		26
14	2.								ORGENIA TO A	
7							·			
40	1								•	
	16							1		
			29	36						
5	2									
3	3 ·									
	1								30.0	18
· · · · · · · · · · · · · · · · · · ·		1			12		·			
3		1								
	·									
					01					
	7				É					
	3	!			!				700-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-TO-100-T	
1		f	! !		1					•
:					l L					
4	3	† · · · · · · · · · · · · · · · · · · ·						. 2		

Percent Composition

Hydrocarbons

Toluene

Phenols

Nitroaromatics

Alkyl nitrates

Alkylated anilines

Alkyl amines

Amine polymer

Acetone

Methanol

Alcohols

Alcohol, C20

Fatty acids

Sulfurized oleic acid

Succinic anhydride

Polyisobutyl succ. acid

Butyl borate

Dichlorobenzene

Chloroform

Silicone oil

Others

6 5 36	<u>36</u> 4 6
6 5 36 1 4 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4
6 5 36 1 4 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4
1 4 9 1 1 1 2	
1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>.</u>
13 2	0
13 2	
13 2	
1	
1	
6	
6	•
6	
11	
1 4	
2 6	, V

Mixed Orgar' - Chemical Waste

Code 3049-002 Percent Composition

	B-37	B-38	B-39	B-40
Hydrocarbons	73	18.	2	2
Arom, hydrocarbons		1		
Esters, ketones, acids		17		35
Phenols		47	92	37
Aliph. amines		2		\
Anilines		10	4	4
Alcohols		5		
Isocyanates	27			
Borate esters				
Ether polyols				
Ashless dispersants				
Polysuccinimides				
Silicone oils				
Others			2	22

ġ

WASTE INFORMATION

4.

5.

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM AT 800-294-4706, 24 HOURS PER DAY AND THE NATIONAL RESPONSE CENTER AT 800-424-8802

facility is the destination indicated on the manifest, I understand that this manifest can be used in administrative and court proceedings.

Describe any significant discrepancies between manifest and shipment.

☐ Rejected

Facility Site EPA I.D. Number

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX: 30030 LANSING, MICHIGAN 48909

	0002-7
SECTION A. WASTE GENERATOR IDENTIFICATI	ON INFORMATION
EPA IDENTIFICATION NUMBER MID 041803123	
Business NAME Ethyl Corporation	
ADDRESS 1600 W. Eight Mile Road	
cmy STATE Ferndale, Michigan	ZIP CODE 48220
	TELEPHONE NUMBER (313) 399-9600

LANSING, MICHIGAN 45505	BUSINESS NAME		
WASTE CHARACTERIZATION	Ethyl Corporation		
REPORT	ADDRESS 1600 W. Eight Mile	Road	
	CITY	STATE	ZIP CODE
·.	Ferndale, Michi	J	3220
NAME AND TITLE OF CONTACT PERSON			NE NUMBER
C. P. Jarema		(313) 3	99-9600
SECTION B. COMMON NAME OF THE WASTE			
ENTER TYPE OF WASTE (i.e. common name) characterized on th	is form and the source of process fro	m which it was produced.	
Organic Laboratory Waste - Liquid			
SECTION C. LISTED HAZARDOUS WASTE			MAZARDOUS
 If the waste is listed in tables 301 a, b, c, or d of Rule 299. 305 of Rule 299.6317, enter the nazardous waste number 	.6308, 299, 6309, 299,6310 or 299.5 per from the appropriate table	311, respectively or table	WASTE NO.
2. If the weste is a discerded commercial chemical produ	act, off-specification specie.		•
container or spill residue of a substance listed in Table	e 302a, Rule 299.6312, or		
Table 302 b or c. Rule 299.6313 or 299.6314, respective	ely, enter the hazardous		
waste number from the applicable table		COMPONENT	
3. If waste contains any substances listed in table 302 a,	b, or c,	CONCENTRATION	
Rule 299.6312, 295.6313.or 299.6314, respectively, enter	r their	to%	
nazzrdous waste number(s) from the applicable table A	AND record	to%	
the component concentrations.	· ·	to%	
4. If the waste contains viable desease-causing agents lis	sted in table 304,		
Rule 299,6316, enter the hazardous waste number(s) fr	rom the table		- 1 1 1
			1 1 1
		· · · · · · · · · · · · · · · · · · ·	
SECTION D. HAZARDOUS WASTE DASED ON CHARACT		· D	Polosopa
gnitable Wastes	Test Results	Parameters	Reference
5z. Liquid fizsh point test (squeous solutions	<60°C		
containing less than 24% alcohol by volume	4- 50	Flash Pt. 60°c	299.6201 (c) (i)
are excluded from this test).	to ^c c	riesh (t. 00 C	230.0207 (0) (1)
55. Non-liquid — Is it ignitable based on	☐ Yes ☐ Na	See Reference	299.6201 (c) (ii)
conditions stated in the reference?	- 100 Lui 1904	000 7,010.0.120	2000020: (0) (0)
5c. Compressed gas — is the waste a flammable	Yes No	See Reference	49 CFR § 173.30
compressed gas as defined in the reference?			•
5d. Oxidizer — is the waste an oxidizer as	Yes No	See Reference	49 CRF § 173.15
-defined in the reference? 5e. Enter "D001", as the hazardous waste number if			or
meets the definition of a hazardous waste base	ed on the reference		<u> [D[0]0]1</u>
6. Corrosive Wastes (concentrated salt solutions	Test Results	Parameters	Reference
are by definintion not coorosive)	<u> </u>		••
6a. Aqueous Solution — ph test	ph -	See Reference	299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test	mm/yr	Rate 6.35 mm/yr	299.6201 (a) (ii)
6c. Albino rabbit skin test — Is the tissue			229.6201 (a) (iii)
destroyed or irreversibly changed?	Yes No	See Reference	
6d. Emer "D002", as the hazardous waste number i	if the waste exceeds one or more	of the parameters lister	d . <u> </u>
7 Reactive wastes			
7a. Is the waste normally unstable and capable of	undergoing violent chemical or p	hysical change	F1 671
without detonating?		:	Yes 🔯
7b. Does it react with water forming potentially ex	plosive mixtures with water?		Yes X
7c. When mixed with water, does it generate toxic	gases, vapors, or tumes?		☐ Yes 🏻
7d. is it a suitide or cyanide bearing waste which	when exposed to ph conditions I	between 2 and 12.5,	T) 52
can penerate toxic gasses, vapors, or fumes?			☐ Yes 🏻
7e. is the waste capable of detonation or explosive	e reaction when subjected to a s	rong	· 🗋 · Yes 🗵
initiating source or if heated under confinemen	nt?		· الله Yes الله

					•	
•	• •		· · · · · · · · · · · · · · · · · · ·			
	•					w _{ing} i in
	•		•			.
• * •	•					
71, is the waste capa					· ·	F F
				• • • • • • • • • • • • • • • • • • • •		ا ا Yes
7g. is the waste a for						Yes K N
7h is the waste a Cl	•					Yes X N
7i. Is the weste a Ci						☐ Yes 🖾 N
7j. If the answer to a	any of the question	ons 7a through '	7i is yes, enter "	D003", as the haza	rdous waste numb	er. L_l_l
8. EPA Toxic Wastes - Upi	on obtaining on e	extract of the wa	aste as described	on <u>He</u>	zerdous Waste No.	Concentration
40 CFR § 261, Appendix						mg/
Rule 299.6315. For each						mg/
concentration listed in th				•	لللاللالا	mg/
and the tested concentra					<u> </u>	mp/
SECTION E. PHYSICAL STA						
S. What is the average der		ia17 ·			8 Ibs/gal	
10. Solids: Does the material	isity of the mater	(symposed to pic	movement?			□ Ves □ h
10. Solids: Does the materi	z: produce dusi i	EXPOSED TO BIT	movement		***************************************	< l
11. Liquid — Siudpe: What	is the percent so	JHOS!			********	🖸 Yes 🔯 1
Canil	the material be p	umped?				Yes Lif
Canif	the material be p	oured.?				🛛 Yes 🗋 1
12. Liquid: At what tempera						
13. Gases: What is the max		f the container?				<u> </u>
SECTION F. OTHER INFOR					·	
14. What is the maximum o						· · · · · · · · · · · · · · · · · · ·
15. If the only nazardous wa	ste numbers liste	c on this form a	re the numbers th	at have been entere	d for Item 3,	
enter the numbers in the						
generated (Item 14) caus	se the waste to be	considered as a	notification waste	based on R 299.62	01 (1) (g) (iii)	
and (iv), figure A of R2						
NOTE: If the hazarbous	wrast - numbers tr	ial have been er	ntered under item	3, begin with the le	tter "P" use	i i
figure A to determine if it						•
16. Are the hazardous wast				•		Yes
17. If the waste is a hazard						
exemptions pursuant to				. *		Yes 🔯
16. If tests were conducted			all of the following	né information		
shall be transmitted to	the evaluation	d National Books	urces with the wa	ste cheracterization	1	
	me Jepanmen (A MEIDIEL MESUL	i cas with the we			
Record:			data amining that t	the comple		
(z) The sampling		ne reasons for c	letermining that	nië zembie		
	ive of the waste					
(b) The results of				* *		
(c) The accuracy	and precision of	any test condu	cted.		. •	
SECTION G. U.S. DEPT. C	F TRANSPORTAT	TON REPORTING	G REQUIREMENT	'S	· · · · · · · · · · · · · · · · · · ·	
Hazardous Materials Descriptio	n and Shipping Ner	ne			•	
Hazardoı	us Waste, L	iquid, n.o.	s.			
Hazard Class			7 - 1		UN/DA 1	D No.
ORM-E	•				NA 9	189
Special Handling and Shipping	Sequirements	·····			<u> </u>	
Species Henricing and Durbhule				and the second		
		•		e e e e e e e e e e e e e e e e e e e	4	
If the waste is ha	ezerdous and no	t exempt or ex	cluded from ma	anagement, or is a	notification wa	ste, send the
completed form	to the Departme	ent of Natural	Resources, Ottic	e of Hazardous V	Vaste Manageme	ent, P.O. Box
30038, Lansing.			•		-	
Suuse, Lansing.		•				
101	~ ^		, ************************************			
11/2	1)	. .		· /	1	0 50 00
(healer) (r. xoun	~		Analytical C	nemist	9-13-83
C P Tarema	/ Bignature			Тпю	•	DATE

•

Hydrocarbons

Arom, hydrocarbons

Esters, ketones, acids

Phenols year

Aliph. amines

Anilines Anilines

Alcohols

Isocyanates 🕾 🖹

Borate esters

ther polyols

Ashless dispersants

Polysuccinimides

Silicone olls

Others

Mixed Organic Chemical Waste

Code 3019-002 Percent Composition

	المديدا	B-13			B-46	B-47	B-48
B-41	B-42·	B-13	B-44	B-45	B-40	<u>13-47</u>	B-48
14	10	76	34	36	22	65	39
			1	-	16		15
			7	5		11	21
	24	9	27	4	40	17	2
l	٠, لو.	15			5	1	2
85					12		4
	51						
	9						3
			12				13
,				23	2	3	
				11			
			11	21			, }
	6		8		3	3	1

A CONTRACTOR OF THE PARTY OF TH				2007年2月1日 11日本 11日本	Tariff Tariff	· 神学学生的			et i professorie. A granda			1. 11. 11. 11. 11. 11. 11. 11. 11. 11.
				د Code ک	. 19-002			(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)				Como 2
· 在此以是《从 [annuman] 例》 [1] [1]										********** 1		ngentgeth <mark>* ₩</mark> Line
phirth Syrapan mentally High	B-49	B-50	B-51	B-52	B-53	B-54	B-55	B-56	B-57	B-58	B-59	B-60' "
Hydrocarbons	75	77	35	58	77	24		16	46		1	-
Arom, hydrocarbons			2	23	, .	31	9	20	e			12 A T
【『新聞 gran for the control to a part of the state of the foreign for a fact of the	10		14		8	15	14	49	3			
Esters, ketones, acids		23				,	44	2	1		-	
Phenois Aliph, amines	4	3	21		l	6		1	11			1.7
Anilines	2		6			19	1		14	100	100 -	100
Alcohols			17	18		4	27	2	20	,		Ü
Borate esters			5			:						4.5
Silicone oils				1	13		<u> </u>	8	1		7,00	
Nitroalkanes							4	Z				
Mercaptans					·		2				<u> </u>	*
Others	6		2		. 1	· 1	·		4	·		
Others	L	<u> </u>	-1					: .				12 J. M. W

. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				4	1	1 300	/ . "			ı	
B-61	B-62	B-63	B-64	B-65	B-66	B-67	B-68	B-69	B-70	B-71	B-72
17	12	9 4		4	48	10		20	33	58	
3	14				5		· · · · · · · · · · · · · · · · · · ·		8	13	
34	28									2	
	14	100			11	90	16	 -		1	100
17					9			·	da manay kasinandida pagilanganda di dikabada mi		
7					6				i	5	· / · · · · · · · · · · · · · · · · · ·
i 3	8				3		65	41	26		1
							19	10	18	·	
	5	! 								•	
	2									7	2 12
	6							·			,
			100	,						•	
				100	2.						
					2				-		
					4			4			
; ;					4						
				,	<u> </u>				·	9	
8	11				6			25	15	5	
	34	17 12 3 14 34 28 1 14 17 7 13 8 5 2 6	17 12 3 14 34 28 1 14 100 17 7 2 6	17 12 3 14 3 4 28 3 4 100 17 5 5 2 5 100 100 100 100 100 100 100 100 100 1	17 12 3 4 3 4 3 4 28 3 4 100 3 5 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	17 12 48 3 14 5 34 28 11 14 100 11 17 9 7 6 13 8 3 5 2 6 100 100 2 2 4 4 4	17 12 48 10 3 14 5 34 28 1 14 100 11 90 17 9 6 3 13 8 3 3 5 2 2 2 6 100 2 2 4 4 4 4	17 12 48 10 3 14 5 34 1 14 100 11 90 16 17 6 6 6 13 8 3 65 19 5 19 19 5 2 2 2 6 100 2 2 4 4 4 4	17 12 48 10 20 3 14 5 34 28 34 34 28 34	17 12 48 10 20 33 3 14 5 8 34 28 11 90 16 17 9 16 17 7 6 19 10 18 5 19 10 18 5 2 100 2 100 2 4 4 4 4 4 4 4 4 4 4	17 12 48 10 20 33 58 3 14 5 8 13 34 28 2 2 1 14 100 11 90 16 1 17 9 6 5 5 13 8 3 65 41 26 13 8 3 65 41 26 10 19 10 18 5 7 7 7 6 100 2 7 4 4 4 4 4 4 4 4 9 9 9 9

		(ME) 1. * 注		1 1				ilgija Singerija sesasi se uzra	
	B-73	B-74	B-75	в-76	B-77	B-78	Б-79	B-80	B-81
Hydrocarbons		68	76		3 3			54	60
Arom. Hydrocarbons		\$72. 3 00 3 4 \$ 2. \		45	76			4	
Esters, acids, ketones	· 特殊 ·				*				-
Phenols			· · · · · · · · · · · · · · · · · · ·	55			100	31 13 13 14 14 15 16 16 17	
Allph. amines						13	·		
Alcohols			r			70	3		
Dodecyl succ. anhyd.									40
Surfactants							4.1		
Silicone oll								· ·	
Arom. phosphates		10		,					
Propyl phosphazene	58		1,000						
Chlorobenzene	42								
Dowtherm							įs.	42	
Mercaptans		14		_					
Toluene diisocyanate			24						
Mn gasoline additive					5				
Water						12			
•									
Others		8			16	5		 	

			· · · · · · · · · · · · · · · · · · ·	1	ercent C	omposit	lon	1	William (Code No),		
		<u>R-41</u>	R-42	<u>R-43</u>	<u>R-14</u>	<u>R-45</u>	R-46	R-47	<u>R-48</u>	<u>R-49</u>	<u>R-50</u>	<u>51</u>	R-52
1	Iydrocarbons	8	. 25	20	16	: 33	36	43	39	20	21		15
7	Coluene	288 3 46	hall by	3	18	11	13	21	21	18	5		14
(Cyclohexane	J. (1)	graffice y	2	way had a laborate on a state of	1	and the state of t	2	14	1	A. CORT AS AND THE PROPERTY TO SERVED.	c c million de allo - Sealen h. and the allow the de	
V	Methanol		2	3	rapsingssin a talen €in	3	2	1	ana in pan		·		
<u>.</u>	sec-Butanol				33	13		5					
Ą	Alcohols	2	2	1		4	7		1	3	1	n 6 m mar 11 m m	11
* · •	Acetone	80	56	65	29	29	36	. 19	20	53	63		40
E	thyl esters	2	1		1	1	2	5	1	1	1		. 2
j. A	scetaldehyde	1	1			ng ng gara da mana bakan manda ta da	nt acc can age to 200		agrama i si i i i i i i i i i i i i i i i i i				•
· E	Cthyl ether	2	2	1	1		1		1	2	2		1 .
ī	Cetrahydrofuran		1										
F	Pyridine	·	·		1	1				·		*	
T	Coluenediamines		2	1							3		
F	Phenols			1							1		2
A	ilkyl anilines				A SERVICE OF SERVICE	fr a 1 65 % programpy gry car	1	1			3		3
S	ltyrene					\$	COME CAS A SERVICE CONTRACT OF		-		. I banga ana anganama ka sa sab par	100	
"	In Fuel Additive								<u> </u>				10
, ,	Carbon Disulfide					4.	•					<u> </u>	
C	: Others	2	3	3	· ·	2	1	3	3	2			1

, 		(A)	the major to the			1			1	. *	P	age 2
		<u>R-53</u>	R-54	<u>R-55</u>	<u>R-56</u>	R-57	<u>R-58</u>	R-59	R-60	R-61	R-62	<u>11-63</u>
41	Hydrocarbons	69	48	22	41	16	50	49	31	11	32	.62
	Toluene		21	4	8	7	50	19	17	26	15	16
	Cyclohexane	Will by the	347500	**************************************								
٠	Methanol		2	4	1	3		3	3	1	6	*** ** ·
	sec-Butanol	5	e Garage		5					g -		
	Alcohols	,		6	2				1	4	14	7
	Acetone .	8	19	58	15	64		13	39	52	29	5
	Ethyl esters	3	8)	5							Q
٠غ٠	Acetaldehyde		tunkum takak bangarakan da		1				,,	president of the second of the		2.
	Ethyl ether	# www. # * *****************************			5	2			,		1	a. Jordan
	Tetrahydrofuran		,,		1	2					1	
	Pyridine	3		1								
	Toluenediamines	1	And will have a graph and an annual manual	1								•
	Phenols	2	#	1	3	·		6	3	P 404 Edward 204 d dawada, 18 , daw	· · · · · · · · · · · · · · · · · · ·	
	Alkyl anilines			2	8				1		an an ann an an Anna	2
	Styrene							,				•
	Mn Fuel Additive						: 1		. 1			; ;
	Carbon Disulfide				-				1			
	Others	1			6	6		10	3	4	2	5
	J			<u></u>	*							

	R-64	<u>R-65</u>	R-66
Hydrocarbons	114	60	11
Toluene	5	10	56
Methanol	8		
Alcohols	24	2	22
Aliph, esters, ketones	The state of the s	16	6
Phenols	3	1	4
Alkyl nitrates	10	1	
Anilines	3	1	
Alkyl amines	1	6	14
Borate esters			6
Oligomer oils	12		
Mn Fuel Additive	2		ļ
Dimethyl sulfoxide	1		
Others		3	1

Code 13049-001
Perc t Composition

1	R-67	R-68	R-69	R-70	R-71	R-72	R-73					
Ĥydrocarbons		11	81	52	95	99						
Arom, hydrocarbons	49	5	4	15	5	1						
Ketones, esters, acids	28	44	10	. 9							e on the sales of	
Alkylated phenols		2	3									
Alkylated anilines	3		,				The second section of the section of the section of the second section of the section of t	,				
Aliph, amines	10		1				,					
Alcohols	7	12		21							<u>.</u>	
Nitro aromatics	1			•						:		
Isocyanates	1											
Mercaptans			1									
Borate esters				3	,						3,000	
Methylal		2		•			100					
Ethers		22										
Others	1	2				·						
Karana da k							·					
								·				<u> </u>
				•		•		·				
	-								•			

2000年 1900年				Perce"	Clompo	sition	<u> </u>				
	R-74	R-75	R-76	R-77	R-78	R-79	· 				
Hydrocarbons	100	50	51		100	68			 		
Arom, Hydrocarbons	ni kali	8	20	79		2			 		<u> </u>
Ketones, esters, acids		7	2	3					 		
Aldehydes		3							 		
Alcohols		16	12								
Állph. amines		4					<u> </u>		 		a in agreement the same of the
Ethers		8	6	,		30			 		
Nitroalkanes	•	2		· · · · · · · · · · · · · · · · · · ·							<u> </u>
-				_							
Others	-	<u>Z</u>	9	18						· /	
	-			_		,		-		`.	
		_									
					-	-					
		_	_		_						
	_										
					-						
المحمد											

0100118

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX SCUSC LANSING, MICHIGAN 48909

WILLIAM ALLENDANCE TO ALLENDANCE

	THE RESERVE THE PROPERTY OF THE PARTY OF THE				
SECT	ON A.				
WASTE GENERATOR IDENTIFICATION INFORMATION					
	ENTIFICATION NUM MID 04180				
BUSINE	SS NAME				
	Ethyl Corpo	oration			
ADDRE		lght Mile Road			
CITY		STATE	ZIP CODE		
	Femdale,	Michigan	48220		
			TELEPHONE NUMBER		
		(0.00)	200 0/00		

	ASTE CHARACTERIZATION		Etnyl Cor	20101011	· · · · · · · · · · · · · · · · · · ·		
	REPORT	ADDRES	is 1600 W. I	Eight M	ile Road		
		CITY		-	TATE		ZIP CODE
		La C	Femdale,	-	higan	4822	
	THE OF CONTACT PERSON	i				ELEPHONE	
	stutis A. Keblys, Assist. Director	- Δ Ω.Τ¹	R .		(313) 3	399-96	00
		, AUI	11				
SECTION B	. COMMON NAME OF THE WASTE OF WASTE (i.e. common name: characterized on this	form and	the source of or	rocess from	which it was pre	ouced.	
CC	opper Sulfide Ore Concentrate (4 drum	ns)				· · · · · · · · · · · · · · · · · · ·
SECTION C	LISTED HAZARDOUS WASTE					<u>1 D. O S. O</u>	HAZARDOUS
1 If the war	ste is listed in tables 301 a, b. c. or d of Rule 299.6	308, 299.	6309, 299,6310	or 299.6311	1, respectively of	or table	WASTE NO.
305 of R	ule 299.6317, enter the hazzrdous waste number	r from th	ne appropriate t	table			
2. If the wi	aste is a discarded commercial chemical produc	t, ott-spe	cification speci	€,			•
containe	r or spin: residue of a substance listed in Table	302a, Ru	uie 299,6312, or	r			
Table 30	2 b or c. Rule 299.6313 or 299.6314, respective	y, enter f	tne hazardous				
waste n	ember from the applicable table			.,	COMPONENT		
	contains any substances listed in table 302 a, b			CO	NCENTRATION	_	
Rule 299	9.6312, 299.6313.or 299.6314, respectively, enter t	:heir	-		10 %		
ก็สวอเดอ	us waste number(s) from the applicable table Ah	1D record	ď .		to %		
the com	ponent concentrations.			-	to %		
4. If the wa	aste contains viable desease-causing agents liste	ed in tabl	le 304,	•			
Rule 299	9.6316, enter the hazardous waste number(s) fro	m the tal	ible		• • • • • • • • • • • • •		
	· · · · · · · · · · · · · · · · · · ·		•				
		`					
SCTION	D. HAZARDOUS WASTE BASED ON CHARACTE	RISTICS					
Ignitable	Wastes	•	Test Resu	ilte	Parameters		Reference
	iquid flash point test (aqueous solutions						
C	ontaining less than 24% alcohol by volume				E1	_	200 2004 (=) (i)
_	re excluded from this test).		to	°c	Flash Pt. 60°c		299.6201 (c) (i)
	on-liquid — is it ignitable based on		☐ Yes 🏻	71	Can Deferond		299.6201 (c) (ii)
	onditions stated in the reference?		L Yes L	טא פ	See Referenc	,6	235.0201 (0) (11)
	compressed gas — is the waste a flammable		Yes [_ 	See Referenc		49 CFR § 173.3
	ompressed gas as defined in the reference?		Yes L نے	T 140	See Heletelic	,C	45 Of 11 3 170.0
1	exidizer — is the waste an oxidizer as						
			Five F	XI No.	See Reference	•a	49 CRF & 173 1
d	etined in the reference?	£	☐ Yes □		See Reference		49 CRF § 173.1
5e. £	efined in the reference? Inter "D001", as the hazardous waste number if t	he waste	exceeds one o	or more of t	the parameters		
5e. £	efined in the reference? inter "D001", as the hazardous wasts number if the neets the definition of a nazardous waste based	he waste on the i	exceeds one o	or more of t	the parameters	listed or	
5e. E n 6. Corros	efined in the reference? Inter "D001", as the hazardous wasts number if the definition of a nazardous waste based we Wastes (concentrated salt solutions.	he waste on the i	exceeds one o	or more of t	the parameters	listed or	
5e. E n 6. Corros are by	efined in the reference? Inter "D001", as the hazardous wasts number if the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive)	he waste on the i	reference	or more of t	Parameters	listed or	Reference
5e. E n 6. Corros: are by 6a. A	efined in the reference? Inter "D001", as the hazardous waste number if the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Inducous Solution — ph test	he waste on the I	exceeds one of reference	or more of t	Parameters Parameter	listed or	Reference 299.6201 (a) (i)
5e. E n 6. Corros are by 6a. A 6b. L	efined in the reference? Inter "D001", as the hazardous waste number if the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — ph test Liquid-Steel (type SAE 1020) corrosion test	he waste on the	exceeds one of reference	or more of t	Parameters	listed or	Reference 299.6201 (a) (i) 299.6201 (a) (ii
5e. E n 6. Corross are by 6a. A 6b. L 6c. A	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — ph test injurid-Stee! (type SAE 1020) corrosion test within a rabbit skin test — is the tissue	he waste on the	reference ·	or more of t	Parameters Parameter See Referent Rate 6.35 mi	s listed ors	299.6201 (a) (i) 299.6201 (a) (ii 229.6201 (a) (ii
5e. E n 6. Corros are by 6a. A 6b. L 6c. A	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — phitest injurid-Steel (type SAE 1020) corrosion test with the company of the cooroside of	on the i	exceeds one of reference	or more of t	Parameters Parameter See Reference Rate 6.35 mi	s listed ors	299.6201 (a) (i) 299.6201 (a) (ii) 299.6201 (a) (iii
5e. E n 6. Corros: are by 6a. A 6b. L 6c. A	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — ph test (type SAE 1020) corrosion test (typ	on the i	exceeds one of reference	or more of t	Parameters Parameter See Reference Rate 6.35 mi	s listed ors	299.6201 (a) (i) 299.6201 (a) (ii) 299.6201 (a) (iii
5e. E n 6. Corrosi are by 6a. A 6b. L 6c. A	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Inqueous Solution — ph test Inquid-Steel (type SAE 1020) corrosion test Whino rabbit skin test — Is the tissue destroyed or irreversibly changed? Enter "D002", as the hazardous waste number if the wastes	on the i	Test Res	or more of t	Parameters Parameter See Reference Rate 6.35 mit See Reference of the parameter	s listed ors	299.6201 (a) (i) 299.6201 (a) (ii 229.6201 (a) (ii
5e. E n 6. Corrosi are by 6a. A 6b. L 6c. A 6c. E 7. Reactiv 7a. I	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Inqueous Solution — ph test inquid-Stee! (type SAE 1020) corrosion test inquid-Stee! (type SAE 1020) corrosion test indicates of irreversibly changed? Enter "D002", as the hazardous waste number if the wastes is the waste normally unstable and capable of the content of the content in the capable of	on the i	Test Res	or more of t	Parameters Parameter See Reference Rate 6.35 mit See Reference of the parameter	s listed ors	299.6201 (a) (i) 299.6201 (a) (ii) 229.6201 (a) (ii) 49 CFR § 173.3
5e. E n 6. Corross are by 6a. A 6b. L 6c. A 6c. E 7. Reactiv 7a. L	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — phitest (type SAE 1020) corrosion test (typ	on the l	Test Res Test Res Yes Test Res Test Res Test Res	or more of to	Parameters Parameter See Reference Rate 6.35 mit See Reference of the parameter	s listed ors	Reference 299.6201 (a) (i) 299.6201 (a) (ii) 229.6201 (a) (ii) 49 CFR § 173.
5e. E n 5. Corrosi are by 6a. A 6b. L 6c. A 7. Reactiv 7a. 1	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — ph test (type SAE 1020) corrosion test (typ	on the lithe west undergoin	Test Res Test R	or more of to	Parameters Parameter See Reference Rate 6.35 mit See Reference of the parameter	s listed ors	Reference 299.6201 (a) (i) 299.6201 (a) (ii 229.6201 (a) (ii 49 CFR § 173.:
5e. E n 6. Corrosi are by 6a. A 6b. L 6c. A 6a. E 7. Reactiv 7a. 1	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Inqueous Solution — ph test inquid-Stee! (type SAE 1020) corrosion test inquid-Stee! (type SAE 1020) corrosion test interpretability changed? Inter "D002", as the hazardous waste number if the wastes as the waste normally unstable and capable of unwithout detonating? Does it react with water forming potentially exported mixed with water, does it generate toxic.	the wast undergoin losive mit gases, va	Test Res	or more of to	Parameters Parameter See Reference Rate 6.35 mill See Reference of the parameter ysical change	ce m/yr ce rs listed	Reference 299.6201 (a) (i) 299.6201 (a) (ii 229.6201 (a) (ii 49 CFR § 173.:
5e. E n 6. Corros: are by 6a. A 6b. L 6c. A 7a. 1 7b. I 7c. N	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Aqueous Solution — phitest (type SAE 1020) corrosion test (typ	the wast undergoin losive mit gases, va	Test Res	or more of to	Parameters Parameter See Reference Rate 6.35 mill See Reference of the parameter ysical change	ce m/yr ce rs listed	Reference 299.6201 (a) (i) 299.6201 (a) (ii) 229.6201 (a) (iii) 49 CFR § 173.2
5e. E 7. Reactiv 7c. N	efined in the reference? Inter "D001", as the hazardous waste number if the the definition of a nazardous waste based we Wastes (concentrated salt solutions definintion not coorosive) Inqueous Solution — ph test inquid-Stee! (type SAE 1020) corrosion test inquid-Stee! (type SAE 1020) corrosion test interpretability changed? Inter "D002", as the hazardous waste number if the wastes as the waste normally unstable and capable of unwithout detonating? Does it react with water forming potentially exported mixed with water, does it generate toxic.	the wast undergoin losive mi gases, va when exp	Test Res Test Res Yes Te exceeds one reference Test Res	or more of to the control of the control or physical o	Parameters Parameter See Reference Rate 6.35 mi See Reference of the parameter ysical change	ce m/yr ce rs listed	Reference 299.6201 (a) (i) 299.6201 (a) (ii) 229.6201 (a) (iii) 49 CFR § 173.2

7f. Is the waste capable of detonation or explosive decomposition or reaction at standard	
temperature and pressure?	Yes 💆 ''o
7g. is the waste a forbidden explosive as defined in 49 CFR § 173.51?	☐ Yes 🔼 ə
7h is the waste a Class / explosive as defined in 49 CFR § 173.53?	∐ Yes 💹 No
7: is the waste a Class B explosive as defined in 49 CFR § 173.85?	☐ Yes 🛭 No
7). If the answer to any of the questions 7s through 71 is yes, enter "DD03", as the hazardous waste	number. Di0+0131
E. EPA Toxic Wastes - Upon obtaining on extract of the waste as described on Hazardous Waste &	No. Concentration
40 CFR § 261, Appendix II, test for the components listed in Table 303,	mg/l
Rule 299.6315. For each component material that exceeds the extract	mg/t
concentration listed in the table, enter the hazardous waste number(s)	J mg/l
and the tested concentration(s):	Jma/l
SECTION E. PHYSICAL STATE AT 25'	
9. What is the average density of the material?	
10. Solids: Does the material produce dust if exposed to air movement?	X Yes D No
11. Liquid — Sludge: What is the percent solids?	%
Do the solids settle out?	Yes No
Can the material be pumped?	Yes No
Can the meterial be boured?	Yes No
12. Liquig: At what temperature does it freeze?	"c
13. Gases: What is the maximum pressure of the container?	PSIG
SECTION F. OTHER INFORMATION:	
14. What is the maximum quantity of this waste that is generated per month? One time	kc.
15. If the only hazardous waste numbers listed on this form are the numbers that have been entered for Item 3,	
15. If the only nazaroous waste numbers listed on this form are the numbers that here been exceed to home.	1 1 1 1 1
enter the numbers in the space provided if the component concentration (Item 3) and the quantity of the waste	1 1 1 1
generated (Item 14) cause the waste to be considered as a notification waste based on R 299.6201 (1) (g) (iii)	
and (iv), figure A: of R299.6701(2), or figure B of R299.6201 (3):	
NOTE: If the hazardous was: - numbers that have been entered under item 3, begin with the letter "P" use	;
figure A to determine if it is a notification waste. If the number begins or ands with the letter "U" use figure B.	Yes No
16. Are the hazaroous wastes listed on this form disposed of onsite?	ET Aes P. MC
17. If the waste is a hazardous waste, is it exempt under the small quantity	Yes X No
exemptions pursuant to R 03.6203(2) and (3)?	L Yes & No
18. If tests were conducted it, the evaluation of the waste, all of the following information	
shall be transmitted to the Department of Natural Resources with the waste characterization	
Record:	
(a) The sampling procedure and the reasons for determining that the sample	
is representative of the waste	-
(b) The results of all tests conducted.	
(c) The accuracy and precision of any test conducted.	
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS	· · · · · · · · · · · · · · · · · · ·
Hazardous Materials Description and Shipping Name	•
Hazardous Waste - Solid, N.O.S.	
	N/DA ID No.
ORM-E	NA 9181
Special Handling and Shipping Requirements	
	•
If the waste is hazardous and not exempt or excluded from management, or is a notification	on waste, send the
completed form to the Department of Natural Resources, Office of Hazardous Waste Mana	igement, P.O. Box
30038, Lansing. MI 48909.	
10 10 10 10 10	•
Assist. Director. A&I	TR 9-21-83
7-11	Date
Kestutis A. Keblys Signature	

0100118

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30000

SECTION A.								
WASTE GENERATO	WASTE GENERATOR IDENTIFICATION INFORMATION							
EPA IDENTIFICATION NUM	ABER							
-MID 04180	3123	ANA SOURCE STATE OF THE STATE O						
BUSINESS NAME								
Ethyl Corp	oration							
ADDRESS	-							
1600 W. Eight Mile Road								
CITY	STATE	ZIP CODE						
Ferndale,	Michigan	48220						

Ethyl Corporation ADDRESS 1600 W. Eight Mile Road CTY STATE TELEPHONE NUMBER (S111) S. Keblys, Assist. Director, A&IR (313) 399-9600 SECTION B. COMMON NAME OF THE WASTE ENTER TYPE OF WASTE 1.6. common name characterizes on this form and the source of process from which it was produced. Lead hallde /oxide deposits from automotive traps (one drum) SECTION C. LISTED HAZARDOUS WASTE 1. If the waste is listed in tables 501 a, b c, or d of Rule 298.6308, 299.6310 or 299.6311, respectively or table 305 of Rule 299.6317, enter the hazardous waste number from the appropriate table 2. If the waste is a discarded commercial chemical product, orf-specification space, container or sphi residue of a substance fisted in Table 302 a, b, or c, Rule 299.6312, 299.6313 or 299.6314 respectively, enter the hazardous waste number from the applicable table 3. If waste contains any substances listed in table 302 a, b, or c, Rule 299.6312, 299.6313, respectively, enter the hazardous waste number from the applicable table AND recore 10 % 11.1 At the waste contains viable devesses-causing agents listed in table 304. A If the waste contains viable devesses-causing agents listed in table 304. Rule 299.6312, PS9.6313, or 299.6314, respectively, enter their 10 % 11.1 CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes 5.1. Liquid flash point test (scueous solutions containing less than 2-1 sicohol by volume are excluded from this test). 5. Non-liquid— is it inguitable based on conditions state in the reference? 5. Compressed gas as defined in the reference? 5. Compressed gas as defined in the reference? 5. Compressed gas as defined in the reference? 6. Oxidizer— is the waste an oxidizer as defined in the reference? 7. Yes No See Reference 8. Corrosive Wastes (concentrated salt solutions 8. Corrosive Wastes (concentrated salt solutions are by cethninition not cocrosive) 8. A great Results 8. Liq	LANSING, MICHIGAN 48909	BUSINESS NAME	Commence of the Commence of th	<u> 1900-yan ta kata kata kata kata kata kata kata</u>
REPORT ADDRESS 1600 W, Eight Mile Road 27P cook 7P count 48220 18	WASTE CHARACTERIZATION	1	oration	
CTY STATE ASPENDENCE ASSET A				<u> </u>
Femdale, Michigan 48220	. nervn:	1600 W. E	ight Mile Road	
TELEPHONE NUMBER California Person Telephone Number Telephone Number Section 8, Common Name of the Waste California Name of the Section 8, Common Name of the Waste California Name of the Section 8, Common Name of the Section 8, California Name of the Section 8, Ca		1 '		
Kestutis A, Keblys, Assist, Director, A&IR (313) 399-9600		Ferndale,		
ECTION B. COMMON NAME OF THE WASTE ENTER TYPE OF MASTE (i.e. common name: characterized on this form and the source of probess from which it was produced. Lead hallde / coxide deposits from automotive traps (one drum) SECTION C. LISTED HAZARDOUS WASTE 1. If the waste is listed in tables 301 s. b. c. or or of Rule 298.6308, 298.6309, 298.6310 or 298.6311, respectively or table 305 of New 259.6317, enter the hazardous waste number from the appropriate liable 2. If the waste is a discerded commercial chemical product, off-specification species. 1. If the waste is a discerded commercial chemical product, off-specification species. 2. If the waste is a discerded commercial chemical product, off-specification species. 2. If the waste or spul residue of a substance listed in Table 302, Rule 298.6310 or 298.6314, respectively, enter the hazardous waste numbers from the applicable table AND record 3. If waste Contains any substances listed in table 302 a, b. or c. 1. If the waste contains visible from the applicable table AND record 3. If the waste contains visible disease-causing agents listed in table 304. 2. If the waste contains visible disease-causing agents listed in table 304. 3. If the waste contains visible disease-causing agents listed in table 304. 3. If the waste contains visible disease-causing agents listed in table 304. 3. Rule 299.6316, enter the hazardous waste number(s) from the table 3. CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS 3. Ignitable Wastes 3. Liquid flash point test (squeous solutions 3. CTION D. HAZARDOUS waste based on conditions stated in the reference? 3. Compressed gas a celined in the refer	NAME AND TITLE OF CONTACT PERSON	n : 0 mm		
Lead halide / Oxide deposits from automotive traps (one drum) SECTION C. LISTED HZZARDOUS WASTE 1. If the waste is itsee it itables 301 s. b. c. or of a flule 298.6308, 299.6310 or 298.6311, respectively or table waste it is entered to the hazardous waste number from the appropriate table containing or sput residue of a substance listed in Table 302s, Rule 298.6312, or 128.6312 or 128.6312 or 128.6313 or 298.6313 or 298.6314, respectively, enter the hazardous waste number from the applicable table AND record to % Fit waste contains any substances listed in table 302 a. b. or c. Containing the state of the component concentrations. 4. If the waste contains visible developes a pents listed in table 304. 5. Rule 298.6316, effect the hazardous waste number(s) from the table waste containing test than 2-1 alcohol by volume are excluded from this test. 1. Ignitable Wastes 5. Liquid flash point test (squeous solutions containing test than 2-1 alcohol by volume are excluded from this test. 1. Sh. Non-liquid—is it injustable based on conditions stated in the reference? 5. Componessed gas as defined in the reference? 5. Componessed gas as defined in the reference? 5. Componessed gas as defined in the reference? 6. Corrosive Wastes (contentrated salt solutions are by definition not coorosive) 6. Alueous Solution—ph 1est 6. Liquid-Steel (type SAE 1020) corrosion test 6. Corrosive Wastes (contentrated salt solutions are by definition not coorosive) 6. Enter "DOO2", as the hazardous waste number if the waste excess one or more of the parameters listed or meets the destribution of a ricizarous waste number if the waste content or more of the parameters listed or meets the destribution of a ricizarous waste number if the waste content or more	Kestutis A. Keblys, Assist. Director,	A&IR	(313) 399-	-9600
Elead hallde / oxide deposits from automotive traps (one drum) SECTION C. LISTED NAZARDOUS WASTE 1. If the waste is listed in tables 301 s. b. c. or of flule 299.6305, 299.6305, 299.6310 or 299.6311, respectively or table 305 of Rule 289.6317, enter the hazardous waste number from the appropriate table 2. If the waste is a discarded commercial chemical product, orthogenicitication specie. 2. If the waste is a discarded commercial chemical product, orthogenicitication specie. 2. If the waste is a discarded commercial chemical product, orthogenicitication specie. 2. If waste gental or a substance listed in Table 302a, Rule 299.6312, or Table 302 by or c. Rule 299.6314, respectively, enter the hazardous waste number from the epiplicable table 302 a. b. or c. Component concentrations. 3. If waste contains value stated in table 302 a. b. or c. Component concentrations. 4. If the waste contains value disease contains appears to the component concentrations. 4. If the waste contains value disease contains are contains value to execute contai	SECTION B. COMMON NAME OF THE WASTE			, , , , , , , , , , , , , , , , , , , ,
SECTION C. LISTED HAZARDOUS WASTE 1. If the waste is listed in tables 301 a, D. c. or of Rule 298 6305, 299, 6305, 299, 6311, respectively or table 3. If the waste is a discerded commercial chemical product, off-specification specie, containing or spir residue of a substance listed in Table 302 a, Rule 298,6312 or Table 302 to or c, Rule 298,6313 or 298,6314, respectively, enter the hazardous waste number from the applicable table. 2. If the waste expective and the spiritual off-specification specie, containing or spir residue of a substance listed in Table 302 a, D. or c, Rule 298,6312, 259,6313 or 298,6314, respectively, enter the hazardous waste number from the applicable table. 3. If waste containing a spiritual or				
1. If the waste is listed in tables 301 a, b, c, or d of Rule 298,5308, 299,6310 or 299,6311, respectively or table 305 of Rule 296,5317, enter the hazardous waste number from the appropriate table 2. If the waste is a discreted commercial chemical product, oft-specification spoce, contains or spit residue of a substance listed in Table 302a, Rule 298,5312, or Table 802 b or c, Rule 298,6310 or 298,6314, respectively, enter the hazardous waste number from the applicable table waste generated from the applicable table and so 20 a, b, or c, consequent concentration and the component concentrations. 4. If the waste contains stable desease-causing agents listed in table 304. Rule 298,6316, enter the hazardous waste number(s) from the applicable table AND record the component concentrations. 4. If the waste contains stable desease-causing agents listed in table 304. Rule 298,6316, enter the hazardous waste number(s) from the table 1. In		motive traps (or	ne drum)	
1. If the waste is listed in tables 201 a, b c, or d of Rule 296.8305, 299.8310 or 298.8311, respectively or table 305 of Rule 296.8317, enter the hazardous waste number from the appropriate table 2. If the waste is a discreted commercial chemical product, off-specification specie, container or spin: residue of a substance listed in Table 302a, Rule 295.8312 or 296.8313 or 296.8313 or 296.8314, respectively, enter the hazardous waste number from the applicable table 302a, b, or c, Container any substances listed in table 302a, b, or c, Container any substances listed in table 302a, b, or c, Container any substances listed in table 302a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed in table 802a, b, or c, Container any substances listed 802a, b, or c, Container and substances listed 802a, b, or c,	SECTION C. LISTED HAZARDOUS WASTE			MAZARDOUS
305 of Rule 299.637, enter the hazardous waste number from the appropriate lable container or spir residue of a substance listed in Table 302a, Rule 299.6312, or Table 302 b or c, Rule 299.6313 or 299.6314, respectively, enter the hazardous waste number from the applicable lable. 5. If waste contains any substances listed in table 302 a, b, or c, CONCENTATION Rule 299.6312, 299.6313 or 299.6314, respectively, enter their	1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.6	308, 299, 6309, 299,6310	or 299.6311, respectively or table	WASTE WO.
2. If the waste is a disparced commercial chemical product, off-specification specie, container or spi.' residue of a substance listed in Table 3022, Rule 295,6312, or Table 302 b or c, Pule 296,6313 or 296,6314, respectively, enter the hazardous waste number from the applicable table 302 a, b, or c, Rule 296,6312, 296,6313, or 296,6314, respectively, enter their to % hazardous waste number(s) from the applicable table AND record to % hazardous waste number(s) from the applicable table AND record to % hazardous waste number(s) from the applicable table AND record to % hazardous waste number(s) from the table 304, Rule 299,6316, enter the hazardous waste number(s) from the table 304, Rule 299,6316, enter the hazardous waste number(s) from the table \$\$ 100	305 of Rule 299,6317, enter the hazzrdous waste number	r from the appropriate t	able	. 1
Table 302 in oric, Fulle 299.6313 or 299.6314, respectively, enter the hazardous waste number from the applicable table. 5. If waste contains any substances listed in table 302 a, b, oric, Consequent 10 % 1 1 1 1 1 1 1 1 1	2. If the waste is a discarded commercial chemical produc	t, off-specification specific	e.	
**Set number from the applicable table ** 5. If waste contains any substances listed in table 302 a, b, or c, Rule 299,6312, 299,6313,or 296,6314, respectively, enter their hazardous waste number(s) from the applicable table AND record to 0. %	container or spirit residue of a substance listed in Table	302a, Ruie 299.6312, or		
waste number from the applicable labor. If waste contains any substances listed in table 302 a, b, or c, Rule 299,6312, 299,6313,or 299,6314, respectively, enter their hazardous waste number(s) from the applicable table AND record the component concentrations. 4. If the waste contains viable desease-causing agents listed in table 304. Rule 293,6316, enter the hazardous waste number(s) from the table CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes 5a. Liquid flash point test (squeous solutions containing less than 241; alcohol by volume are excluded from this test). 5b. Non-liquid—is it ignitable based on conditions stated in the reference? 5c. Compressed gas—is the waste an oxidizer as defined in the reference? 5d. Oxidizer—is the waste an oxidizer as defined in the reference? 5e. Enter "DOO1", as the hazardous waste number if the waste excess one or more of the parameters listed or meets the definition of a nizarroous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions are by definintion not coorosive) 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test—is the lissue 6c. Albino rabbit skin test—is the lissue 6c. Albino rabbit skin test—is the lissue 6c. Albino rabbit skin test — is the lissue 6c. Albino rabbit skin test forming potentially explosive mixtures with water? 7c. When mixed with water, coos it generate toxic gases, vapors, or furmes? 7c. Is it a suitice or cyanice bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gases, vapors, or furmes? 7c. Is the waste capable of defonation or repressive reaction when subjected to a strong	Table 302 b or c, Rule 299.6313 or 299.6314, respective	ly, enter the hazardous	•	
S. If wasse contains any substances listed in table 302 a, b, or c, Rule 299,6312, 299,6313, or 299,6314, respectively, enter their hazardous waste number(s) from the applicable table AND record the component concentrations. 4. If the waste contains viable desease-causing agents listed in table 304. Rule 299,6316, enter the hazardous waste number(s) from the table CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes 5a. Liquid flash point test: (squeous solutions containing less than 2-1 alcohol by volume are excluded from this test). 5b. Non-fliquid — is if ignitable based on concitions stated in the reference? 5c. Compressed gas — is the waste a flasmable compressed gas as defined in the reference? 5c. Compressed gas as defined in the reference? 5c. Enter "DOC": as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a hazardous waste based on the reference. 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water forming potentially explosive mixtures with water? 7c. When mixed with water forming potentially explosive mixtures with water? 7c. Is it a suitlose or cyanice bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or furnes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	waste number from the applicable table	· · · · · · · · · · · · · · · · · · ·	COMPONENT	
Rule 299,6312, 298,6313 or 298,6314, respectively, enter their hazardous waste number(s) from the applicable table AND record the component concentrations. 4. If the waste contains viable desease-causing agents listed in table: 304. Rule 295,6316, enter the hazardous waste number(s) from the table CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes 5a. Liquid flash point test (squeous solutions containing less than 2-1 alroadoubly volume are excluded from this test). 5b. Non-liquid — is it ignitable based on conclinons stated in the reference? 5c. Compressed gas as defined in the reference? 5c. Compressed gas as defined in the reference? 5c. Compressed gas as defined in the reference? 5c. Enter "DOOL"; as the hazardous waste number if the waste excess one or more of the parameters listed or meets the definition of a nazardous waste based on the reference 6c. Albino rabbit skin test— is the lissue destroyed or irreversibly changed? 6c. Albino rabbit skin test— is the issue destroyed or irreversibly changed? 7c. When mixed with water forming potentially explosive mixtures with water? 7c. Is it a sulfice or cyanice bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong To the component concentrate to a policy or factor of the parameters listed.	3. If waste contains any substances listed in table 302 a,	o, or c,	COLUMN TO THE REAL PROPERTY OF THE PARTY OF	, , ,
hazardous waste number(s) from the applicable table AD feore the component concentrations. 4. If the waste contains viable devease-causing agents listed in table 304. Rule 299,6316, enter the hazardous waste number(s) from the table				
4. If the waste contains viable desease-causing agents listed in table 304. Rule 29S.6316, enter the hazardus waste number(s) from the table	·	ND record		
Total D. HAZARDOUS WASTE DASED ON CHARACTERISTICS Ignitable Wastes	the component concentrations.		10 %	handaanhaank
CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes	4. If the waste contains viable desease-causing agents list	ed in table, 304,		1 1 1 1
CTION D. HAZARDOUS WASTE BASED ON CHARACTERISTICS Ignitable Wastes Sa. Liquid flash point test (aqueous solutions containing less than 2-1s alcohol by volume are excluded from this test). 10 1c Flash Pt. 60°c 299.6201 (c) (i) 299.6201 (c) (ii) 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 1 Yes No See Reference 299.6201 (c) (ii) 5c. Compressed gas — is the waste a flammable compressed gas as defined in the reference? 1 Yes No See Reference 49 CFR § 173.3 5d. Oxidizer — is the waste an oxidizer as defined in the reference? 2 Yes No See Reference 49 CFR § 173.1 5d. Oxidizer — is the waste an oxidizer as defined in the reference? 3 Yes No See Reference 49 CFR § 173.1 5d. Oxidizer — is the definition of a nazardous waste based on the reference are by defininition not coordisive) 6 Corrosive Wastes (concentrated salt solutions Test Results Parameters listed or meets the definition of a nazardous waste based on the reference are by defininition not coordisive) 6 Aqueous Solution — ph test ph See Reference 299.6201 (a) (ii) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? Pres No See Reference 299.6201 (a) (ii) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? Pres No See Reference 399.6201 (a) (ii) 299.6201 (a) (ii) 49 CFR § 173.2 (b) 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Rule 299,6316, enter the hazardous waste number(s) fro	om the table	· · · · · · · · · · · · · · · · · · ·	-
Sa. Liquid flash point test: (aqueous solutions containing less than 24 's alcohol by volume are excluded from this test). 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 5c. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference 49 CRF § 173.1 or memory flash (type SAE 1020) corrosion test — ph See Reference 299.6201 (a) (ii) corrosive Wastes (concentrated salt solutions Test Results Parameters Reference are by definintion not coorosive) 6a. Aqueous Solution — ph test — ph See Reference 299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a)			•	
Sa. Liquid flash point test: (aqueous solutions containing less than 24 's alcohol by volume are excluded from this test). 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 5c. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference 49 CRF § 173.1 or memory flash (type SAE 1020) corrosion test — ph See Reference 299.6201 (a) (ii) corrosive Wastes (concentrated salt solutions Test Results Parameters Reference are by definintion not coorosive) 6a. Aqueous Solution — ph test — ph See Reference 299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a)				
5a. Liquid flash point test (aqueous solutions containing less than 24°; alcohol by volume are excluded from this test). 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions			1h. Done motore	Poterance
containing less than 2-1's alcohol by volume are excluded from this test]. 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — is the waste an oxidizer as defined in the reference? 5e. Enter "DOO1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions are by definition not coorosive) 6a. Aqueous Solution — ph test obstitutions are by definition not coorosive. 6b. Liquid-Steel (type SAE 1020) corrosion test		IEST DESC	itz FarEmeters	7127010100
sere excluded from this test). 5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazarroous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions are by definition not coorosive) 6a. Aqueous Solution — ph test — ph See Reference 299.6201 (a) (i) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6c. Enter "DOC2", as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition not coorosive) 6a. Aqueous Solution — ph test — ph See Reference 299.6201 (a) (i) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6c. Enter "DOC2", as the hazardous waste number if the waste exceeds one or more of the parameters listed 299.6201 (a) (ii) 299.6201 (a) (ii) 399.6201 (a) (iii) 3				•
5b. Non-liquid — is it ignitable based on conditions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1", as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference? 6. Corrosive Wastes (concentrated salt solutions Test Results Parameters 6. Aqueous Solution — ph test — ph See Reference 299.6201 (a) (i) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6. Enter "DOC2", as the hazardous waste number if the waste exceeds one or more of the parameters listed or mm/yr Rate 6.35 mm/yr 299.6201 (a) (ii) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6. Enter "DOC2", as the hazardous waste number if the waste exceeds one or more of the parameters listed 229.6201 (a) (iii) 229.6201 (a)		', to	er Flash Pt 60°c	299.6201 (c) (i)
concritions stated in the reference? 5c. Compressed gas — is the waste a flammable compressed gas — is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions			- Trans. 11. 00 0	220,020, (0) (.)
5c. Compressed gas—is the waste a flammable compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 6c. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference are by definintion not coorosive) 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6c. Enter "DOO2", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing victent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, coes it generate toxic gases, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong		Ti yes X	No See Reference	299.6201 (c) (ii)
compressed gas as defined in the reference? 5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DOC1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions are by definition not coorosive) 6a. Aqueous Solution — ph test				
5d. Oxidizer — Is the waste an oxidizer as defined in the reference? 5e. Enter "DD01": as the hazaroous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazaroous waste based on the reference. 6. Corrosive Wastes (concentrated salt solutions Test Results Parameters Parameters are by definintion not coorosive) 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test		C yes C	No See Reference	49 CFR § 173.30
defined in the reference? 5e. Enter "D0C1"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a nazardous waste based on the reference 6. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference 8. Aqueous Solution — ph test 6. Aqueous Solution — ph test 6. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6. Enter "D002", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, coes it generate toxic gases, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong				
5e. Enter "D001"; as the hazardous waste number if the waste exceeds one or more of the parameters listed or meets the definition of a rizzardous waste based on the reference 6. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference are by definintion not coorosive) 6a. Aqueous Solution — ph test		☐ Yes 🛭	No See Reference	49 CRF § 173.15
meets the definition of a nazardous waste based on the reference 6. Corrosive Wastes (concentrated salt solutions Test Results Parameters Reference are by definintion not coorosive) 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed? 6c. Enter "D002", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing vicient chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, coes it generate toxic gases, vapors, or fumes? 7c. Is it a sulfice or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	50 Enter "DOCt" as the hazarogus waste number if			or
6. Corrosive Wasies (concentrated salt solutions are by definintion not coorosive) 6a. Aquecus Solution — ph test	meets the definition of a rizzardous waste based	on the reference		
are by definintion not coorosive) 6a. Aqueous Solution — ph test				Reference
6a. Aqueous Solution — ph test				
6b. Liquid-Steel (type SAE 1020) corrosion testmm/yr Rate 6.35 mm/yr 299.6201 (a) (ii) 6c. Albino rabbit skin test — is the tissue destroyed or irreversibly changed?	•	p	h See Reference	299.6201 (a) (i)
destroyed or irreversibly changed? 6c. Enter "D002", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, coes it generate toxic gases, vapors, or fumes? 7c. Is it a sulfice or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5. Can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong			nm/yr Rate 6.35 mm/yr	299.6201 (a) (ii)
destroyed or irreversibly changed? 6c. Enter "D002", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. Is it a sulfice or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5. Can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	1			229.6201 (a) (iii)
6c. Enter "D002", as the hazardous waste number if the waste exceeds one or more of the parameters listed 7. Reactive wastes 7a. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. Is it a sulfide or dyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	destroyed or irreversibly changed?			49 CFR § 173.2
72. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, coes it generate toxic gases, vapors, or fumes? 7c. Is it a sulfice or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	6c. Enter "D002", as the hazardous waste number if	the waste exceeds one	or more of the parameters liste	d Lilia
7a. Is the waste normally unstable and capable of undergoing violent chemical or physical change without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. Is it a sulfice or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	7. Reactive wastes		•	•
without detonating? 7b. Does it react with water forming potentially explosive mixtures with water? 7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. is it a sulfide or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	7a. Is the waste normally unstable and capable of t	indergoing violent chem	ical or physical change	
7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. Is it a sulfine or cyanide bearing waste which when exposed to ph conditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	without detonating?			
7c. When mixed with water, does it generate toxic gases, vapors, or fumes? 7c. Its it a sulfide or dyanide bearing waste which when exposed to phiconditions between 2 and 12.5, can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	7b. Does it react with water forming potentially exp	losive mixtures with wat	er?	
can generate toxic gasses, vapors, or tumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	7c. When mixed with water, coes it generate toxic	gases, vapors, cr fumes	?	∐ Yes ⊠'
can generate toxic gasses, vapors, or tumes? 7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	7c. is it a sulfice or cyanide bearing waste which y	when exposed to philicon	ditions between 2 and 12.5.	
7e. Is the waste capable of detonation or explosive reaction when subjected to a strong	can generate toxic gasses, vapors, or tumes?			Li Yes △
Initiating source or if heated under confinement?	7e. Is the waste capable of detonation or explosive		c to a strong	т. Б
	initiating source or if heated under confinement	?		نکن Yes لیا

7f. Is the waste capable of detonation or explosive decomposition or reaction at stan		
temperature and pressure?		. 🔲 Yes 🔯 🗠c
7g. Is the waste a forbioden explosive as defined in 49 CFR § 173.51?		Yes 🚨 a
7h Is the waste a Class / explosive as defined in 49 CFR § 173.53?		Yes No
7i. Is the waste a Class B explosive as defined in 49 CFR § 173.86?		Yes No
7j. If the answer to any of the questions 7a through 7i is yes, enter "D003", as the	hazardous waste number.	
B. EPA Toxic Wastes - Upon obtaining on extract of the waste as described on	Histardous Waste No.	Concentration
40 CFR § 261, Appendix II, test for the components listed in Table 303.		mg/l
Rule 299.6315. For each component material that exceeds the extract		mg/l
concentration listed in the table, enter the hazardous waste number(s)		mg/l
and the tested concentration(s):		mo/l
SECTION E PHYSICAL STATE AT 25'		
G. When is the everage density of the material?		
10. Solids: Does the material produce dust if exposed to air movement?		🖾 Yes 🗀 N
11. Liquid — Sludge: What is the percent solids?		
Do the solids settle out?		. Tyes N
Can the material be pumped?		
Can the material be poured.?	·	. D Yes D'N
12. Liquia: At what temperature does it treeze?		
13. Gases: What is the maximum pressure of the container?		PSI
SECTION F. OTHER INFORMATION:	one time	k
34. What is the maximum quantity of this waste that is generated per month?	ntered for Item 3	· · · · · · · · · · · · · · · · · · ·
15. If the only hazardous waste numbers listed on this form are the numbers that have been e	entire of the wests	1 1 1 1 1
enter the numbers in the space provided if the component concentration (Item 3) and the qua	no coos (1) (-) (3)	
generated (Item 14) cause the waste to be considered as a notification waste based on R 29	#3.620 (t) (g) (m)	1 _! _!
and (iv), figure A of R299.6701(2), or figure B of R299.6201 (3):		<u> </u>
NOTE: If the hazardous was: - numbers that have been entered under item 3, begin with t	he letter "P" use	
figure A to determine if it is a notification waste. If the number begins or ends with the letter	'U'' use <u>figure B.</u>	מלא. וייין
16. Are the hazardous wastes listed on this form disposed of onsite?		☐ Yes 🖾 N
17. If the waste is a hezerdous waste, is it exempt under the small quantity		
exemptions pursuant to R 703.6203(2) and (3)?		Yes 🛛 t
18. If tests were conducted it, the evaluation of the waste, all of the following information	· -	
shall be transmitted to the Department of Natural Resources with the waste characterize	ation	
Record:	• -	•
(a) The sampling procedure and the reasons for determining that the sample		
is representative of the waste		
to to the total towards		
(c) The accuracy and precision of any lest conducted.		
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS		
Hazardous Materiais Description and Shipping Name		
Hazardous Waste, Solid, N.O.S.		
	UN/DA ID N	io.
Hezerd Class ORM-E	NA 918	1
Special Handling and Shipping Requirements		
	Karangan and American and Ameri	
If the waste is hazardous and not exempt or excluded from management, or	r is a notification waste	, send the
completed form to the Department of Natural Resources, Office of Hazardo	us Waste Management,	P.O. Box
30038, Lansing. MI 48909.		
JOGOC, LATISITY. WIT TODOS.		
1 /		
1 // / to M// 1.1.	T):	0 21 02
	Director, A&IR	9-21-83
Kestutis A. Keblys Supresure	Trie	DB16
A CONTRACTOR OF THE CONTRACTOR		*

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30080 LANSING, MICHIGAN 48909

SECTION	Å.			j	
WASTE GENERATOR IDENTIFICATION INFORMATION					
	D 041803				
BUSINESS N	AME				
Eth	yl Corpor	ation			
ADDRESS		•			
160	00 WEigl	nt Mile Road			
CTY		STATE	ZIP COD	£	
Fe:	mdale,	Michigan	48220		

WASTE CHARACTERIZATION	Etnyl Corpo	IdriOII	
REPORT	ADDRESS	ght Mile Road	
	CITY TOOU W. EIG	STATE	ZIP CODE
·	Femdale,	Michigan	48220
NAME AND TITLE OF CONTACT PERSON Kestutis A. Keblys, Assist. Director	λίτρ	(313)	TELEPHONE NUMBER
	, Autr	(010)	
SECTION B. COMMON NAME OF THE WASTE		name desperantial to the	nroniced
ENTER TYPE OF WASTE (i.e. common name; characterized on this	_	DESS FROM, WHICH II WES	produced.
Phosphorus Trichloride (one	uruin)	<u> </u>	
SECTION C. LISTED HAZARDOUS WASTE			HAZARDOUS
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.6	308, 299, 6309, 299,6310 or	r 299.6311, respectivel	y or table WASTE NO.
305 of Rule 299.6317, enter the hazardous waste number	r from the appropriate ta	ble	
2. If the waste is a discarded commercial chemical produc	t, off-specification specie,		
🏂 container of sp.: residue of a substance listed in Table	302a. Rule 299.6312, or		·
Table 302 b or c. Rule 299.6313 or 299.6314, respective			
waste number from the applicable table		COMPONENT	
3. If waste contains any substances listed in table 302 a, I	o, or c,	CONCENTRATION	4 11
Rule 299,6312, 299,6313.or 299,6314, respectively, enter		to 5	/Ç
hazardous waste number(s) from the applicable table Al	ND record	to	
the component concentrations.		to ?	/o <u>haalaadaadaa</u>
4. If the waste contains viable desease-causing agents list	ed in table 304,		
Rule 299,6316, enter the hazardous waste number(s) fro	m the table		
***			[·]]
		<u> </u>	
CTION D. HAZARDOUS WASTE BASED ON CHARACTE			ers Reference
J. Ignitable Wastes	Test Result	<u>Paramete</u>	ers herefold
5a. Liquid flash point test (Equeous solutions	>60°		•
containing less than 24 'a alcohol by volume	••	°c Flash Pt. 6	0°c 299.6201 (c) (i)
ere excluded from this test).	to		
5b. Non-liquid — Is it ignitable based on	☐ Yes ☐	No See Refere	nce 299.6201 (c) (ii)
conditions stated in the reference?	الساح 195 مين	· Oct /io/c/o	200.0201 (0) (11)
5c. Compressed gas — is the waste a flammable	☐ Yes ☐	No See Refere	nce 49 CFR § 173.30
compressed gas as defined in the reference?	- 163		
5d. Oxidizer — Is the waste an oxidizer as	🗌 Yes 🗓	No See Refere	ence 49 CRF § 173.15
defined in the reference? 5e. Enter "D001", as the hazaroous waste number if the second seco	· ·		= " = = = = = = = = = = = = = = = = = =
meets the definition of a nazardous waste based	on the reference		
6. Corrosive Wastes (concentrated sait solutions	Test Resul		ers Reference
I P. COMOS'AS ANSTER ICOMPENSAGE 25% SOLVENIO			
and his definiation not compresive		-	
are by definintion not coprosive)]. 0 ph	See Refere	ence 299.6201 (a) (i)
6a. Aqueous Solution — ph test	1.0_ph	See Refere	
6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test		See Refere	
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue 	mn		299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 200.6201 (a) (iii)
6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed?	mn	n/yr Rate 6.35	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 229.6201 (a) (iii)
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number if 	mn	n/yr Rate 6.35	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 229.6201 (a) (iii)
6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number if 7 Reactive wastes	Yes The waste exceeds one o	No See Reference of the parameter	mm/yr 299.6201 (a) (ii) 229.6201 (b) (iii) 229.6201 (c) (iii) 49 CFR § 173.2 $D_1 D_1 D_2 D_3$ eters listed
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6a. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. Is the waste normally unstable and capable of the 	Yes The waste exceeds one o	No See Reference of the parameter	mm/yr 299.6201 (a) (ii) 229.6201 (a) (iii) ence 49 CFR ξ 173.2 teres listed $D_1 O_1 O_2$
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. Is the waste normally unstable and capable of unwithout detonating? 	The waste exceeds one oundergoing violent chemic	No See Reference of the parameter of the	mm/yr 299.6201 (a) (ii) 229.6201 (a) (iii) 49 CFR § 173.2 aters listed e
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6a. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. is the waste normally unstable and capable of without detonating? 7b. Does it react with water forming potentially exp 	the waste exceeds one oundergoing violent chemic	No See Reference of the parameter of the	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 49 CFR § 173.2 1D10101 e Yes X
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6a. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. Is the waste normally unstable and capable of a without detonating? 7b. Does it react with water forming potentially exp 7c. When mixed with water, ooes it generate toxic 	the waste exceeds one oundergoing violent chemic losive mixtures with wate gases, vapors, or fumes?	No See Reference of the parameter of the	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 49 CFR § 173.2 1010101 e Yes X Yes X Yes X
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. Is the waste normally unstable and capable of twithout detonating? 7b. Does it react with water forming potentially exp 7c. When mixed with water, does it generate toxic 7d. Is it a sulfide or cyanide bearing waste which waster 	the waste exceeds one oundergoing violent chemic losive mixtures with wate gases, vapors, or fumes?	No See Reference of the parameter of the	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 49 CFR § 173.2 1010101 e Yes X Yes X Yes X 112.5.
 6a. Aqueous Solution — ph test 6b. Liquid-Steel (type SAE 1020) corrosion test 6c. Albino rabbit skin test — Is the tissue destroyed or irreversibly changed? 6a. Enter "D002", as the hazardous waste number if 7. Reactive wastes 7a. Is the waste normally unstable and capable of a without detonating? 7b. Does it react with water forming potentially exp 7c. When mixed with water, ooes it generate toxic 	the waste exceeds one oundergoing violent chemic losive mixtures with wate gases, vapors, or tumes?	No See Reference of the parameter more of the parameter o	299.6201 (a) (ii) 229.6201 (a) (iii) 229.6201 (a) (iii) 49 CFR § 173.2 D10101 e

		•			/	
		-	•		•	
•						•
7! is the was	ste capable of detor	ation or explosive	e decomposition or	reaction at stand	ard	, <u>, , , , , , , , , , , , , , , , , , </u>
	re and pressure?					Tyes 🖾 ''o
7c is the was	ste a forbidden expl	osive as defined i	in 49 CFR § 173.51	? ·		🗌 Yes 🗓 .o
	ste & Class A explos				•	☐ Yes 🖾 No
	ste a Ciass B explos			,		Yes No
71. If the and	wer to any of the c	mestions 7s throu	ah 7i is ves. enter	"D003", as the hi	azardous waste numb	e_{r} $D_10_10_3$
	s — Upon obtaining				Hazardous Waste No.	Concentration
	opendix II, test-for t					mg/i
	or each component					mg/l
	ed in the table, ente					mg/l
and the tested co		er the marchedas		•	اللالالا	ma/l
ECTION E. PHYSIC						·
		metaria!?	1.	4	<u>, , , , , , , , , , , , , , , , , , , </u>	
9. What is the aver	rage density of the	material:				T Voc T N
J. Solics: Does the	: materia: produce (oust n'exposed to	an movement			···· — (%
I. Liquid — Sludge	e: What is the perce	eni sonus!	,			Yes No
	Do the solios set	nie out?			·····	Vec I II
•	Can the material	be pumped?				
	Can the material	be poured.?				
2. Liquid: At what	temperature does it	t treeze?			,	PSIC
		ure of the contain	ner?			,FOR
ECTION F. OTHER	INFORMATION:				one time	
4. What is the max	kimum quantity of ti	his waste that is t	generated per mont	NY	one time	kg
5 _, If the only hazar	dous waste numbers	s listed on this for	m are the numbers t	hat have been en	tered for item 3,	
enter the number	rs in the space provid	ded if the compone	ent concentration (He	m 3) and the quan	itity of the waste	<u> </u>
	14) cause the waste			te based on R ₁ 299	1.6201 (1) (g) (III)	
and (iv). <u>figure</u> ,	A of R299.6301(2), o	or <u>figure_B</u> of R29	99.6201 (3):			
NOTE: If the haz	zardous was - humb	ers that have been	n entered under iten	n 3, begin with th	e letter "P" use	
	minë if it is a notifica			s with the letter "l	J" use <u>figure B</u> .	☐ Yes 🏹 N
5. Are the hazaroo	ous wastes listed on	this form dispose	ed of ansite? .			⊥ Yes £r. N
7. If the waste is a	a hazardour waste.	is it exempt unde	er the small quantity			י די די די
exemptions purs	suant to R 703,6203	(2) and (3)?	•		4	☐ Yes 🖾 N
8. If tests were co	naucted it, the eval	uation of the was	te, all of the follow	ing information		
shall be transmi	itted to the Departm	nent of Natural Re	esources with the w	aste characteriza	tion	
Record:			;			•
(a) The sa	ampling procedure	and the reasons f	or determining that	tne sample		•
	resentative of the w				•	•
	esults of all tests co					
	ccuracy and precisi		nducted.			
(C) The a	contacy and proper	• · · · · · · · · · · · · · · · · · · ·	7			
	EPT, OF TRANSPO	PTATION REPOR	TING REQUIREMEN	TS		
	Description and Shippin					
u alaneteek suoonasa. Vali	zardous Waste	. Tiquid. N.	O.S.			
	didods Wdoto	, 124			UN/DA II	O No.
iazard Class ORN	/_F		•		NA 9189	•
		·				
pecial Hendling and	Shipping Requirement	35	•			
			· · · · · · · · · · · · · · · · · · ·			
•	*				,	
					•	•
If the was	ste is hazardous a	nd not exempt o	r excluded from m	anagement, or	is a notification was	ste, send the
complete	d form to the Dep	artment of Natur	ral Resources, Off	ice of Hazardou	s Waste Manageme	nt, P.O. Box
	ansing, MI 48909.					
JUJJU, Le	11.511.1gt 1111 -100001	•				
		•				
10 1-1	: N//)0.1.			Assist. Dir	ector A&TR	0_21 02
- 10, vm	J2 NATAWA	<u>y</u>)			ector, Adik	7-41-83 Date
Kedtittis A	Keblys Signesu	" - 1		**	i.	- · · ·

0/00/18

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT
BOX 30000 LANSING, MICHIGAN 48909

			200
SEC	TION A.		
WAS	TE GENERATOR	IDENTIFICATION	INFORMATION
EPA I	DENTIFICATION NUM	BER	
	· MID 04180	3123	
BUSH	IESS NAME		
	Ethyl Corpo	oration	
ADDF	ESS		
'	1600 W. E	ight Mile Road	
CITY		STATE	ZIP CODE
	Femdale,	Michigan	48220
	···		TELEPHONE NUMBER

WASTE CHARACTERIZATION	Ethyl Corp	oration	
REPORT	ADDRESS		
. REPUNI	1600 W. E	ight Mile Road	
•	CITY	STATE	ZIP CODE
	Femdale,		48220
NAME AND TITLE OF CONTACT PERSON		· - -	EPHONE NUMBER
Kestutis A. Keblys, Assist. Directo	or, Aålk	(313)	399-9600
SECTION B. COMMON NAME OF THE WASTE			
ENTER TYPE OF WASTE (i.e. common name; characterized on the	is form and the source of pr	ocess from which it was proof	1680.
Phosphorus Oxychloride	and the second 		
SECTION C. LISTED HAZARDOUS WASTE			MAZARDOUS
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299	.6308, 299, 6309, 299,6310	or 299.6311, respectively or	table WASTE NO.
305 of Rule 299.6317, enter the nazzrdous waste numb	per from the appropriate t	able	
2. If the waste is a discarded commercial chemical produ	uct, off-specification specific	5.	
container or spill residue of a substance listed in Tabi	ie 302a, Ruie 299.6312, or		· · · · · · · · · · · · · · · · · · ·
Table 302 b or c, Pule 299,6313 or 299,6314, respective	ely, enter the nazardous		1111
waste number from the applicable table		COMPONENT	Charles Control Contro
3. If waste contains any substances listed in table 302 a.	, D, DI C, - thair	CONCERTRATION %	
Rule 299,6312, 299,6313,or 299,6314, respectively, enter	AND ropord	to%	1 1 1
hazardous waste number(s) from the applicable table	WIND Jecola	to %	
the component concentrations.	sted in table 304		
4. If the waste contains viable desease-causing agents lis Rule 299.6316, enter the hazardous waste number(s) to	rom the table	2	
Rule 299.6316, enter the nazar 325 waste humber(s)	TOTAL TRACTOR STATES OF	*	
a week			
TOTION D. HAZARDOUS WASTE BASED ON CHARACT	TERISTICS		
Ignitable Wastes	Test Resu	lts Parameters	Reference
5a. Liquid flash point test (aqueous solutions	1/000		
containing less than 24's alcohol by volume	>60°C		
are excluded from this test).	· <u>- to -</u>	°c Flash Pt. 60°c	299.6201 (c) (i)
5b. Non-liquid — Is it ignitable based on	·		•
conditions stated in the reference?	Yes 🗓	No See Reference	299.6201 (c) (ii)
5c. Compressed gas - is the waste a flammable		<u>.</u>	
compressed gas as defined in the reference?	☐ Yes 🏻	No See Reference	49 CFR § 173.300
5d. Oxidizer — Is the waste an oxidizer as		n ,	
defined in the reference?	☐ Yes 🛭		49 CRF § 173.151
5e. Enter "D001", as the hazaroous waste number if	I the waste exceeds one of	r more of the parameters lis	sted or
meets the definition of a nazardous waste base			
Corrosive Wastes (concentrated sail solutions	Test Resi	ults Parameters	Reference
are by definintion not coprosive)		D Deference	200 5254 (5) (3)
6a. Aqueous Solution — ph test	<u> 1.0</u> p	4	299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test		m/yr Rate 6.35 mm/	
6c. Albino rabbit skin test — Is the tissue	X Yes	No See Reference	229.6201 (a) (iii) 8 49 CF <u>R</u> § 173.240
destroyed or irreversibly changed?			
60. Enter "D002", as the hazardous waste number	n me waste exceass one	or more or the parameters	urioù ———
7. Reactive wastes	underenine violent chem	inal or physical change	
7a. Is the waste normally unstable and capable of	auderboing Aibieur cueur	ices or physical clienge	☐ Yes 🖺 N
without detonating?	intocius mistures with wet	er7	Yes X N
7b. Does it react with water forming potentially ex	- usese natures with wat	?	X Yes N
7c. When mixed with water, oces it generate toxic7c. Is it a sulfide or cyanide bearing waste which	when exposed to nh con	ditions between 2 and 12.	
76. Is it a suffice or cyanice pearing waste which	PERMENT EXPUSED TO PER CON	Control of the second of the s	☐ Yes ☒ N
can generate toxic gasses, vapors, or fumes? 7e. Is the waste capable of detonation or explosive	e reaction when subjected	d to a strong	
/e. Is the waste capable of detollation of explosive	nt?	e e e e en en a	🖸 Yes 🖾 N
initiating source or if heated under confineme			

		-	·
71. is 1	the waste capable of detonation or explosive decomposition, or reaction at stand	ard	
ten	perature and pressure?		Yes 🔯 🔻
7g ls i	the waste a forbidden explosive as defined in 49 CFR § 173.51?		Yes 💹 👵
	the weste a Class A explosive as defined in 49 CFR § 173.53?		Yes No
7i. Is	the waste a Class B explosive as defined in 49 CFR § 173,86?		Yes No
7j, 1f t	he answer to any of the questions 7a through 7i is yes, enter "D003", as the hi	azardous waste number.	$D_10_10_13_1$
B. EPA Toxic		Hezerdous Waste No.	Concentration
40 CFR §	261, Appendix II, test for the components listed in Table 303,		mg/l
	315. For each component material that exceeds the extract		mg/l
	ion listed in the table, enter the hazardous waste number(s)		mg/l
	sted concentration(s):		mç/i
SECTION E.	PHYSICAL STATE AT 25°		· .
E Winnt is t	be expressive of the material?	,	
10. Solids: D	oes the material produce oust if exposed to air movement?		니 Yes 니 No
11. Liquid	Sludge: What is the percent solids?		·%
,	Do the solios settle out?	******	. ᆜ Yes ᆜ No
	Can the material be pumped?		. 닏 Yes 닏 No
	Can the material be poured.?		No لل Yes لا
12. Liquic: A	t what temperature does it treeze?	,,	
13. Gases: W	hat is the maximum pressure of the container?		PSIG
SECTION F.	OTHER INFORMATION:		
14. What is t	he maximum quantity of this waste that is generated per month?		kg
15. If the onl	hazardous waste numbers listed on this form are the numbers that have been en	tered for Item 3,	
enter the	numbers in the space provided if the component concentration (Item 3) and the quar	ntity of the waste	
generated	(Item 14) cause the waste to be considered as a notification waste based on R 299	9.6201 (1) (g) (iii)	
	figure A of R299.6201(2), or tigure B of R299.6201 (3):		لسلسلسا
NOTE: II	the hazardous was: - numbers that have been entered under item 3, begin with th	e letter "P" use	•
figure A t	o petermine if it is a notification waste. If the number begins or ends with the letter "I	U" use figure B.	, , , , , , , , , , , , , , , , , , ,
16 Are the I	nazardous wastes listed on this form disposed of onsite?	•	🗌 Yes 🏿 🔻
17 If the wa	ste is a hazardout waste, is it exempt under the small quantity	•	
	ns pursuant to P. 003.6203(2) and (3)?		🗌 Yes 🗓 N
18 If tests w	vere conducted in the evaluation of the waste, all of the following information	•	
shall he	transmitted to the Department of Natural Resources with the waste characteriza	tion	
Record:		•	
(a)	The sampling procedure and the reasons for determining that the sample	•	
(2)	is representative of the was a		
(b)	The results of all tests conducted.	·	
(c)	The accuracy and precision of any test conducted.	•	
(C)	The accuracy and problems		
SECTION S	U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS		
	terials Description and Shipping Name		
1142/21/1003 4532	Hazardous Waste, Liquid, N.O.S.		·
Hazero Class		UN/DA 1D 1	ło. ·
	ORM-E	NA 9189	<u></u>
Special Handi	ing and Shipping Requirements		
		·	
		,	•
	he waste is hazardous and not exempt or excluded from management, or	is a notification waste	, send the
li t	npleted form to the Department of Natural Resources, Office of Hazardou	is Waste Management	, P.O. Box
			• .
300	338, Lansing, MI 48909.		
I	0.00		*
1 10	101. 11(1) 111.	, to to the	0 21 02
1 4,		rector, A&IR	9-21-83 Date
Vode	itic A Kehlys Segneture	1 lya	

1.2

0100110.

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT
BOX 300000

LANSING, MICHIGAN 48909

WASTE CHARACTERIZATION REPORT

I			and have resident things to the second of th
SECTIC	DN L.		
WASTE	GENERATOR	IDENTIFICATION	INFORMATION
EPA IDE	MID 04180		
BUSINES	S NAME		and the second s
	Ethyl Corp	oration	
ADDRES:	\$.		
	1600 W. E	ight Mile Roa	nd
CITY		STATE	ZIP CODE
-	Ferndale,	Michigan	48220
***************************************			TELEPHONE NUMBER

	CITY	Ferndale,	state Michigan		ZIP CODE
		remade,	Michigan		
HAME AND TITLE OF CONTACT PERSON	OTD		1212	TELEPHONE 399-96 (1
Kestutis A. Keblys, Assist. Director, A	rark		(313	1 377-70	700
SECTION B. COMMON NAME OF THE WASTE					
ENTER TYPE OF WASTE (i.e. common name) characterized on this to Mixed Organic Chemical Waste (conta			2 drums)	produces.	
SECTION C. LISTED HAZARDOUS WASTE					
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.63	308. 299. E	309, 299,6310 or 2	99.6311, respective	ly or table	WASTE NO.
305 of Rule 299.6317, enter the hazardous waste number	from the	appropriate table			
2. If the waste is a discarded commercial chemical product,			•		
container or spir residue of a substance listed in Table 3					
Table 302 b or c. Rule 299.6313 or 299.6314, respectively				•	• •
waste number from the applicable table			COMPONENT		
3. If waste contains any substances listed in table 302 a, b,			CONCENTRATION		
Rule 299.6312, 299.6313,or 299.6314, respectively, enter the		:	to '	%	
hazardous waste number(s) from the applicable table AN			to '	%	
the component concentrations.		•	to !	ie .	
4. If the waste contains viable desease-causing agents listed	d in table	304,			
Rule 299.6316, enter the hazardous waste number(s) from	n the tab	le			
No seed in the second of the s		••			
		·			
SECTION D. HAZARDOUS WASTE BASED ON CHARACTER	RISTICS				
ignitable Wastes		Test Results	Paramete	:12	Reference
5a. Liquid flash point test (squeous solutions			•		•
containing less than 24% alcohol by volume		: 50 to 150		O	DOD COOK (-) (')
are excluded from this test).		:_30_ to 130_	°c Flash Pt. 6	יים יים	299.6201 (c) (i)
5b. Non-liquid — is it ignitable based on		☐ Yes ☐ N	o See Refere	200	200 5201 (=) (()
conditions stated in the reference?		, Li Yes Li N	o See Refere	nce .	299.6201 (c) (ii)
5c. Compressed gas — is the waste a flammable		☐ Yes ☐ N	o See Refere		49 CFR § 173.300
compressed cas as defined in the reference?		ו ופט בבווע	O Dee Herete	1106	45 CFN § 173.500
5d. Oxidizer — Is the waste an oxidizer as		□ Yes □ N	o See Refere	nča	49 CRF § 173.151
defined in the reference? Se. Enter "D001", as the hazardous waste number if the	o warta e	_			40 0111 3 774,751
sneets the definition of a nazardous waste based			ire or the paramete		$[D_{1}0_{1}0_{1}1_{1}]$
5. Corrosive Wastes (concentrated salt solutions	On the re	·Test Results	Paramet	ers	Reference
are by definintion not coorosive)		1001 ((0.00110			
6a. Aqueous Solution — ph test		n	See Refere	ence	299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test		mm/y			299.6201 (a) (ii)
6c. Albino rabbit skin test — Is the tissue					229.6201 (a) (iii) &
edestroyed or irreversibly changed?		OYES ON	o See Refere		49 CFR § 173.240
6d. Enter "D002", as the hazardous waste number if t	he waste		nore of the parame	eters listed	
7. Reactive wastes		· ·			·
7a. is the waste normally unstable and capable of un	dergoing	violent chemical	or physical chang	е	
without detonating?	- ,•				Yes No
7b. Does it react with water forming potentially explo	sive mixt	ures with water?		• .	Yes X N
7c. When mixed with water, does it generate toxic gr					🗆 Yes 🖾 N
7g. Is it a sulfide or cyanide bearing waste which wh	nen expos	sed to ph condition	ns between 2 and	12.5.	<u></u>
can penerate toxic gasses, vapors, or tumes?					🗌 Yes 🔯 N
7e. is the waste capable of detonation or explosive r	eaction v	vhen subjected to	a strong		<u>~</u> · ~
initiating source or if heated under confinement?		_			Yes No
		<u> </u>			

7f. Is the waste capable of detonation or explosive decomposition or reaction at standard			
temperature and pressure?			o
7g. Is the waste a forbidden explosive as defined in 49 CFR § 173.51?		Yes A. n	
7h. Iz the waste a Class A explosive as defined in 49 CFR § 173,53?		Yes X N	
7i. Is the waste a Class B explosive as defined in 49 CFR § 173.86?		Yes X N	ſΟ
7). If the answer to any of the questions 7a through 7i is yes, enter "D003", as the hazardo	us waste number.		
	ous Waste No.	Concentration	
40 CFR § 261, Appendix II, test-for the components listed in Table 303,	1 1 1 1 1	mg/	ï
Rule 299.6315. For each component material that exceeds the extract	<u> </u>	mg/	/1
		mg	4
	1_1_1_	mo	/1
SECTION E. PHYSICAL STATE AT 25'			
6. What is the average density of the material?			
10. Solids: Does the material produce dust if exposed to air movement?		. 🗆 Yes 🗀	Ņ
11. Liquid — Studge: What is the percent solids?		. <)	9
Do the solids settle out?		. 🗌 Yes 🛣	N
Can the material be pumped?		. 🛛 Yes 🔲	N
Can the material be poured.?		X Yes	N
12. Liquic: At what temperature does it treeze?		- 5	£
12. Liquid: At what temperature does it neeze: 13. Gases: What is the maximum pressure of the container?		P9	- -4
			-
SECTION F. OTHER INFORMATION:	ne time		ķς
14. What is the maximum quantity of this waste that is generated per month?	me team 3	• • • • • • • • • • • • • • • • • • • •	ν.ξ
15. If the only hazardous waste numbers listed on this form are the numbers that have been entered t	or item 2,	1 1 1 1 1	
enter the numbers in the space provided if the component concentration (Item 3) and the quantity of	the waste		
generated (Item 14) cause the waste to be considered as a notification waste based on R 299.6201	(1) (B) (m)	1 1 1 1 1	
and (iv). figure A of R299.6201(2), or figure B of R299.6201 (3):		اسساسيداسي	
NOTE: If the hazardous was: - numbers that have been entered under item 3, begin with the lette	r "P" use		
figure A to betermine if it is a notification waste. If the number begins or ends with the letter "U" use	figure B.	— <u>~</u>	
16. Are the hazardous wastes listed on this form disposed of onsite?		Yes T	N
17. If the waste is a hazardous waste, is it exempt under the small quantity		r	
exemptions pursuant to R CL3.6203(2) and (3)?		🗆 Yes 🔯	Å
18. If tests were conducted it, the evaluation of the waste, all of the following information	•	•	
shall be transmitted to the Department of Natural Resources with the waste characterization			
Record:			
(a) The sampling procedure and the reasons for determining that the sample			
is representative of the waste			
(b) The results of all tests conducted.			
and the second s	•		
(c) The accuracy and precision of any lest conducted.			
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS			
Hiszarpous Materials Description and Shipping Name			
Hazardous Waste - Liquid, N.O.S.			
	UN/DA ID N	lo.	
Hazard Class	NA 9189		
ORM-E			(Career)
Special Handling and Shipping Requirements			
		· .	~~
		•	:
If the waste is hazardous and not exempt or excluded from management, or is a n	otification waste	, send the	
completed form to the Department of Natural Resources, Office of Hazardous Was	ste Management,	P.O. Box	
30038, Lansing, MI 48909.			
1 10 1. t Milah		0 0 0 0 0 0	
Assist, Directo	or, A&IR _	9-21-83 Date	Dares and
Kestutis A. Keblys Supressure		Fog (B	****

0/00/18

STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX SOUSS LANSING, MICHIGAN 48909

WASTE CHARACTERIZATION EFPORT

	SECTION		IDENTIFICATION	INFORMATION	
***************************************	EPA IDE	MID 04180	BER	1101 2 11170 1 1 2 1	
	BUSINES	SS NAME Ethyl Corpo	oration	in the contract of the contrac	
	ADDRES	•	ght Mile Road		
	CITY	Ferndale,	state Michigan	ZIP CODE 48220	
-	L			TELEPHONE NUMBER	

	Į 1600 W. Ei	ght Mile Road	·
	cmy Ferndale,	state Michigan	ZIP CODE 48220
NAME AND TITLE OF CONTACT PERSON			TELEPHONE NUMBER
Kestutis A. Keblys, Assist. Director,	A &IR	(313)	399-9600
SECTION B. COMMON NAME OF THE WASTE			
ENTER TYPE OF WASTE (i.e. common name) characterized on this	form and the source or produ	ess from which it was	produced.
Inorganic and Brominated Organic Wa	ste - Solid (Lab-p	acks)	
SECTION C. LISTED HAZARDOUS WASTE			HAZARDOUS
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.6	308, 299, 6309, 299,6310 or	299.6311, respectivel	y or table WASTE NO.
305 of Rule 299.6317, enter the hazzrdous waste number	r from the appropriate tab	le	
2. If the waste is a discarded commercial chemical produc	t, off-specification specie,		·.
container or spid residue of a substance listed in Table	302a, Rule 299.6312, or		!
Table 302 b or c, Rule 299.6313 or 299.6314, respectively	ly, enter the hazardous		. -
waste number from the applicable table	***********		
3. If waste contains any substances listed in table 302 a, t	o, or c,	COMPONENT	
Rule 299.6312, 299.6313.or 299.6314, respectively, enter t	their	to %	%
hazardous waste number(s) from the applicable table Al	ND record	to 9	<u> </u>
the component concentrations.		to ?	%
4. If the waste contains viable desease-causing agents liste	ed in table 304.	•	
Rule 299.6316, enter the hazardous waste number(s) fro	m the table	·	
Mule 299.0310, ellier the hazar 323 world ham		•	
TOTION D. HAZARDOUS WASTE BASED ON CHARACTE	RISTICS		
U. Ignitable Wastes	Test Results	Paramete	rs Reference
5a. Liquid flash point test (Equeous solutions		_	
containing less than 24's alcohol by volume	•		
are excluded from this test).	· to	_°c Flash Pt. 6	0°c 299.6201 (c) (i)
5b. Non-liquid — is it ignitable based on	- 		
conditions stated in the reference?	☐ Yes 🏻	No See Refere	nce 299.6201 (c) (ii)
5c. Compressed gas — Is the waste a flammable			
compressed gas as defined in the reference?	Yes X	No See Refere	nce 49 CFR § 173.300
5d. Oxidizer — Is the waste an oxidizer as		:	
edefined in the reference?	☐ Yes 🏻	No See Refere	nce 49 CRF § 173.151
5e. Enter "D001", as the hazardous waste number if t			ers listed or
meets the definition of a hazardous waste based	on the reference		
6. Corrosive Wastes (concentrated salt solutions	Test Result:	s Paramet	ers Reference
are by definintion not coorosive)	·	· .	-
6a. Aqueous Solution — ph test	ph	See Refere	ence 299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test	mm	/yr Rate 6.35 i	mm/yr 299.6201 (a) (ii)
6c. Albino rabbit skin test — Is the tissue			229.6201 (a) (iii) 8
	☐ Yes 🏻	No See Refere	
destroyed or irreversibly changed? 6d. Enter "D002", as the hazardous waste number if			
1 .			
7. Reactive wastes 7a. Is the waste normally unstable and capable of u	ndernoino violent chemica	il or physical chang	 e
			🗌 Yes 🖾 N
without detonating? 7b. Does it react with water forming potentially expl	losive mixtures with water	?	☐ Yes 🖾 N
75. When mixed with water, does it generate toxic			🔲 Yes 🖾 N
76. Is it a sulfide or cyanide bearing waste which w	then exposed to ph condit	tions between 2 and	
Concerning waste which was considered to the constant waste which waste waste which waste which waste which waste which waste waste which waste waste which waste which waste waste waste which waste waste which waste waste which waste waste which waste waste waste which waste waste which waste waste waste which waste waste which waste waste waste which waste waste waste which waste waste which waste waste waste which waste waste waste which waste waste waste waste waste waste which waste waste waste	exposed to pir contain		☐ Yes ☑ N
Tan-nenetate toxic dasses; vepota, or fulles;			
To be she wante canable of detention or evaluative	reaction when subjected to	o a strong -	
7e. Is the waste capable of detonation or explosive initiating source or if heated under confinement		o a strong	Yes X N

71. Is the waste capable of detonation or explosive decomposition or reaction at standard	process process
temperature and pressure?	🖸 Yes 🔯
7g. Is the waste a forbidden explosive as defined in 49 CFR § 173.51?	الکا Yes نے
7h. Is the waste a Class A explosive as defined in 49 CFR § 173.53?	Yes X No
7i. Is the waste a Class B explosive as defined in 49 CFR § 173.86?	☐ Yes 🏻 No
7j. If the answer to any of the questions 7a through 7i is yes, enter "D003", as the hazardous wast	e number.
6. EPA Toxic Wastes — Upon obtaining on extract of the waste as described on Hazardous Waste	No. Concentration
40 CFR § 261, Appendix II, test for the components listed in Table 303.	mg/l
Rule 299.6315. For each component material that exceeds the extract	mg/l
concentration listed in the table, enter the hazardous waste number(s)	mg/t
i 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	mg/L
and the tested concentration(s): SECTION E. PHYSICAL STATE AT 25°	
1.9	
9. What is the average density of the material? 10. Solids: Does the material produce dust if exposed to air movement?	Yes D N
10. Solids: Does the material produce dust if exposed to all movement. 11. Liquid — Studge: What is the percent solids?	
11. Liquid — Studge: What is the percent solids? Do the solids settle out?	Yes N
Can the material be pumped?	Yes N
Can the material be pumped?	Yes N
Can the material be poured.?	
12. Liquid: At what temperature does it freeze?	PSI
13. Gases: What is the maximum pressure of the container?	r5n
SECTION F. OTHER INFORMATION:	ne time
14. What is the maximum quantity of this waste that is generated per month?	ne timek
15. If the only hazardous waste numbers listed on this form are the numbers that have been entered for item	J.
enter the numbers in the space provided if the component concentration (Item 3) and the quantity of the was	ite LLLL
generated (Item 14) cause the waste to be considered as a notification waste based on R 299.6201 (1) (g) (i	(III)
and (iv) figure A of R299.6201(2), or figure B of R299.6201 (3):	<u></u>
NOTE: If the hazardous was a numbers that have been entered under item 3, begin with the letter "P" u	se .
figure A to determine if it is a notification waste. If the number begins or ends with the letter "U" use figure E	3.
16. Are the hazardous wastes listed on this form disposed of onsite?	☐ Yes 🗵
17. If the waste is a hazardous waste, is it exempt under the small quantity	*
	☐ Yes 🎑 t
exemptions pursuant to F 133.6203(2) and (3)?	
18. If tests were conducted in the evaluation of the waste, all of the following information	
shall be transmitted to the Department of Natural Resources with the waste characterization	
Record:	
(a) The sampling procedure and the reasons for determining that the sample	
is representative of the waste	
(b) The results of all tests conducted.	
(c) The accuracy and precision of any test conducted.	•
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS	
Mazardous Materials Description and Shipping Name	
Hazardous Waste, Solid, N.O.S.	
The state of the s	UN/DA ID No.
ORM-E	NA 9189
Special Handling and Shipping Requirements	
Special manching and Shipping frequentions	
	,
If the waste is hazardous and not exempt or excluded from management, or is a notifical	tion was send the
completed form to the Department of Natural Resources, Office of Hazardous Waste Mai	nagemeni, 💨 Box
30038, Lansing, MI 48909.	
SUUSO, Lansing, wit 40300.	
1 1	
1 / A 102Ma	in 021 02
Assist, Director, A&	IR 9-21-83 Date
Kestutis A. Keblys Signe Wie	

INVENTORY LISTS

for Waste Shipment to

SCA Chemical Services, Inc.

Model City, New York

Code 3435

Code 3435-A

Drum No.	Class	Size,	Contents	No. of Containers	Weight,
•					
SW-6	B	- 55	Aluminum acetate	8 1	25 18
SW-7	B	55	Copper carbonate Manganese acetate Aluminum powder Calcium aluminate Pd (0.05%) on Silica-CCI catalyst Supported nickel oxide catalyst Phosphorus - red, amorphous	4 5 1 2 1 1 1 6	25 25 12 4 5 5
SW-8	B	55	Lead bromide	2 1 1	40 35 20
			Blown lead metal Kaolinite-Bentonite Cryolite Barium-copper chromite catalyst	1 1 1	45 6 10 5
			Nickel-copper oxide Zinc powder Lead chloride-bromide Misc. automotive exhaust catalysts	1 1 2 2	10 5 1 12
				2 1 1 .	6 7 14

Drum	<u>Clas</u>	Size,	Contents	No. of Containers	Weight, lbs
					·
SW-9	В	55	Cobalt acetate Zinc chloride	<u>i</u> 1	45 50
in with			Socony Mobil "D" TCR catalyst Pigment ONCOR 75 RAZ Copper catalyst (Harshaw) Copper chromite catalyst Zinc chromite catalyst Copper-molybdenum oxide Molybdenum trioxide Vanadia catalyst Strontium Tungstic oxide Lead-tin alloy powder	1 1 2 2 1 1 1 1 1 1	50 4 4 2 1 2 4 0.3 0.2 0.1 0.1
			Molybdenum oxide Nickel metal powder	1	8:1
SW-10	D	5	Sulfur	1	15 15
SW-11	D	5	Sulfur	1	40
SW-12		55	p-Bromophenol Tetrabromobispheno-A	1 1 1	35 32 17 12
			Mixed brominated xylenes-flame retardants	1 1 1	45 22 17
	watan Marin Marin Marin			1 1 2	12 6 8

Page 3.

		Size,		No of	Weight,
Drum No.	Class	Gal.	Contents	Containers	<u>lbs.</u>
				w.	
				-	
SW-13	C	55	p-Bromophenol	3	25
			_	1	5
•		* * *	· · · · · · · · · · · · · · · · · · ·		
			5-Bromopyrimidine	8	2.5
· ·				1	2.0
		;-		1	1.0
				3	0.5
(x,y) = (x,y) + (x,y)		•		_	
			Dibromoxylenes	1	5, 5
		•		1	3.0
•	• •	•		1	2.5
		•		2	1.5
	-	-			
			Tetrabromobisphenol-A	1	1.0
	•			1	0.5
•	•			.•	4 °
			Tetrabromophthalic anhydride	1	25
	-		en . 1	•	سو ہو
والمراجع أجرا		**	Tetrabromoxylene	<u>l</u>	1.5
		•	·	5 .	1.0
				1	0.2

Code 3435-B

Drum P-1 Mixed Organic Liquid Waste

Drum P-3 Mixed Organic Liquid Waste

Code 3435-C

1 - 55 gal. Drum

Phosphorus Oxychloride (POCl₃)

Code 3435-D

1 - 55 gal. Drum

Phosphorus Trichloride (PCl₃)

Code 3435-E

Drum	Class	Size,	Contents	No. of Containers	Weight, <u>lbs</u>
SW-5	В	55	Lead oxide/halide deposits from automotive traps	(full drum)	

Code 3435-F

Drum No.	Class	Size,	Contents	No. of Weight, Containers lbs
SW-1	В	55	Copper Sulfide Ore Concentrate	(full drum)
sw-2	В	55	Copper Sulfide Ore Concentrate	(full drum)
SW-3	В	5	Copper Sulfide Ore Concentrate	(full drum)
SW-4	В	5	Copper Sulfide Ore Concentrate	(full drum)

		WASTE DISPOSAL MANIFEST	X Act 64 Wast	e (HAZA JUS)	Act 136 V	Naste (OTHER)			M	1 0100	111	•
i		1	Primary Transpor			<u>``</u>	Treatmen				sposal Facility	***	<u> </u>
		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		es Environmental	. Services		SCA Chemical Services, Inc.						· ·
	N	1600 W. Eight Mile Road	Transporters Add 22077 Mot	und Road	·		II .	0 S.	Sto	-	y Island A		
	ATI	Femdale, Michigan 48220	Warren, N	11ch i gan 48090					111	<u>in</u>	ois 6061	<u> </u>	· · · · · · · · · · · · · · · · · · ·
	DENTIFICATION	1.000	Phone Number		•		Phone N		٠	70	^		
	EN	[-10 / 0 / / /	(313) 758				(312 Facility S						,
	_	1 · · · · · · · · · · · · · · · · · · ·	Transporter's EPA				1					•	
		MI:D:0:4:1:8:0:3:1:12:3:		7 4 7 8 5 7 4 per of each:		·	<u> </u>	1010	<u> U C</u>	216	1211211		
						 	Container	F	orm	1		· · · · ·	Hazardous
ETES		U.S. D.O.T. Shipping Name		D.O.T. Hazard Class	U.N./N.A. No.	Haz. Class Code	No. Type		Gas	Sludge	Weight or Vol	ıme Unit	s Waste Number
COMPLETES	NOIL	1. Hazardous Waste, Liquid, n.o.s.		ORM-E	NA 9189	1	20 DR	1 1	1 [1110	'	D ₁ 0 ₁ 0 ₁ 1
GENERATOR	INFORMATION	Hazardous Waste, Liquid, n.o.s.		ORM-E	NA 9189	1	6 DR	X			1 3 3	0 Gal	D 0 0 1
GENE	WASTE IN	Hazardous Waste, Solid, n.o.s.		ORM-E	NA 9189	1	8 DR	Х			4 4	[0 Ga]	D0 0 1
	×	4.			•	1		<u> </u>		1		<u> </u>	
		5.				1			1	_			
.		6.									111	,	+ 1 1 1
	lab U.S info	Include Safety precautions and special handling instructions. 1) 55-Gal. plastic or steel drums of flar 2) 55-Gal. steel drums of halogenated of the steel of the steel drums of organic waste. NERATOR CERTIFICATION: I certify that the above named materials are led and are in proper condition for transportation according to the appletic EPA. I further certify that the information contained on the manifest is formation requested by the manifest constitutes a violation of 1979 PA64 are disconsistents.	in plastic are properly class licable regulations factual. I understa	ste. Drum Nos. and glass contained, described, packaged, of the Department of Transport that the failure to accurate	GSI - GS6 dinerse Dr marked and Gene ortation and ely report all	ó. um N	os. LP				84R, 85		Date Shipped IO. DAY YEAR
OMPLETES	wa: wa: ger adr	ULER'S CERTIFICATION: I certify acceptance of the above identified stes for transportation. I further certify that I shall deliver the hazardous stes, together with this manifest, only to the destination specified by the nerator on this manifest. I understand that this manifest can be used in ministrative and court proceedings. The shipment cannot be delivered, describe the reasons for non-delivered.	Vehicle I.D. No. Subsequent Transporter Vehicle I.D. No.	10. 1, 8306	211 0	1	Signature 2004 transporte	(s) sign) @		lwer	i i	Pate(s) Received
PLETES C	TS0 was fac	DF CERTIFICATION: I certify receipt at this facility of the above identifiestes. I also certify that the wastes were accompanied by a manifest properties the destination indicated on the manifest. I understand that this manageribe any significant discrepancies between manifest and shipment.	ed wastes and tha	th the generator and hauler	and that this 🕙	F Signal lity Site	ure EPA I.D. N	umber.			☐ Acce		Date Received

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30050

•		
SECTION A.		
WASTE GENER	ATOR IDENTIFICATI	ON INFORMATION
MID 04180		
BUSINESS NAME Ethyl Corpo	oration	·
ADDRESS 1600 W. Ei	ght Mile Rd.	
ciry Femdale,	STATE Michigan	ZIP CODE 48220
		TELEPHONE NUMBER

LANSING, MICHIGAN 49909	BUSINESS NAME		
WASTE CHARACTERIZATION	Ethyl Corporation	n ·	
REPORT	ADDRESS 1600 W. Eight M	Tile Rd.	pergramment and a first territorial the Add A with Afficial and Add Add Annual territorial and Add Annual Add A
A control of the cont	CITY	STATE	ZIP CODE
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	Femdale, Mic		
NAME AND TITLE OF CONTACT PERSON	<u>, - </u>		NE NUMBER
C. P. Jarema	•	(313) 399-9	600
SECTION B. COMMON NAME OF THE WASTE			
ENTER TYPE OF WASTE (i.e. common name) characterized on this	s form and the source or proce	ss from which it was produced.	·
Organic Laboratory Waste - Lie	quid		
SECTION C. LISTED HAZAPDOUS WASTE		-	
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.	6308, 299, 6309, 299,6310 or i	299.6311, respectively or table	HAZARDDUS WASTE NO.
305 of Rule 299.6317, enter the hazzardous waste numb	er from the appropriate tabl	le	لللللا
2. If the waste is a discarded commercial chemical produ	et off-specification specie,	•	
container or spit residue of a substance listed in Table	302a, Rule 299.6312, or		
Table 302 b or c. Rule 299.6313 or 299.6314, respective	ely, enter the hazardous		
waste number from the applicable table		*********	
3. If waste contains any substances listed in table 302 a,	b. or c.	COMPONENT CONCENTRATION	
Fule 299.6312, 299.6313.or 299.6314, respectively, enter	their	1056	
hazardous waste number(s) from the applicable table A		to%	
the component concentrations.		to %	
4. If the waste contains viable desease-causing agents list	ted in table 304,	•	
Fule 299.6316, enter the hazardous waste number(s) fr	om the table		
1,000 200,000 101 01100 1000	•		
			
ECTION D. HAZARDOUS WASTE BASED ON CHARACT	ERISTICS		
5. Ignitable Wastes	Test Results	Paremeters	Reference
Sa. Liquid flash point test (aqueous solutions	<60°C		
containing less than 2-15 alcohol by volume		•	
ere excluded from this test).	• to	_°c Flash Pt. 60°c	299.6201 (c) (i)
5b. Non-liquid — Is it ignitable based on			***
conditions stated in the reference?	☐ Yes ☐!	No See Reference	299.6201 (c) (ii)
5c. Compressed gas — is the waste a flammable			40 0ED 4 495 060
compressed gas as defined in the reference?	ائا Yes ليا	No See Reference	49 CFR § 173.300
5d. Oxidizer — is the waste an oxidizer as	<u> </u>		40 PPE 6 470 464
defined in the reference?	☐ Yes ☐		49 CRF § 173.151
5e. Enter "D001", as the hazardous waste number if	the waste exceeds one or m	fore of the parameters listed	$^{\text{or}}$ $_{[D_{[}0_{1}0_{1}1_{2}]}$
meets the definition of a hazardous waste base		-	Reference
6. Corrosive Wastes (concentrated salt solutions	Test Results	Parameters	neverence
are by definintion not coprosive)		See Beforess	299.6201 (a) (i)
6a. Aqueous Solution — ph test	ph	See Reference /yr Rate 6.35 mm/yr	299.6201 (a) (ii)
6b. Liquid-Steel (type SAE 1020) corrosion test	mm/	ryr Hale 6.33 mm/y	229.6201 (a) (iii) i
6c. Albino rabbit skin test — is the tissue	☐ Yes ☐	See Seierese	49 CFR § 173.240
destroyed or irreversibly changed?			
60. Enter "D002", as the hazardous waste number i	t the waste exceeds one or	more of the parameters use	
7. Reactive wastes		t or physical change	
7a. Is the waste normally unstable and capable of	ondergoing violent bliemica	e or priyalcar change	· 🗌 Yes 🖾 N
without detonating?	ntonium polyationas sidabi ciada as	,	Yes 🖾 N
7b. Does it react with water forming potentially exp	piosive mixtures with water		Yes X N
7c. When mixed with water, does it generate toxic	gases, vapors, or iumes?	ione hetween 2 and 125	١٠ تطبط ١٠٠٠ سيين
7c. Is it a sulfide or cyanide bearing waste which	when exhapso to bu cough	ions between 2 and 12.0,	☐ Yes ☒ N
can generate toxic gasses, vapors, or tumes?	romation when subjected t	o a strono	۱۰ نین دیه، سب
7e. Is the waste capable of detonation or explosive		- 2 20 CHB	°□ Yes 🏻 N
initiating source or if heated under confinemen	11.7		ا لحظ دن، سے

		<i>,</i> *	Part Right and
		·	,
		•	
	o	dr. p.e4	
7f. is the waste capable of detonation or explosive decomposition, temperature and pressure?			🗆 Yes 🖔 🦼
7g is the waste a forbidden explosive as defined in 49 CFR § 173.		********************	Yes K No
76. Is the waste a Class / explosive as defined in 49 CFR § 173.53		-	Yes X No
7i. Is the waste a Class B explosive as defined in 49 CFR \$ 173.80			Yes X No
7). If the answer to any of the questions 7a through 7i is yes, enti-		nazardous waste numb	
. EPA Toxic Wastes — Upon obtaining on extract of the waste as descri			Concentration
40 CFR § 261, Appendix II, test-for the components listed in Table 303			mg/l
Rule 295.6315. For each component material that exceeds the extract			mg/l
concentration listed in the table, enter the hazardous waste number(s)	•	<u></u>	mg/l
and the tested concentration(s):	•	٠ لـــــــــــ ٠	·mo/i
SECTION E. PHYSICAL STATE AT 25°	,		*
9 What is the everage density of the material?		8 lbs/ga	
D. Solids: Does the material produce out if exposed to air movement?	4		Yes N
Liquid — Studge: What is the percent solids?		******	<1
Do the solios settle out?			🗆 Yes 🔯 N
Can the material be pumped?	, , , , , , , , , , , , , , , , , , , ,		🖾 Yes 🗌 N
Can the material be poured.?			🛛 Yes 🗋 N
2. Liquid: At what temperature does it freeze?			<u>< Zero</u>
3. Gases: What is the maximum pressure of the container?			PSI
ECTION F. OTHER INFORMATION:			
4. What is the maximum quantity of this waste that is generated per mo	onth?		k
5. If the only hazardous waste numbers listed on this form are the number	s that have been er	ntered for Item 3,	
enter the numbers in the space provided if the component concentration.	(Item 3) and the qua	ntity of the waste	<u> </u>
generated (Item 14) cause the waste to be considered as a notification w			<u> </u>
and (iv), tigure A of R299.6001(2), or tigure B of R299.6201 (3):	•		
NOTE: If the hazardous was - numbers that have been entered under i	tem 3, begin with th	he letter "P" use	
figure A to petermine if it is a notification waste. If the number begins or e			
16. Are the hazardous wastes listed on this form disposed of onsite?	*		Yes 🕅 🔻
17. If the waste is a hazardout waste, is it exempt under the small quan	tity		
exemptions pursuant to P. 703.6203(2) and (3)?	•		□ Yes 🖾 N
18. If tests were conducted in the evaluation of the waste, all of the following	owing information		-
shall be transmitted to the Department of Natural Resources with the	waste characteriza	etion	
Record:		•	
(a) The sampling procedure and the reasons for determining the	nat the sample		•
is representative of the waste	·		
(b) The results of all tests conducted.			•
(c) The accuracy and precision of any test conducted.	-		
(c) The Accessed and president of any test and			
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREM	ENTS		
Hazardous Materials Description and Shipping Name			
Hazardous Waste, Liquid, n.o.s.			
Hazard Class		UN/DA II	A Committee of the Comm
ORM-E		NA ^o	9189
Special Handling and Shipping Requirements			
			•
		•	
	•		
		is a notification was	ste, send the
Hitho waste in hazerdous and not exempt or excluded from	i manapementi nr		nt. P.O. Box
If the waste is hazardous and not exempt or excluded from	i management, or Office of Hazardor	us Waste Manademe	
completed form to the Department of Natural Resources, C	management, or Office of Hazardou	us Waste Manageme	,
If the waste is hazardous and not exempt or excluded from completed form to the Department of Natural Resources, 0 30038, Lansing, Mi 48909.	management, or Office of Hazardor	us Waste Manageme	
completed form to the Department of Natural Resources, C	i management, or Office of Hazardoi	us Waste Manageme	,
completed form to the Department of Natural Resources, C	Office of Hazardou	us Waste Manageme	
completed form to the Department of Natural Resources, C	Office of Hazardou	us Waste Manageme	9-15-83 Date

0100117

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30030

1			nderform were
SECTION A.			
WASTE GENERATO	R IDENTIFICATION	INFORMATION	
EPA IDENTIFICATION NU	MBER		
MID 04180:	3123		
BUSINESS NAME		000 <u>- 100 -</u>	
Ethyl Corpo	ration		
ADDRESS 1600 W. Ei	ght Mile Road		
CITY	STATE	ZIP CODE	
Ferndale,	Michigan	48220	
		TELEPHONE NUMBER	

LANSING, MICHIGAN 48909	WIID 041	.003123		
	BUSINESS NAME	· د الشعب مسيم	•	·
WASTE CHARACTERIZATION		rporation		Alayeru
REPORT	ADDRESS 1600 W.	Eight Mi	le Road	
	cny		STATE	ZIP CODE
	Femdale		higan 482	
NAME AND TITLE OF CONTACT PERSON		. , 10110.		ONE NUMBER
C. P. Jarema			(313) 399-	9600
SECTION B. COMMON NAME OF THE WASTE	<u></u>			
ENTER TYPE OF WASTE (i.e. common name) characterized on this	form and the source	or process from	n which it was produced	
Organic Laboratory Waste - So				
SECTION C. LISTED HAZARDOUS WASTE				
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.6	- :308, 299, 63 0 9, 299,	6310 or 299.63	111, respectively or table	HAZARDOUS B WASTE NO.
305 of Rule 299.6317, enter the hazardous waste number	r from the appropr	iate table		
2. If the waste is a discarded commercial chemical produc	t, off-specification	specie,		*.
container or spirit residue of a substance listed in Table	302a, Rule 299.631	12, or		
Table 302 b or c, Pule 299.6313 or 299.6314, respective	ly, enter the hazard	lous		•
weste number from the applicable table			COMPONENT	. <u></u>
3. If waste contains any substances listed in table 302 a, t	o, or C,		CONCENTRATION	
Rule 299.6312, 299.6313,or 299.6314, respectively, enter	their	-	to %	
nazardous waste number(s) from the applicable table Af	ND record	•	to %	
the component concentrations.		, -	to %	
4. If the waste contains viable desease-causing agents liste	ed in table 304.			
Rule 299,6316, enter the hazardous waste number(s) fro	m the table			·- <u>L. 1. 1</u>
Section 1	•			
	DICTIOS			· · · · · · · · · · · · · · · · · · ·
CTION D. HAZARDOUS WASTE BASED ON CHARACTE		Results	Perameters	Reference
_ Ignitable Wastes	. 1691	Headic	. DIETHOUSE	
5a. Liquid flash point test (Equeous solutions containing less than 24% alcohol by volume	,	•		
are excluded from this test).		.to°c	Flash Pt. 60°c	299.6201 (c) (i)
5b. Non-liquid — is it ignitable based on			-	
conditions stated in the reference?	☐ Ye	es 🖾 No	See-Reference	299.6201 (c) (ii)
5c. Compressed gas — is the waste a flammable			•	
compressed gas as defined in the reference?	. 🗀 Ye	es 🔯 No	See Reference	49 CFR § 173.30
5d. Oxidizer — is the waste an oxidizer as	_		·	•
defined in the reference?		es 🖾 No	See Reference	49 CRF § 173.15
5e. Enter "D001", as the hazardous waste number if t	he waste exceeds o	one or more o	f the parameters listed	OF
meets the definition of a hazardous waste based	on the reference			
6. Corrosive Wastes (concentrated salt solutions	Test	Results	Parameters	Reference
sre by definintion not coorosive)			Treatment and the second	500 5004 (=) (*)
-6a Aqueous Solution - ph test	· ·	ph	See Reference	299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test		mm/yr	Rate 6.35 mm/yr	299.6201 (a) (ii)
6c. Albino rabbit skin test — Is the tissue	mv	es 🖾 No	See Reference	229.6201 (a) (iii) 49 CFR § 173.24
destroyed or irreversibly changed?				
6d. Enter "0002", as the hazardous waste number if	THE MASIE EXCHECS	one or more	or the barameters hat	
7. Reactive wastes	indorcoine violent	chemical or s	hysical change	
72. Is the waste normally unstable and capable of L	arcerdonic violent	enterment of p	,	· 🗌 Yes 🛛
without detonating? 7b. Does it react with water forming potentially exp	losive mixtures wit	h water?		☐ Yes 🏻
7b. Does it react with water forming potentially exp 7c. When mixed with water, does it generate toxic	gases, vapors, or f	umes?		Yes 🛛
7c. When mixed with water, does it generale toxic. 7d. Is it a sulfide or cyanide bearing waste which waste with the waste waste which waste which waste which waste waste waste which waste waste waste which waste waste waste waste waste which waste was	when exposed to b	h conditions !	between 2 and 12.5,	
can generate toxic gasses, vapors, or tumes?				🔲 Yes 🖾
7e. is the waste capable of detonation or explosive	reaction when sur	jected to a s	trong	
initiating source or it heated under confinement			۽ ن	- D Yes 🛭
Ministral agrice of the treation				<u> </u>

	·	1	
7f. Is the waste capable of detonation or explosive decomposit	tion or reaction at standard		
temperature and pressure?		Yes 🗜	_ 0
7g. is the weste a forbidden explosive as defined in 49 CFR \$	173.51?	Li Yes 【X	Ū No
7h. Is the waste a Class A explosive as defined in 49 CFR § 1		☐ Yes 🏻	J No
7i. Is the waste a Class B explosive as defined in 49 CFR § 1		☐ Yes 🏻	O No
7). If the answer to any of the questions 7a through 7i is yes,	, enter "D003", as the hazardous w	vaste number. L 1 1 1	4
B. EPA Toxic Wastes - Upon obtaining on extract of the waste as of			<u> </u>
40 CFR § 261, Appendix II, test for the components listed in Table		;	mg/I
Rule 299.6315. For each component material that exceeds the extr			mg/i
concentration listed in the table, enter the hazardous waste number		• •	mg/i
and the tested concentration(s):	1_1_1		ma/l
SECTION E. PHYSICAL STATE AT 25"	****		
9. What is the average density of the material?		8 lbs/gal	
10. Solids: Does the material produce dust if exposed to air movement	ent?	Yes [] N
11. Liquid — Studge: What is the percent solids?			۶
Do the solios settle out?		Yes	□ N
Can the material be pumped?] -N
Can the material be poured.?	•	Yes [ת כֿ
12. Liquic: At what temperature does it freeze?			
13. Gases: What is the maximum pressure of the container?			_ PSI
SECTION F. OTHER INFORMATION: 14. What is the maximum quantity of this waste that is generated pe	er month?	200	ke
114. What is the maximum quantity of this waste that is generated per	mhere that have been entered for Iti	ет 3	
15. If the only hazardous waste numbers listed on this form are the nu	tion (Nem 3) and the quantity of the s	waste ! 3 1 1	
enter the numbers in the space provided if the component concentra	ion weets been on R 299 6201 (1) (r	0) ((ii)	
generated (Item 14) cause the waste to be considered as a notificati	1011 WESTE DESEC ON A 283.0201 (1) (5	97 (111)	
and (iv), figure A of R299.6701(2), or figure B of R299.6201 (3):	and in an O benin with the letter "P"	** uee	_
NOTE: If the hazardous was - numbers that have been entered un	ber hem 5, begin what the letter ?	use .	
figure A to determine if it is a notification waste. If the number begins		Yes Y	, !
16. Are the hazardous wastes listed on this form disposed of onsite		ا ۱۶۵	• '
17. If the waste is a hazardous waste, is it exempt under the small	Quantity	Yes	ΣX.
exemptions pursuant to R CD3.6203(2) and (3)?			را جوجته
18. If tests were conducted it the evaluation of the waste, all of the	tollowing information		
shall be transmitted to the Department of Natural Resources with	h the waste characterization		
Record:			
(a) The sampling procedure and the reasons for determini	ng that the sample		
is representative of the wasie		•	
(b) The results of all tests conducted.	•		
(c) The accuracy and precision of any test conducted.			
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUI	REMENTS		
Hazardous Wasteriais Description and Shipping Name Hazardous Waste, Solid, n.o.s.			٠
	1001010101010101010101010101010101010101	UN/DA ID No.	
Hazard Class ORM -E		NA 9189	-
Special Handing and Shipping Requirements		•	
		, sheet a	
		in the second se	
	•		
If the weste is hezerdous and not exempt or excluded	from management, or is a notifi-	ication waste, send the	
completed form to the Department of Natural Resource	es, Office of Hazardous Waste h	Management, P.D. Box	
30036, Lansing, MI 46909.			
Dodoc samang, m. cosser	•		
		•	
(1) A (V)	7-1-4:1 Ob	154 D 1E 05	2
Circle C. Harene	Analytical Chemi	ist 9-15-83	
C T T CICOPIUIE			

C. P. Jarema

	B-81	B-82	B-83	B-84
Hydrocarbons	60	100	90	25
Arom. Hydrocarbons		· ····································	10	4
Esters, acids, ketones				1
Phenols				
Aliph, amines				
Alcohols				
Dodecyl succ. anhyd.	40			
Surfactants				46
Silicone oil				18
Arom. phosphates				1
Propyl phosphazene			, o a r	···
Chlorobenzene				
Dowtherm				
Mercaptans	·			
Toluene diisocyanate				
Mn gasoline additive				
Water				
Others				5

	B-85	B-86	B-87	B-88	B-89	B-90	B-91	B-92	B-93	B-94	B-95	B-96
Hydrocarbons	100	95	100	100			45	100	100	100		100
Arom. hydrocarbons		5										
Alcohols							55				100	
								· · · · · · · · · · · · · · · · · · ·				
Arom, amines						100		<u></u>				·
Tetramethoxypropane					100						·—···	
4												
,												
												Ž.
		·										: :
			·									
i												
				<u>.</u> .								
									•		•	
						2. arhite (- 1 - 3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		· - · · · · · · · · · · · · · · · · · ·		İ	l k	

100 100	
8-100	
100 100	
B-98	
B-97 100	
Suox	
Hydrocarbons Arom, hydrocarbons Alcohols	

LP-18R

Di-tert-butylphenol and derivatives	23 1bs
Thio-bis-2-methyl-6-butylphenol	18 1bs
Aryl phosphates and phosphites	13 lbs
Misc. long chain alcohols	2 1bs
Organometallic and misc. inorganics (Pb, Ca, Zn, Bi)	8 lbs
Zinc Oxide	ll lbs
Zinc dithiocarbamate	2 1bs
Thiazole-type lube additive	1 1b
	79 1hc

Contained S - c.a. 2.1 lbs

LP-23R

Dimethylphenol	115 1bs
Mercaptobenzothiazole and other sulfur compounds	10 lbs
Sodium cyanide	7 1bs
Nitro methylpropanediol	2 1bs
m-Phenylenediamine	1 1b
	135 lbs

Contained S - c.a. 2 lbs

<u>LP-84R</u>

Dimethylphenol	10 lbs
Butylated phenols	7 lbs
<u>p</u> -Cresol	4 lbs
Benzoquinone	4 1bs
Acetamide	4 lbs
Camphor and camphoric acid	3 lbs
Butylhydroquinone	3 lbs
Butylidinebis(butylcresol)	3 1bs
N-bromosuccinimide and other Br compounds	2.9 lbs
Caprolactam	2 1bs
Colloidol silica	2 1bs
Biphenol	2 1bs
Butyl pyrocatechol	1.5 lbs
Carbowax 550	1 1b
Chlorinated aromatics	1 1b
Aluminum chloride	1 1b
Dimethylbismuth	1 1b
Bis(nitrophenylmethane)	1 1b
Aniline hydrochloride	1 lb
Benzylaminophenol	1 1b
Camphene	1 1b
Bisphenol-A	1 1ъ
Other organics	1 1b
	59 1bs

LP-85R

Misc. Stock Room organics	7 lbs
Ethylenediamine tetraacetic acid	7 1bs
Dichloronitroethane	4 lbs
Camphene	4 lbs
Methyl bromoacetate	3.3 lbs
Butylbenzoic acid	2 1bs
Hydroxyethyl urea	2 1bs
Chloroacetic acid	2 1bs
Cyanuric chloride	2 1bs
Catechol	2 1bs
Butylcatechol	1 1b
Chlorodinitroaniline	1 1b
Chloroacetyl chloride	1 1b
Calcium stearate	1 1b
Benzyl chloroformate	1 1b
Glycolonitrile	1 1b
Crotyl bromide	0.9 lb
Misc. thio phenols	0.5 1b
	43 lbs

Contained Br - c.a. 2.2 lbs

Contained S - c.a. 0.1 1b

<u>LP-88R</u>

Spent pelletized catalyst (Pt)	25	lbs
Misc. Stock Room organic chemicals	6	lbs
Cellulose acetate	3	lbs.
Diaminodiphenylamine	2	lbs .
Dichlorophenylphosphine	2	1bs
Cyclohexenedicarboxylic anhydride	2	lbs
Dextrin	2	1bs
Dichloromaleic anhydride	2	1bs
Diacetyl phenylenediamine	1	1b
Diaminotoluene	1	1Ъ
Dichlorobenzaldehyde	. 1	1b
Dichloronaphthol	1	1b
Chloroacetanilide	1	1b
Catechol	1	1b
Chlorophenol	1	1b
Chloronitrobenzoic acid	1	1 b
Ethyl dichlorothiophosphate	0	.7 lb
	53	lbs

Contined S - c.a. 0.1 lb

LP-92R

Misc. organic pigments and dyes	4 lbs
Melamine	3 1bs
Mannitol	3 1bs
Methylamine hydrochloride	3 1bs
Methyl stearate	2 1bs
Nitrodiphenyl	2 1bs
Ethylene carbonate	2 1bs
Methyl anisate	2 lbs
Misc. Stock Room organics	2 1bs
Palm oil	1 1b
Nitrophenol	1 1b
Assert Control of the	25 1hs

LP-94R

Misc. Stock Room organic chemicals	11	lbs
Hydroxymethyldibutylphenol	8	1bs
Isocyanate prepolymer	8	1bs
Misc. Stock Room thio compounds	7	1bs
Silicic acid	6	lbs
Sodium ethoxide	5	lbs
Sodium oxalate	2	lbs
Isopropylidene diphenol	2	lbs
Methyl stearate	2	lbs
Dibutylphenol-formaldehyde adducts	2	lbs
Rescorcinol	1	1b
Amino(hydroxymethyl(propanediol)	1	1b
Benzoic sulfoamide	1	1b
Butylurea	1	1b
Methylaminophenyl sulfate	1	1b
	58	lbs

Contained S - c.a. 1.6 lb

LP-105

Polybutenes	7	lbs
Dibutylphenol derivatives	7	lbs
Oleamide	. 6	lbs
Samples of misc. friction reduction modifiers	5	lbs
Misc. oil additive samples	5	1bs
Paraformaldehyde	2	lbs
Fatty acid	2	lbs
Polyvinylpyrodidone	2	1bs
Alamine 46	2	lbs
Lauryl acid phosphate	2	1bs
C ₂₀ Alcohols	2	1bs
Sulfurized phenolic lube additives	1	1ъ
Cresol Cresol	1	1b
Polyamine (TETA)	1	1b
	<u></u>	1 he

Contained S - c.a. 0.2 1b

STATE OF MICHIGAN

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30000 LANSING, MICHIGAN 48909

WASTE CHARACTERIZATION

SECTION A.		
	OR IDENTIFICATION	NINFORMATION
EPA IDENTIFICATION I	NUMBER	
041080312	3	<u> </u>
BUSINESS NAME		
Ethyl Corpo	oration	
ADDRESS		
1600 W. Ei	ght Mile Road	
CITY	STATE	ZIP CODE
Femdale,	Michigan	48220
•		TELEPHONE NUMBER

றிநிட_சுளிது நுறை அடைந்திருந்து நடிக்கு கண்ணார்களை, கூடிக்கு கூடி	Litty I COLD	Oldfon	
REPORT	ADDRESS 1600 W. E	ight Mile Road	
	CITY	STATE	ZIP CODE
	Femdale,	Michigan	48220
NAME AND TITLE OF CONTACT PERSON			TELEPHONE NUMBER
C. P. Jarema			399-9600
		(313)	3,7, ,000
SECTION B. COMMON NAME OF THE WASTE ENTER TYPE OF WASTE (i.e. common name) characterized on this	form and the source or	nenness from which it was he	roduced
Organic Laboratory Waste - Solid	TOTAL BATC THE BOOKE OF	process from which it was pr	
SECTION C. LISTED HAZARDOUS WASTE			
1. If the waste is listed in tables 301 a, b, c, or d of Rule 299.6	308, 299, 6309, 299,63°	10 or 299.6311, respectively	or table WASTE NO.
305 of Rule 299.6317, enter the hazardous waste numbe			
2. If the waste is a discarded commercial chemical product			
container or spin residue of a substance listed in Table			•
Table 302 b or c. Rule 299.6313 or 299.6314, respectivel			
waste number from the applicable table			
3. If waste contains any substances listed in table 302 a, b		COMPONENT CONCENTRATION	
3. If waste contains any substances fisted in table 502 d, 2 Rule 299.6312, 299.6313.or 299.6314, respectively, enter t		to%	
		to %	
hazardous waste number(s) from the applicable table Ah	ED TECOTO	to %	
the component concentrations.	ed in table 204		
4. If the waste contains viable desease-causing agents liste		-	
Rule 299,6316, enter the hazardous waste number(s) fro	m the table		
ECTION D. HAZARDOUS WASTE BASED ON CHARACTE			B. A.
Ignitable Wastes	Test Re	sults Parameters	Reference
5a. Liquid flash point test (squeous solutions	•	•	
containing less than 24% alcohol by volume			
are excluded from this test).	'1o	°c Flash Pt. 60°c	c 299.6201 (c) (i)
5b. Non-liquid — Is it ignitable based on	_	eren	
conditions stated in the reference?	Yes	X No See Reference	ce 299.6201 (c) (ii)
5c. Compressed gas — is the waste a flammable	~~		
compressed gas as defined in the reference?	Yes	No See Reference	te 49 CFR § 173.300
5d. Oxidizer — Is the waste an oxidizer as			
defined in the reference?	Yes	No See Reference	te 49 CRF § 173.151
5e. Enter "D001", as the hazardous waste number if the	ie waste exceeds one	or more of the parameters	listed or
meets the definition of a hazardous waste based	on the reference		
6. Corrosive Wastes (concentrated salt solutions	Test Re	sults Parameters	s Reference
are by definintion not coorosive)	-		
6a. Aqueous Solution ph test		ph See Reference	ce 299.6201 (a) (i)
6b. Liquid-Steel (type SAE 1020) corrosion test		mm/yr Rate 6.35 mr	n/yr 299.6201 (a) (ii)
6c. Albino rabbit skin test — Is the tissue			229.6201 (a) (iii) &
destroyed or irreversibly changed?	Yes	No See Reference	ce 49 CFR § 173.240
6d. Enter "D002", as the hazardous waste number if t			rs listed
7. Reactive wastes			•
7a. Is the waste normally unstable and capable of ur	ndergoing violent che	mical or physical chance	
without detonating?			🗌 Yes 🛚 No
7b. Does it react with water forming potentially explo	sive mixtures with w	ater?	Yes No
7b. Does it react with water forming potentially explication. 7c. When mixed with water does it generate toxic g			Yes X N
7c. When mixed with water, does it generate toxic y 7d. Is it a sulfide or cyanide bearing waste which wi			, —
	ien exhased to but of	MINIMUMS OCTHOCH & BITC 1.	∠.J,
can generate toxic gasses, vapors, or fumes?	Constion when subject	ed to a strong	۱۳۱ نیوی ۳۵۰ نیو
7e. Is the waste capable of detonation or explosive r		eu io a silvily	☐ Yes 🏖 No
initiating source or it heated under confinement?			LJ :05 (A) N
	over		R 4911 4/

	· · · · · · · · · · · · · · · · · · ·		
7f. Is the waste capable of detonation or explosive decomposition or reaction at stand			(A)
temperature and pressure?	************************		
7g. Is the waste a forbidden explosive as defined in 49 CFR § 173.51?	•		No.
7h Is the waste a Class /, explosive as defined in 49 CFR § 173.53?			No.
7). Is the waste a Class B explosive as defined in 49 CFR § 173.88?		Yes	X No
7). If the answer to any of the questions 7a through 7i is yes, enter "D003", as the h	azardous waste number.		
8. EPA Toxic Wastes — Upon obtaining on extract of the waste as described on	Hazardous Waste No.	Concentr	rtion
40 CFR § 251, Appendix II, test for the components listed in Table 303.			_ mg/l
Rule 299.6315. For each component material that exceeds the extract			_ mg/l
concentration listed in the table, enter the hazardous waste number(s)			_ mg/i
and the tested concentration(s):			_ mg/l
SECTION E. PHYSICAL STATE AT 25'			
9. What is the average density of the material?	8 lbs/gal.		
10. Solids. Does the material produce oust if exposed to air movement?	•••••	. 🔯 Yes	□ №
11. Liquid — Sludge: What is the percent solids?			
Do the solids settle out?	· ·		□ No
Can the material be pumped?			□ No
Can the material be poured.?			
12. Liquid: At what temperature does it freeze?			
12. Gases: What is the maximum pressure of the container?			PSIG
SECTION F. OTHER INFORMATION:			
14. What is the maximum quantity of this weste that is generated per month?		20	0ka
15. If the only hazardous waste numbers listed on this form are the numbers that have been en		 ×	~s·
enter the numbers in the space provided if the component concentration (Item 3) and the qual		<u> </u>	<u>.</u>
		1. 1.1.	<u> 1</u>
generated (Item 14) cause the waste to be considered as a notification waste based on R 299	5.520 ; (1) (g) (m)	<u> </u>	
and (iv), tigure A of R299.6201(2), or figure B of R299.6201 (3):	as letter (ID) upo		
NOTE: if the hazardous was: numbers that have been entered under item 3, begin with the			
figure A to determine if it is a notification waste. If the number begins or ends with the letter "	U use <u>figure B.</u>	—	- I ∇I-
15. Are the nezardous wastes listed on this form disposed of onsite?		Yes	Ė.
17. If the waste is a hazardous waste, is it exempt under the small quantity	•	[]	ŧσ
exemptions pursuant to R 103.6203(2) and (3)?		☐ Yes	IZJ No
18. If tests were conducted it the evaluation of the waste, all of the following information			
shall be transmitted to the Department of Natural Resources with the waste characteriza	tion		
Record:	•		
(a) The sampling procedure and the reasons for determining that the sample			
is representative of the waste			
(b) The results of all tests conducted.	•		
(c) The accuracy and precision of any test conducted.			
SECTION G. U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS			
riszantious Materials Description and Snipping Name			
Hazardous Waste, Solid, n.o.s.			.,
Hazerd Class	UN/DA ID No).	
ORM-E	NA 9189		
Special Handling and Snipping Requirements			
Abbaner vantains, and ambhus madenament			
			
			-
If the waste is hazardous and not exempt or excluded from management, or	is a notification waste,	send the	
completed form to the Department of Natural Resources, Office of Hazardou	is Waste Management,	P.O. Box	
30035, Lansing, Mt 48909.			
Analytica	l Chemist	9/7/83	3
	Inte	7/ 1/0. Date	
C. P. Jarema / Street	•		

*

LP-46

C ₂₀ Alcohols	100 lbs
Alkylated phenols	30 lbs
Toluene sulfonic acid	10 lbs
Hydroxyethylated tetrabromoxylene	5 lbs
	145 lbs

Contained S - c.a. 1.9 lb

Contained Br - c.a. 3.0 lbs

LP-47

C ₂₀ Alcohols	75 lbs
Alkylated phenols	10 lbs
Dibutylhydroxyphenyl phosphite	45 lbs
Phenolic resins	3 lbs
	· Control of the cont
	133 lbs

LP-48

Dibutylhydroxybenzyl alcohol	150 lbs
Toluene sulfonic acid and other sulfur compounds	4 lbs
Tetrabromoxylene	0.5 lb
Hexabromoxylene	0.3 lb
Misc. bromoaromatics	1.0 lb
	156 lbs

Contained S - c.a. 0.7 lb

Contained Br - c.a. 1,4 lb

Dimethyl and dibutyl phenols	95 lbs
C ₂₀ Alcohols	35 lbs
Stearic acid	6 lbs
Ethoxylated tetrabromoxylene	5 lbs
Di-C20-dibutylhydroxybenzyl-phosphorodithioate	7 lbs
Anthraguinone sulfonate	0.5 lb
Benzoic sulfonamide	1.0 lb
Thiosemicarbazode	1.0 lb
Misc. org. sulfur compounds	0.2 lb
	151 lbs

Contained S - c.a. 0.8 lb

Contained Br - c.a. 3 lbs

LP-50

Dimethylphenol		70 lbs
Ashless dispersants		15 lbs
Org. phosphates and phosphites		12 lbs
Tetrabromoxylene derivatives		4.5 lbs
Alkylated phenols	•	4 lbs
		106 lbs

Contained Br - c.a. 3.4 lbs

<u>LP-51</u>

Dimethylphenol	40 lbs
Paraformaldehyde	10 lbs
Fatty acids (long chain)	2 lbs
Misc. Stock Room chemicals and samples	30 lbs
Diethylthiophosphate residues	5 lbs
Misc. sulfur compounds	1 Ib
Divinylbenzene	1 1b
	·
	89 lbs

Contained S - c.a. 1.1 lb

<u>IP-52</u>

Dibutylphenol and its formaldehyde adducts	174 lbs
Aromatic amines	10 lbs
Di-C ₂₀ -dibutylhydroxybenzyl-phosphorodithioate	7 lbs
Toluene sulfonic acid	3 lbs
Diethyl tetrabromoxylene phosphonate	2 lbs
Bromodibutylphenol	6 lbs
•	20,470,444,400,400,400,400,400,400,400,40
	202 lbs

Contained S - c.a. i.1 lb

Contained Br - c.a. 2.9 lbs

LP-53

Samples of viscous hydrocarbon oils	35 lbs
Alkylated phenols	25 lbs
Ashless dispersants	10 lbs
Aromatic amines	5 lbs
Decabromobiphenyls	3 lbs
	78 lbs

Contained Br - c.a. 2.5 lbs

<u> LP-54</u>

50 lbs
15 lbs
15 lbs
4 lbs
2 lbs
l lb
1 lb
1 lb
C
89 lbs

Contained S - c.a. 1.1 lb

	168 lbs
Phosphorus sesquisulfide	3 lbs
Alkoxylated phenols	20 lbs
Alkylated phenols	45 lbs
Activated charcoal	40 lbs
Ashless dispersants	60 lbs

Contained S - c.a. 1.1 lb

LP-56

Dimethylphenol	40 lbs
Dibutylphenol-formaldehyde adducts	40 lbs
Alkoxylated phenols	35 lbs
$Di-C_{20}$ -dibutylhydroxybenzyl-phosphonodithioate	20 lbs
Alkylated phenois	12 lbs
	
	147 lbs

Contained S - c.a. 1.4 lbs

Dibutylethylphenol	45 lbs
Ashless dispersants	25 lbs
Dibutyl phenyl sulfide	2 lbs
	EMention and the second and the seco
	72 lbs

Contained S - c.a. 0.1 lb

LP-58

Ashless dispersants	35 lbs
Alkylated phenols	30 lbs
Long chain alcohols	25 lbs
Phosphonitrilic chloride	10 lbs
Organophosphates and phosphites	10 lbs
Bromo-chloro aromatics	10 lbs
	120 lbs

Contained Br - c.a. 4.5 lbs

Lead benzoate	20 lbs
Stearic acid and esters	15 lbs
Polystyrene	13 lbs
Tribenzylamine and other N-compounds	8 lbs
Trimethylphenol and xylanols	6 lbs
Metal stearates, alkoxides, naphthenates	3 lbs
Alkylated anilines	1 lb
Toluene sulfonic acid and other S-compounds	1 1 b
Polyvinylchloride	1 1 b
Other organic samples	1 1b
	69 lbs

Contained S - c.a. 0.2 lb

<u>LP-60</u>

Organic pigments and dyes	43 lbs
Fatty amines	15 lbs
Dodecyl cresol and other phenolics	10 lbs
Activated charcoal	5 lbs
Misc. thio compounds	1 1b
	74 lbs

Contained S - c.a. 0.2 lb

<u> LP-61</u>

Sodium stearate	9 lbs
Stearic acid	5 lbs
Misc. Stock Room organic chemicals	4 lbs
Methyl cellulose	3 lbs
Starch	3 lbs
Abietic acid	2 lbs
Aluminum oleate	2 lbs
Capric acid	2 lbs
Shortening	2 lbs
Rare earth acetates	2 lbs
Succinic acid and anhydride	2 lbs
Ammonium benzoate	l lb
Diethyl diphenyl urea	1 1b
Carbazole	l lb
Tar acids	1 lb
Triflan	ı lb
Tartaric acid	1 lb
Polyformaldehyde	1 lb
Sodium lauryl sulfates	1 lb
	44 lbs

Contained S - c.a. 0.15 lb

<u>LP-62</u>

Neopentyl alcohol	50 lbs
Hexanediol	50 lbs
Di-C ₂₀ -dibutylhydroxybenzyl phosphonodithioate	15 lbs
Fatty acid soaps	10 lbs
Dicyclopentylphenol	5 lbs
	
	130 lbs

Contained S - c.a. 1.1 lb

LP-63

PVC resin	150 lbs
Di-C ₂₀ -dibutylhydroxybenzyl phosphonodithioate	15 lbs
	
	165 lbs

Contained S - c.a. 1.1 lb

Silicones	20 lbs
Dicyclopentyl phenol	10 lbs
Dibutyl ethylphenol	5 lbs
Stilbene and other Stock Room aromatics	9 lbs
Stearic acid	5 lbs
Sorbitol	5 lbs
Starch	5 lbs
Stock Room sulfur componds (sulfonemides, etc.)	9 lbs
Chlorinated aromatics	2.5 lbs
Stannous stearate and similar samples	l lb
Tribromobenzene and phenol	0,2 lb
	72 lbs

Contained S - c.a. 1.8 lbs

Contained Br - c.a. 0.1 lb

LP-65

Alkylated phenols		40 lbs
Polyurethane prepolymers		5 lbs
Aminonaphthol sulfonic acid	•	1 1b
Sulfosalycilic acid		1 1b
Sulfanilic acid		1 lb
Mercapto thiazoline		1 lb
Mercapto benzoic acid		1 lb
Phenyl sulfonate		1 lb
Phenyl thiazine		1 lb
Carbamates and thioureas		2.5 lbs
Dibromocumene	· ;	6 lbs
	:	61 lbs

Contained S - c.a. 1.5 lb

Contained Br - c.a. 3.6 lbs

LP-66

Dibutylphenol-formaldehyde adducts	40 lbs
Methylenebis(dibutylphenol) and its borate ester	40 lbs
Alkylated phenols	10 lbs
	(
	90 lbs

LP-67

Dibutylbenzoquinone	20 lbs
Misc. laboratory thio compounds	7 lbs
Mg Stearate	1 lb
Butanediol	1 lb
	29 lbs

Contained S - c.a. 1.1 lb

	49 lbs
	2900°cmo-io-ionocas.
Phosphorus sesquisulfide	4 lbs
Toluene diamines	10 lbs
Methylenebis(dialkylanilines)	15 lbs
Alkylated phenols	20 lbs

Contained S - c.a. 1.8 lb

<u> LP-69</u>

Lube additive (C, H, O) samples	75 lbs
Misc. lab. thio compounds	10 lbs
	85 lbs

Contained S-c.a. 1.5 lb

Lube additive (C, H, O) samples	60 lbs
Spent charcoal catalysts	43 lbs
Cellulose	5 lbs
Misc. lab. thio compounds	6 lbs
	114 lbs

Contained S - c.a. 0.9 lb

<u>LP-71</u>

Alkylated	polystyrene samples	125 Ibs
		(
, <u>*</u> •		125 lbs

	108 lbs
Reagent samples of sulfonates, sulfates, etc.	1.7 lbs
Brominated phenols	6 lbs
Dibutylphenol-formaldehyde compounds	15 lbs
Lube additive samples	30 lbs
Hydrocarbon solids	55 lbs

Contained Br - c.a. 4.2 lbs

Contained S - c.a. 0.3 lb

LP-73

Petroleum wax	50 lbs
Dibutylphenol-formaldehyde adducts	30 lbs
Butylated phenolic antioxidant	20 lbs
Brominated phenols	5 lbs
	105 lbs

Contained Br - c.a. 3.5 lbs

<u> LP-74</u>

Lube friction modifier samples	20 lbs
Heavy lubricants	40 lbs
Alkaloid oligomers	15 lbs
Dibutylphenol	20 lbs
Long chain Mg sulfonates	20 lbs
Misc. lube additive samples	10 lbs
Misc. sulfur-containing additives	5 lbs
	130 lbs

Contained S - c.a. 2.1 lbs

LP-75

Dimethylphenol		125 lbs
Misc. thio compounds		1 lb
••	•	 126 lbs

Contained S - c.a. 0.2 lb

Dimethylphenol		130 lbs
Thiobis(butyl-o-cresol)	·	10 lbs
		Constitution of the second
	2	140 lbs

Contained S - c.a. 0.91b

TP-77

	135 lbs
Tetrabromoxylene and derivatives	6 lbs
Methane sulfonyl chloride	4 lbs
Misc. Stock Room thio compounds	5 lbs
Dimethylphenol	120 lbs

Contained Br - 4,6 lbs

Contained S - 1.91b

Dimethylphenol	130 lbs
Misc. lab. thio compounds	10 lbs
	140 lbs

Contained S - c.a. 1.6 lb

<u>LP-79</u>

Dimethylphenol	40 lbs
Catechol	40 lbs
Di-C ₂₀ -dibutylhydroxybenzyl phosphonodithioate	2 lbs
Methane sulfonic acid	2 lbs
Benzoic sulfamide	1.5 lbs
Phenyl sulfone	2 lbs
Thiourea and other thio compounds	0.8 lb
	88 lbs

Contained S - c.a. 1.4 lbs

Dimethylphenol

130 lbs

130 lbs

<u>LP-81</u>

Dim	ethy	lD.	he	nol

80 lbs

Brominated biphenyls

4.5 lbs

85 lbs

Contained Br - c.a. 3.2 lbs

Azobenzene	8 Ibs
Benzoic acid	8 lbs
Adipic acid	7 lbs
Aluminum stearate	6 lbs:
Aminobenzoic acid	4 lbs
Anthracene	4 lbs
Aminophenol	2 lbs
Amino hydroxymethyl propanediol	2 lbs
Metal acetylacetonates and carboxylates	4 lbs
Alkylated anilines	4 lbs
Misc. chloro organic compounds	2 lbs
Nitro aromatics	8 lbs
Alkylated phenols	1 lb
Dibromobenzene	l lb
Hexabromobenzene	0.2 lb
	
•	61 lbs

Contained Br - c.a. 0.91b

Alkylamine hydrochloride	23 lbs
Hydroxymethyldibutylphenol	15 lbs
Alkylated phenols	7 lbs
Benzamide	4 lbs
Phosphonitrilic chloride	3 lbs
Methacrylate polymer	2 lbs
p-Cresol	2 lbs
Docosene and docosanol	2 lbs
Butylphenol	2 lbs
Aminobenzoic acid	2 lbs
Chlorinated organics (small samples)	3 1bs
Metal carboxylates and naphthenates	2.5 lbs
Misc. samples of aromatic compounds	6 lbs
Aminobenzene sulfonic acid	2 lbs
Anthraguinone sulfonate	1 1b
Other sulfur compounds	0.7 lb
Azobisisobutyronitrile	1.5 lb
Lead naphthenate	1 lb
Tetrabromobisphenol	0.1 lb

80 lbs

Contained Br - c.a. 0.06 lb

Contained S - c.a. 0.7 lb

11 lbs
6 lbs
4 lbs
2 lbs
1 lb
1 lb
1 lb :
1 lb
1 lb
1 1b
1 lb
l lb
1 lb
1 lb
1 lb
1 Ib
l lb

44 lbs

Contained Br - < 0.1 lb

Contained S - c.a. 0.2 lb

Dimethylphenols	8 lbs
Misc. Stock Room organic solids	8 lbs
Methylbromoacetate	4 lbs
Sodium dibutyl dithiocarbamate	4 lbs
Dinitrobenzoic acid	3 lbs
Diphenylamine	2 lbs
Celite	2 lbs
Formanilide	2 lbs
Hydrazine	2 lbs
Hydroquinone	2 lbs
Fumaric acid	1 lb
Hexachlorobenzene	1 lb
Hexamethylene tetramine	1 lb
Chlorobenzoyl chloride	1 lb
Methyl chloroformate	1 1b
Trichlorotoluene	l lb
Trichlorofluorodinitrobenzene	1 lb
	44 lbs

Contained Br - c.a. 2.3 lbs

Contained S - c.a. 1.2 lb

Tribromophenol	6 lbs
Rosin	6 lbs
Dimethylphenol	6 lbs
Thiourea	5 lbs
Dimethylglyoxime	4 lbs
Other Stock Room organic chemicals	∉ lbs
Paraffin wax	3 lbs
Potassium tartarate	3 lbs
Sulfamic acid	2.2 lbs
Rosin amine	2 lbs
Ethylenediamine tetraacetic acid	2 lbs
Toluene sulfonic acid	1.5 lb
Pyridyl mercunic acetate	1 1b
Quinhydrone	1 lb
Sodium carboxymethyl cellulose	1 lb
Quinone	1 1b
Dimethylamine hydrochloride	1 lb
Hexadecanol	1 lb
	fraktor - wood opense alle.
	51 lbs

Contained Br - c.a. 4.4 lbs

Contained S - c.a. 2.7 lbs

•		
Misc. Stock Room organics		6 lbs
Trichlorophenol		4 lbs
Glycene and ethyl ester hydrochloride		3 lbs
Tetrachlorophthalic anhydride		2 lbs
Vanillin		2 lbs
Starch	·	2 lbs
Zinc stearate		2 lbs
Trimethylol propane		2 lbs
Triphenol		2 lbs
Ethylphenol		2 lbs
Girard's reagent		2 lbs
Fumaric acid		2 lbs
Tetracyanoethylene		1 lb
Lithium stearate		1 lb
Terephthalic acid		1 1b
Tannic acid		1 lb
Triphenylarsine		1 1b
Ethyloctanedioic acid		1 lb
Hexanediol		1 lb
Hexamethylenetetramine		1 lb
Ethylacetanilide		1 lb
Glycolic acid		1 lb
- 		
•••		41 lbs

Misc. Stock Room org. chemicals	12 lbs
Maleic anhydride	8 lbs
Lauric and other fatty acids	4 lbs
Sodium methacrylate	3 lbs
Nitrilotriacetic acid and salts.	3 lbs
Methoxy phenol	2 lbs
Hexachloroethane	2 lbs
Hexachlorophenol	2 lbs
Ethylene carbonate	2 lbs
Aminobenzaldehyde	2 lbs
Imidazoles	2 lbs
Pentaerythritol	1 lb
Oxamide	l lb
Triphenylthiophosphate	1 lb.
Chlorothiophenol	1 lb
Methyl acetanilide	1 lb
Hydroxylamine hydrochloride	1 lb
EDTA	1 lb
Fluorene	1 lb
Hexadecanol	1 lb
Hexamethylenetetramine	1 lb
Dimethylamine hydrochloride	1 lb
	53 lbs

Contained Br - c.a. 0.4 lb

Contained S - c.a. 0,4 lb

Phenol	14 lbs
Misc. organic Stock Room chemicals	12 lbs
Phthalic acid, anhydride, imide	8 lbs
Palmitic acid	4 lbs
Paraformaldehyde	4 lbs
Methyl sulfonyl chloride	4 lbs
Pentachlorobenzotrifluoride	2 lbs
Pentaerythritol	1 lb
Acetoaniline	l lb
Acrylamide	1 1b
Naphthol	1 lb
Phenylphenol	1 lb
Phthalonitrile	1 lb
	54 lbs

	19 lbs
Misc. Stock Room sulfur compounds	1 lb
Sulfosalycilic acid	1 lb
Oxemide	1 lb
Methyl naphthalene	l lb
Methyl hydroxystearate	l lb
Misc. Stock Room organics	2 lbs
Urea	2 lbs
Phenylenediamine	3 lbs
Nitroaniline	3 lbs
Nitroacetanilide	4 lbs

Contained Br - c.a. 0.1 lb

Contained S - c.a. 0.4 lb

Misc. Stock Room organics	6 lbs
Dibutyl sulfide	6 lbs
Polyester	5 lbs
Phenylenediamine	4 lbs
Pentadione complexes	4 lbs
Paraformaldehyde	4 lbs
Methyl stearate	4 lbs
Methylene dianiline	3 lbs
Palmitic acid	2 lbs
Recovered Ni-Al catalyst	2 lbs
Polystyrene	2 lbs
Lithium stearate	2 lbs
Phthalonitrile	1 lb
Methyl gluconide	1 lb
Phenylphenol	1 lb
Polyethylene	1 1b
Methyl gallate	1 lb
Myristic acid	1 lb
Piperazine hydrate	1 1b
	
	51 lbs

Contained S - c.a. 1.3 lb

Misc. lab. samples and Stock Room chemicals	6 lbs
Nitrophenol	6 lbs
Charcoal	6 lbs
Recovered Ni/Al catalyst	6 lbs
Triphenylphosphate	6 lbs
Naphthol	4 lbs
Phenothiazine	3 lbs
Grease	2 lbs
Misc. thiols	2 lbs
Misc. Stock Room sulfur compounds	2 lbs
Polyphosphorous acid	2 lbs
Methyl sulfone	2 lbs
Sodium cyanate	1 lb
Phenylene diamine hydrochloride	l lb
Myristic acid	1 lb
Azobis(methylpropionitrile)	1 lb
	51 lbs

Contained S - c.a. 1.9 lb

Misc. Stock Room thiols	15 lb	s
Styrene oxide	9 lb	s '
Tars	5 lb	S
Silicone oil	4 lb	s
Glychlor RG	3 lb	S
N-Bromosuccinimide	2 1b	S
Pancreatin	2 lb	s
Vinyl pyridine	1 lb)
Misc. organic samples	1 lb)
	42 lb	s

Contained Br - c.a. 0.9 lb

Contained S - c.a. 2.3 lbs

Oil-soluble dyes	22 lbs
Di-C ₁₀ -thio(dibutylhydroxy)benzyl phosphonothioate	10 lbs
Misc. Stock Room organics	8 lbs
Molybdenum hexacarbonyl	3 lbs
Calcium carbide	3 lbs
Charcoal	2 lbs
Boron trifluoride-amine complex	2 lbs
Phenylisocyanate	1 lb
Butyl lithium	1 lb
Benzidine	1 1b
	6 ''
	53 lbs

Contained S - c.a. 0.8 lb

Contained Br - c.a. 0.1 lb

Plastic additives	ll lbs
Misc. Stock Room organics	7 lbs
Spent catalysts	4 lbs
Misc. organometallics	4 lbs
Cyclopentadienenickel	3 lbs
Ammonium isothiocyanate	3 lbs
Dichlorobenzidine	2 lbs
Charcoal	2 lbs
Octyl phthalate	1 lb
Dodecyl gallate	1 lb
Phosphorus sesquisulfide	1 1b
Diethyl thiourea	1 lb
Dithiobisstearyl propionate	1.1b
Dithiobenzene thiazole	1 lb
Mercapto benzothiazole	l lb
Sodium aminonaphtho disulfonic acid	1 lb
	44 lbs

Contained S - c.a. 2.6 lbs

<u>LP-101</u>

Di-C ₁₀ -dibutylhydroxybenzyl phosphonodithioate	25 lbs
Tetrabutylbiphenol	15 lbs
Carbon catalyst	10 lbs
Dimethyl itaconate	10 lbs
Misc. lab. organics and Stock Room chemicals	7 lbs
Methylenebis(dibutylphenol)	5 lbs
Aluminum chloride (organic-contaminated)	5 lbs
Ethyleneglycol methacrylate	5 lbs
Hydrazine	2 1bs
Anilines	2 lbs
Alkylated anilines	2 lbs
Toluenediamine	2 lbs
Ethylhexylpyrophosphate	2 lbs
Amides	1 lb
Pinene	1 lb
Dibutylcresol	1 lb
Dicyclohexylcarbodiimide	1 lb
	96 lbs

Contained Br - c.a. 0.1 lb

Contained S - c.a. 2.1 lbs

LP-102

Misc. Stock Room organic chemicals	12 lbs
Glue	8 lbs
C ₂₀ Alcohols	4 lbs
Tetraethyltin	4 lbs
Tetraphenyllead	4 lbs
Biphenol	2 lbs
Dipropyltin dichloride	1 1b
Petrolatum	1 1b
Phenol	1 lb
Bromophenol	l lb
Amberlite resin	1 1b
Misc. sulfur compounds	1 1b
	40 lbs

Contained Br - c.a. 1.1 lb

Contained S - c.a. 0.2 lb

C ₂₀ Alcohols	15 lbs
Polyisobutenyl succinimides	ll lbs
Chlorophenyl hydroxyphenyl sulfide phosphates	9 lbs
Polystyrene powder	5 lbs
Dimethylphenol	4 lbs
Butylphenol	4 lbs
Phenyl borates	4 lbs
Misc. organic sulfides	2 lbs
Acetyl ferrocene	2 lbs
Oil blends	2 lbs
Dibutylphenol-formaldehyde	2 lbs
Manganese gasoline additive	1 lb
Molylube	1 lb
Misc. organic samples	l lb
	63 lbs

Contained S - c.a. 1.8 lb

Polymethylene anilines	25 lbs
Misc. laboratory samples	5 lbs
Toluidine derivatives	4 lbs
Hydroxymethyl dibutylphenols	4 lbs
Dibutylphenol-formaldehyde	4 lbs
Phosphides (Zu, Ca, Cu)	3 lbs
Titanium	2 lbs
Butylsulfone	2 lbs
Mercaptobenzothiazole	2 lbs
Dimethylthiocarbamyl disulfide	2 lbs
Lithium oxide	1 lb
Chlorobenzene sulfonic acid	1 lb
Camphor sulfonic acid	1 lb
Other organosulfur compounds	1. lb.
	57 lbs

Contained S - c.a. 2.3 lbs

			STATE OF MICHIGAN														Ho.	
		W	AST DISPOSAL MANIFEST	Act 64 Was	te (H/ DOUS)		Act 136 \	Vaste	(OTHE	R)			M	;)](001	. 1	
		1	enerator ame Primary Transporter's Name									_		isposai				
			thyl Corporation	Nelson Industrial Services						Nelson Industrial Services								
ı	_		Address 1600 W. Eight Mile Road	Transporters Address 12345 Schaefer					Fac	Facility Address 12345 Schaefer								
	TION		Femdale, Michigan 48220	i .	Michigan 48227	•			- 11						n 4	18227		A
Femdale, Michigan 48220 Phone Number 12345 Schleder 12345 Schleder																		
	Ę		13) 399-9600	(313) 933	3-1500					(313) 933-1500								
	ΙĐΕ	Ger	erator's Site EPA I.D. Number	Transporter's EP	A I.D. Number				17	ility Si								
					8,0,1,1,9,9,2,				M	$I_{ D }$	0 9	18	0 1		<u>919</u>	<u> 12 1 </u>		
			If more than one Transporter is to be utilized, give the Name a	nd EPA I.D. Numb	er of each:													
١		ان				l		1	Cont	ainer	T	Forn	,	Γ			Τ	Hazardou
3		ON L	U.S. D.O.T. Shipping Name		D.O.T. Hazard Class	U.N./I	N.A. No.	Haz. Class			1			Weigl	nt or	Volume	Units	
-		5						Code	No.	Туре	Soli Liqt Ga			ชื่อ Weight or Volume				Number
181	ž	1.	Tinenderic Monto Tienda e o		CDM E	NT N	0100		1.4					ł		_		TD 0.0.3
5	ATIO		Hazardous Waste, Liquid, n.o.s.		ORM-E	IVA	9189		10	Gl.		X		 	TTIC	0 10 5	lbs	D ₁ 0 10 12
5	J.H.M	2.	Hazardous Waste, Liquid, n.o.s.		ORM-E	NA	9189	1	14	GI.		х		1	1 4	1914	lbs	D 0 0 2
	IN F																	
3	WASTE INFORMATION	3.	Hazardous Waste, Liquid, n.o.s.	·	ORM-E	NA	9189		6	Gl.		X	1			4 2	Ibs	D 0 0 2
Ī	š	4.	Hazardous Waste, Liquid, n.o.s.		ORM-E	<u></u> እፐለ	9189		1	Gl.					1 1.	1510	lbs	D 0 0 2
Hazardous Waste, Liquid, II. O. S.					Oldvi ti	111.7	7107	L		O+0	┼┼	+	+		11	777	1200	12101015
5 Hazardous Waste, Liquid, n.o.s.			Hazardous Waste, Liquid, n.o.s.		ORM-E	NA	9189		1	Gl.					LL	117	lbs	D 0 0 2
		6.	TY		ODIA P	TA TA	0100		,	PE		İ).c 0	1ha	D. 0.0.2
1		1	Hazardous Waste, Liquid, n.o.s.		ORM-E	IVA	9189	<u> </u>	<u> </u>	PL		Щ.	لــــــــــــــــــــــــــــــــــــــ		112	1210	LIUS.	D ₁ 0 ₁ 0 ₁ 2
1	NTS	It	em 1) - Glass containers of sulfuric a															
	MM	•	wood; Item 3) - Perchloric acidgla		•							/dri	lde	g]	ass.	, WC	oden	crate;
	8	i	em 5) - 90% Nitric acidglass, polys				<u> </u>				r _e							
	GE	NER	ATOR CERTIFICATION: I certify that the above named materials and are in proper condition for transportation according to the ap-	are properly class	sified, described, packaged,	marked	and Gen	erator (Signatu	re								Date Shipped D. DAY YEAR
-	U.S	S. EP	A. I further certify that the information contained on the manifest is	factual. I understa	nd that the failure to accurat	ely repo	rt ali		1	. I							""	, 5711 (2111
			tion requested by the manifest constitutes a violation of 1979 PA64 administrative and court proceedings.	and/or PA136. I fur	ther understand that this mar	iifest ma	y be	(\searrow	0	0	m	V		9	1.14.83
1	НА	ULE	R'S CERTIFICATION: I certify acceptance of the above identified	Transporter	11162 17		Trar	sporte	Signa	ibre	Y			-			180	te(s) Received
ŝ			for transportation: I further certify that I shall deliver the hazardou together with this manifest, only to the destination specified by the	I.D. No.	10. 1 1 12-13		@ ($M_{ m M}$	Mel	$\langle \Box \rangle$	(V	10	$\underline{\mathcal{L}}$				$ \Omega$ Δ	1/1/183
	generator on this manifest. I understand that this manifest can be used in Transporter Subsequent transporter(s) signature(s)																	
٤	administrative and court proceedings. Vehicle I.D. No's If the shipment cannot be delivered, describe the reasons for non-delivery.																	
				•														
,	TS	DF C	ERTIFICATION: I certify receipt at this facility of the above identif	ied wastes and tha	it this facility is licensed to a	ccept th	ose TSD	F Signa	ature	•						Accepted	D	ate Received
			I also certify that the wastes were accompanied by a manifest prop s the destination indicated on the manifest. I understand that this m					lity Site	EPA	I.D. Nu	mber		····	1		Rejected	1	
<u>'</u>			any significant discrepancies between manifest and shipment.					1_1_	ш			<u> </u>	L_	 				1 1 1 1 1
	~03		any arguments discrepations setween mannest and surptions.															

0100114

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES
OFFICE OF HAZARDOUS WASTE MANAGEMENT BOX 30030 LANSING, MICHIGAN 48909

LARACTERIZATION

SECTION A. WASTE GENERAT	OR IDENTIFICATION I	NFORMATION
EPA IDENTIFICATION N MID 041803		
BUSINESS NAME Ethyl Corpo	ration	
ADDRESS 1600 W. Eig	ht Mile Road	
CITY	STATE	ZIP CODE
Ferndale,	Michigan	48220
		TELEPHONE NUMBER

MASIE CHANACTERIZATION	Luiyi Coip	Ordrion	· · · · · · · · · · · · · · · · · · ·			
REPORT	ADDRESS 1600 W. E	ADDRESS 1600 W. Eight Mile Road				
	CiTY	STATE	ZIP CODE			
	Ferndale,	Michigan	48220			
NAME AND TITLE OF CONTACT PERSON			TELEPHONE NUMBER			
C. P. Jarema	•	(313) 399-9600			
SECTION B. COMMON NAME OF THE WASTE	· · · · · · · · · · · · · · · · · · ·					
ENTER TYPE OF WASTE (i.e. common name) characterized of	n this form and the source	or process from which it was	produced.			
Mineral Acids						
SECTION C. LISTED HAZARDOUS WASTE			HAZARDOUS			
1. If the waste is listed in tables 301 a, b, c, or d of Rule	299.6308, 299. 6309, 299.6	310 or 299.6311, respective	y or table <u>WASTE NO.</u>			
305 of Rule 299.6317, enter the hazzrdous waste no			Landon-land			
2. If the waste is a discarded commercial chemical pr						
container or spi:: residue of a substance listed in T						
Table 302 b or c, Rule 299.6313 or 299.6314, respe		ou\$	t 1 1)			
waste number from the applicable table		COMPONENT	.,:			
3. If waste contains any substances listed in table 302		CONCENTRATION	,			
Rule 299.6312, 299.6313,or 299.6314, respectively, et		to %				
hazardous waste number(s) from the applicable tab	le AND record	to 9				
the component concentrations.		to %	70 <u>L.L.L.L</u>			
4. If the waste contains viable desease-causing agents			6 3 E 1 T			
Rule 299,6316, enter the hazardous waste number(s	s) from the table	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
SECTION D. HAZARDOUS WASTE BASED ON CHARL						
. Ignitable Wastes	Test R	esults Paramete	rs Reference			
5a. Liquid flash point test (squeous solutions						
containing less than 24% alcohol by volume			000 0004 (-1.72)			
are excluded from this test).	to	oc Flash Pt. 60	0°c 299.6201 (c) (i)			
5b. Non-liquid — is it ignitable based on	 1	m	000 0004 () (")			
conditions stated in the reference?		No See Referen	nce 299.6201 (c) (ii)			
5c. Compressed gas — is the waste a flammable			40 OFD 5 170 000			
compressed gas as defined in the reference	? LJ Yes	☐ No See Refere	nce 49 CFR § 173.300			
5d. Oxidizer - Is the waste an oxidizer as			10 ODE 6 470 454			
defined in the reference?	☐ Yes					
5e. Enter "D001", as the hazardous waste number			rs listed of			
meets the definition of a hazardous waste b			Datament.			
6. Corrosive Wastes (concentrated salt solutions	Test F	Results Paramete	ers Reference			
are by definintion not coorosive)	2	_b	200 6001 (a) (3)			
6a. Aqueous Solution — ph test	<u></u>	_ ph See Referen				
6b. Liquid-Steel (type SAE 1020) corrosion test	· . · · · · · · · · · · · · · · · · · ·	mm/yr Rate 6.35 n	*			
6c. Albino rabbit skin test — Is the tissue			229.6201 (a) (iii) &			
destroyed or irreversibly changed?	☐ Yes		. 13. 0. 0. 2 .			
6d. Enter "D002", as the hazardous waste numb	er if the waste exceeds o	one or more of the parame	ters listed			
7. Reactive wastes						
7a. Is the waste normally unstable and capable	of undergoing violent ch	emical or physical change	Yes 🖾 No			
without detonating?			Yes X No			
7b. Does it react with water forming potentially						
7c. When mixed with water, does it generate to	xic gases, vapors, or fur	nes?	L Yes X No			
7d. Is it a sulfide or cyanide bearing waste while		conditions between 2 and	T2.5,			
can generate toxic gasses, vapors, or tumes			☐ Yes ☒ No			
7e. Is the waste capable of detonation or explo		cted to a strong	. n. k			
initiating source or it heated under confiner	nent?	•	Yes X No			
<u> </u>	- AMAR	27	P 4911 4/			

		•	
71. is	the waste capable of detonation or explosive decomposition or reaction at st	andard	
ter	nperature and pressure?		. 🔲 Yes 🖾 .
	the waste a forbidden explosive as defined in 49 CFR § 173.51?		Yes 🔯 No
-	the waste a Class / explosive as defined in 49 CFR § 173.53?		Yes 🛭 No
7i. fs	the waste a Class E explosive as defined in 49 CFR § 173.88?		Yes No
7i. If	the answer to any of the questions 7a through 7i is yes, enter "D003", as the	e hazardous waste number.	
	Wastes — Upon optaining on extract of the waste as described on	* Plezantous Waste No.	Concentration
	261, Appendix II, test for the components listed in Table 303,		mg/l
	315. For each component material that exceeds the extract		mg/l
concentrat	ion listed in the table, enter the hazardous waste number(s)		mg/l
	sted concentration(s):	<u> </u>	mg/i
SECTION E.	PHYSICAL STATE AT 25'		
9. What is	he average density of the material?	quid, 15 lbs/gal	
10. Solids: D	oes the material produce dust if exposed to air movement?		Yes No
	Sludge: What is the percent solids?		
	Do the solids settle out?		
	Can the material be pumped?		
	Can the material be poured.?		. 🛛 Yes 🔲 No
12. Liquia: A	t what temperature does it freeze?		
	that is the maximum pressure of the container?		
	OTHER INFORMATION:		
	he maximum quantity of this waste that is generated per month?		<u>50</u> kg
	y nazardous waste numbers listed on this form are the numbers that have been		
	numbers in the space provided if the component concentration (Item 3) and the q		
	i (Item 14) cause the waste to be considered as a notification waste based on R	-	
	figure A of R299.6701(2), or figure B of R299.6201 (3):		
	the hazardous was's numbers that have been entered under item 3, begin with	the letter "P" use	
	o determine if it is a notification waste. If the number begins or ends with the lette		
	nazardous wastes listed on this form disposed of onsite?		☐ Yes 🖾
	ste is a hazerdous waste, is it exempt under the small quantity		
	ns pursuant to R 103.6203(2) and (3)?		Yes X N
	were conducted in the evaluation of the waste, all of the following information	n	
	transmitted to the Department of Natural Resources with the waste character		
Record:	transmitted to the Department of National Nessources with the Waste character	TLE COLOR	
;	The analysis and the recent for determining that the earner		
(a)	The sampling procedure and the reasons for determining that the sample		
	is representative of the waste		•
(b)	The results of all tests conducted.		
(c)	The accuracy and precision of any test conducted.	·	
	U.S. DEPT. OF TRANSPORTATION REPORTING REQUIREMENTS		
	enals Description and Shipping Name		
MSZSTOOUS ME	Hazardous Waste, Liquid, n.o.s.		-
Nine of Circo	Hazardous Waste, Elquid, II, 0. 0.	UN/DA ID N	io.
Hazard Class	ORM-E	NA 918	
Consist Desert			
Special manch	ng and Shipping Requirements		
			
•		•	
if ti	ne waste is hazardous and not exempt or excluded from management,	or is a notification waste	, send the
cor	npleted form to the Department of Natural Resources, Office of Hazard	lous Waste Management,	P.O. Box
300	38, Lansing, MI 48909.		
		·	
	no Tex Thank and Analytic	cal Chemist	9-14-83
	Tamma Signature	Tribe .	Date
, L	idieild (i)		

**

ETHYL CORPORATION

RESEARCH AND DEVELOPMENT DEPARTMENT RESEARCH LABORATORIES (1600 WEST EIGHT MILE ROAD FERNDALE, MICHIGAN 48220 (313) 399-9800

July 9, 1981

U.S. Environmental Protection Agency 230 South Dearborn Chicago, Illinois 60604

Attention: Mr. A. Debus

Dear Sirs:

In response to your request we are restating the information on page 3 of our U.S. Environmental Protection Agency Hazardous Waste Permit Application (EPA Form 3510-3) for EPA ID No. MID 041803123. The restated information is in the units of measure of estimated annual quantity of waste:

IV. Description of Hazardous Wastes

Line <u>No.</u>	A. EPA Hazard, Waste No.	B. Estimated Annual Quantity of Waste	C. Unit of <u>Measure</u>	D. Pr 1. Process Codes	ocesses 2. Process Description
1	F 002	6,400	P	S01	Shipped off site for disposal
2	F 004	5,600	P	S01	n .
3	F 005	21,000	P	S01	IT

If you need any additional information, please contact me.

Very truly yours,

C. J. Worrel

Supervisor of Safety & Security

CJW/lcb

MEMO

To: File

From: Kathleen Miller

Date: 9/20/10

RE: Hayes Lemmerz Tech Svc (EPA ID# MID 041 803 123)

Summary of Phone Conversations:

On September 15, 2010, I attempted to call the contact person per RCRA Info. The phone number was disconnected and no longer in service. I did an online search and located the main corporate phone number and was told that Michael Koffman, Health & Safety Manager would be the appropriate person to direct my questions. On September 20th, Mr. Koffman returned my call. During our phone conversation, Mr. Koffman informed me that they've owned the property since 1999 but for the past four years the facility has been empty and up for sale. Before 1999, the Ethyl Corp., owned and operated a testing facility and has been held responsible for the contamination found when the PAVSI report was conducted back in 1992. The site is on Michigan's Part 201 Site List and has Ethyl Corp., as the responsible party. According to Mr. Koffman, the MDEQ/DNRE is aware of the contamination but the site is not a state lead site because contamination is not significant enough. Per the last intern's notes, back in 2008, there was no activity in regards to cleaning up the contamination. I also checked the Michigan DEQ Part 201 website and discovered that the status to clean-up the contamination is still "inactive" and has been since it was scored in 2004.

The company representative stated that the site does not have significant amounts of contamination and believes that is why the site is not on the state's "radar". I'm not sure that this site warrants our attention but perhaps we should recommend that the state (MDEQ/DNRE) take the initiative and clean up the contamination?

Updated contact info for this facility:

Hayes Lemmerz Tech Svc. 1600 W. 8 Mile Rd. Ferndale, MI 48220

Corporate phone number: 734-737-5000

Michael Koffman, Health & Safety Manager

Tel: 734-737-5155





Matching sites: 171 Save Results

Site ID: 63000001

Site Name: 11 Mile and Orchard LK Rd Site Address: 31655 West 11 Mile Road

City: Farmington Hills Zip Code: 48024 County: Oakland

Source: Nonclassifiable Establishments

Pollutant(s): Benzene; Ethylbenzene; Toluene; Xylenes

Score: 0 out of 48

Score Date: 10/1/1990 12:00:00 AM Township: 01N Range: 09E Section: 22 Quarter: NE Quarter/Quarter: NE

Status: Delisted - no longer meets criteria specified in rules

Site ID: 63000004

Site Name: Anderson Heat Treat Site Address: 23390 Telegraph Road

City: Southfield Zip Code: 48076 County: Oakland

Source: Metal Coating & Allied Service Pollutant(s): Cu; CN; Pb; Ni; Zn

Score: 32 out of 48

Score Date: 1/5/2004 11:40:11 AM Township: 01N Range: 10E Section: 28 Quarter: SW Quarter/Quarter: NW

Status: Inactive - no actions taken to address contamination

Site ID: 63000005

Site Name: Anderson Municipal LF

Site Address: 50250 W 8 MILE RD (@GARFIELD)

City: Novi Zip Code: 48050 County: Oakland

Source: Refuse Systems

Pollutant(s): Domestic comm; Heavy mfg

Score: 28 out of 48

Score Date: 1/22/2004 12:51:10 PM Township: 01N Range: 08E Section: 31 Quarter: SW Quarter/Quarter: SE

Status: Inactive - no actions taken to address contamination

Site ID: 63000007

Site Name: J and L Landfill Site Address: Hamlin Road City: Rochester Hills Zip Code: 48063 County: Oakland

Source:

Pollutant(s): 1,4 DCB; MEK; 2-Methoxyethanol; 4,4'-DDE; 4,4'-DDT; Acetone; Al; Sb; As; Ba; Benzene; Be; Cd;

Chlorobenzene; Cr+3; Cu; CN; Ethylbenzene; Heptachlor epoxide; Fe; Pb; Mg; Mn; Naphthalene; Ni; Na; Tl; Toluene; TCE; V;

Xylenes;

Score: 29 out of 48

Score Date: 3/7/2007 2:41:16 PM Township: 03N Range: 11E Section: 24 Quarter: SE Quarter/Quarter: SE

Status: Remedial Action in Progress (may incl. use restrictions, O&M and/or monitoring)

Site ID: 63000009

Site Name: Booker Property

Site Address: 8440 FISH LAKE RD

City: Holly

Zip Code: 48442 County: Oakland

Source: Private Households

Pollutant(s): Cd; Pb; Ni; Phenol; PCB's; Zn

Score: 23 out of 48

Score Date: 1/16/2004 10:51:45 AM Township: 04N Range: 07E Section: 28

Quarter: NW Quarter/Quarter:

Status: Inactive - no actions taken to address contamination

Site ID: 63000011

Site Name: Buckeye Qil Pipeline Release

Site Address: 7770 Deerhill Drive (parcel-west side) City: Independence Twp

City: Independence Tw Zip Code: 48346 County: Oakland

Source:

Pollutant(s): Chem prod mfg

Score: 18 out of 48

Score Date: 1/6/2004 1:23:17 PM
Township: 04N Range: 09E Section: 19
Quarter: NW Quarter/Quarter: SW
Status: Interim Response in progress

Site ID: 63000014

Site Name: Cardinal Land Corp Veterans LF Site Address: 2571 HAMLIN RD (former)

City: Rochester Hills

Zip Code:

County: Oakland Source: Refuse Systems

Pollutant(s):

Score: 27 out of 48

Score Date: 7/13/2004 2:50:59 PM Township: T2N Range: R10 Section:

Quarter: Quarter/Quarter: Status: Evaluation in progress

Site ID: 63000015

Site Name: Christianson Adams Rd Dumpsite LF

Site Address: 2991 HAMLIN RD (NE corner Adams Rd)

City: Rochester Hills Zip Code: 48063 County: Oakland Source: Refuse Systems

Pollutant(s): Pb; Mn; Toluene; TCE; Xylenes

Score: 24 out of 48

Score Date: 1/6/2004 3:38:55 PM
Township: 03N Range: 11E Section: 29
Quarter: NW Quarter/Quarter: NW
Status: Evaluation in progress

Site ID: 63000016

Site Name: Clarkston Rd Area LF Site Address: 6440 Clarkston Rd

City: Clarkston
Zip Code: 48016
County: Oakland
Source: Refuse Systems
Pollutant(s): As; Pb
Score: 20 out of 48

Score Date: 1/9/2004 10:13:34 AM Township: 04N Range: 09E Section: 21 Quarter: NW Quarter/Quarter: SE

Status: Interim Response conducted - No further activities anticipated

Site ID: 63000017

Site Name: Collier Rd LF Pontiac Site Address: 575 Collier Road

City: Pontiac Zip Code: 48055 County: Oakland

Source:

Pollutant(s): Asbestos; TCE; VC; Zn

Score: 28 out of 48

Score Date: 9/14/1990 12:00:00 AM Township: 03N Range: 10E Section: 09

Quarter: NW Quarter/Quarter:

Status: Inactive - no actions taken to address contamination

Site ID: 63000018

Site Name: Davis Mfg Clawson Site Address: 930 N MAIN

City: Clawson **Zip Code: 48017** County: Oakland Source: Unknown

Pollutant(s): 1,2 DCA; TCE; VC

Score: 43 out of 48

Score Date: 1/16/2004 12:42:28 PM Township: 02N Range: 11E Section: 34 Quarter: NW Quarter/Quarter: SW Status: Interim Response in progress

Site ID: 63000019

Site Name: Delta Tube and Fabrication Corp Site Address: 4149 GRANGE HALL RD

City: Holly Zip Code: 48442 County: Oakland

Source: Paints & Allied Products

Pollutant(s): Pb Score: 32 out of 48

Score Date: 1/9/2004 2:43:32 PM

Township: 05N Range: 08E Section: 22 Quarter: NW Quarter/Quarter: SE

Status: Inactive - no actions taken to address contamination

Site ID: 63000020 Site Name: Ethyl Corp.

Site Address: EIGHT MILE RD & PINECREST

City: Ferndale Zip Code: 48222 County: Oakland

Source: Eng Acct Research Mgt/Service

Pollutant(s): Cd; TCM; Pb; THF

Score: 22 out of 48

Score Date: 1/22/2004 2:49:25 PM Township: 01N Range: 11E Section: 33

Quarter: SW Quarter/Quarter: SE

Status: Inactive - no actions taken to address contamination

Site ID: 63000021

Site Name: Fisher Clnrs and Laund Pontiac Site Address: 8311 HIGHLAND RD

City: White Lake Township

Zip Code: 48054 County: Oakland

Source: Laundry Dry Cleaner

Pollutant(s): PCE Score: 17 out of 48

Score Date: 1/22/2004 1:41:14 PM Township: 03N Range: 08E Section: 24 Quarter: NE Quarter/Quarter: NE

Status: Inactive - no actions taken to address contamination

Site ID: 63000022

Site Name: Ford Motor Co Wixom

Site Address: 28601 South Wixom Rd (Oakland Access)

City: Wixom

Zip Code: 48393-3411 County: Oakland Source: Pollutant(s): Cd; Pb

Score: 29 out of 48 Score Date: 9/19/1991 12

Score Date: 9/19/1991 12:00:00 AM Township: 01N Range: 08E Section: 07

Quarter: Quarter/Quarter:

Status: Remedial Action in Progress (may incl. use restrictions, O&M and/or monitoring)

Site ID: 63000024

Site Name: Great Lakes Container Corporation

Site Address: 415 COLLIER RD

City: Auburn Hills Zip Code: 48055 County: Oakland

Source: Fabricated Metal Products
Pollutant(s): Cd; Dieldrin; Pb; Ni; Toluene

Score: 39 out of 48

Score Date: 2/22/2005 3:04:24 PM
Township: 03N Range: 10E Section: 08
Quarter: NE Quarter/Quarter: NE
Status: Remedial Action In progress

Site ID: 63000025

Site Name: Hi-Mill Manufacturing Co. Site Address: 1704 Highland Road

City: Highland Zip Code: 48031 County: Oakland

Source: Fabricated Pipe & Fittings

Pollutant(s): TCE; VC Score: 41 out of 48

Score Date: 1/12/1993 12:00:00 AM
Township: 03N Range: 07E Section: 23
Quarter: NE Quarter/Quarter: NW
Status: Evaluation in progress

Site ID: 63000027

Site Name: Holly Containers Inc Site Address: 422 N. Saginaw St

City: Holly Zip Code: County: Oakland

Source:

Pollutant(s): Oil & grease Score: 27 out of 48

Score Date: 10/23/1991 12:00:00 AM Township: 05N Range: 07E Section: 34 Quarter: NW Quarter/Quarter: NW

Status: Inactive - no actions taken to address contamination

Site ID: 63000028

Site Name: House of Imports Site Address: 6841 Rochester

City: Rochester Hills Zip Code: 48063 County: Oakland

Source: Fabricated Metal Products Pollutant(s): CN; Ni; PCB's



Department of Environmental Quality



Michigan.gov

DEQ Home | WDS Home | Online Services | Programs | Site Map | Contact DEQ

Search

WDS Quick Search -- :-

What's this?

Advanced Search

Result List



WDS Online

Site ID

Site Identification

<u>CME</u>

Compliance Actions

Evaluations

Violations

Manifests

Manifests

PCA

Authorized Waste Codes

Corrective Actions

Permitting

User Charges

User Charges

395519 / MID041803123 HAYES LEMMERZ TECH SVC INC

Site Information

WMD ID

MID041803123 395519

SOUTHEAST MICHIGAN

Site Legal Name Site Specific Name HAYES LEMMERZ TECH SVC INC

HAYES LEMMERZ TECH SVC INC

NAICS Codes

Site ID

District

541512 - Computer Systems Design Services 332997 - Industrial Pattern Manufacturing

541380 - Testing Laboratories

Location Address

1600 W 8 MILE RD FERNDALE, MI 48220-2202

County: OAKLAND Country: U.S.A.

Mailing Address

1600 W 8 MILE RD FERNDALE, MI 48220-2202

County: OAKLAND

Country: U.S.A.

Site Owners / Operators

Name	Org Type	Active	Inactive	Owner	Operator
HAYES LEMMERZ INTERNATIONAL INC	Private	2/3/1999		Yes	Yes
TC REALTY INC	Private	1/3/1999	2/3/1999	Yes	No
ETHYL CORP	Private	11/19/1962	2/3/1999	No	Yes

Current Site Activities

Discovery Date

Source

Activity

2/20/2006

Biennial Reporting (Site)

Hazardous Waste Activities

Conditionally Exempt Small Quantity Generator

Stores Onsite

Liquid Industrial Waste Activities

LIW Generator

+ click to expand:

Previous Site Activities

Site Comments

Date	Туре	Comment
2/20/2006	111/121-HW/LIW	2005 BIENNIAL REPORT - FACILITY REPORTED THEY ARE A CESQG, LIW GENERATOR AND STORES WASTE ON SITE-ES.
7/28/2004	111/121-HW/LIW	2003 ANNUAL REPORT - CHANGED THEIR GENERATOR STATUS TO CESQG, EVERYTHING ELSE THE SAME - GEK
9/19/2003	111/121-HW/LIW	2002 ANNUAL REPORT - ADDED NAICS CODE NUMBER, TAX ID NUMBER, NUMBER OF EMPLOYEES, NEW PHONE AREA CODE, YEAR OF OWNERSHIP, EVERYTHING ELSE THE SAME - GEK
9/11/2002	111/121-HW/LIW	STORES WASTE ON SITE AS CONFIRMED BY HWPS-ES.
3/1/2001	111/121-HW/LIW	GENERATOR STATUS CHANGE PER C. SILVA, PER SUBS NOTIFICATION, 8-21-00, NEW CO 11-17-95 FROM LARGE QUANTITY GENERATOR TO SMALL QUANTITY GENERATOR. 1-18-96 JDL NAME, NEW OWNERSHIP, NEW CONTACT PERSON CHANGE OF STATUS FROM LARGE QUANTITY GENERATOR TO SMALL QUANTITY GENERATOR. 8-21-00 JDL

Michigan.gov Home | DEQ_Home | WDS Home | Online Services | Programs | Site Map | Contact_DEQ_State Web Sites | Privacy Policy | Link Policy | Security Policy Copyright @ 2010 State of Michigan



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 5

MEMORANDUM

DATE: SUBJECT:	Determination of Need for an Inve Facility Name: <u>CMI Tech Cen</u> EPA ID #: <u>MID 041 103 123</u>	der (Hayes Lemmerz Tech)	
FROM:	Kathleen Miller, Environmental Protection		
TO:	George Hamper, Chief, Corrective	Action Section 2	
recommend	the following determination rega	arding the need for an investigation:	
CA070NO	Determination of Need for an Inve	stigation-Investigation is not Necessary	
	n for Determination		
<u></u> Pre Pre	liminary Assessment/Visual Site Ins	spection (PA/VSI) did not recommend an	y further investigation
==	VSI recommendations do not warra		, -
Pha	se 1 Environmental Site Assessmen	nt (ESA) did not recommend further inves	stigation
	se 2 ESA did not recommend further		
	se 1/Phase 2 ESA recommendation		
	npany representative asserts that the	e site is clean	
	subject to corrective action		
	olled in other clean-up program		
	VSI recommendations have been in	nplemented	
	erfund Removal		
Part	ticipating in Voluntary Remediation	n Program	
Cor	npleted Voluntary Remediation Pro	ogram	
□Sup	erfund Remedial Action		
	erfund No Further Action Decision		
Sup	erfund Base Relocation and Closure	e	
Oth			
CA070YE	Determination of Need for an Inves	stigation – Investigation is Necessary	
	o for Determination		
ПРА	VSI recommends further investigat	ion	
	A recommends further investigation		
☐Oth	er Krimman A. SC.	be completed as a stock-land	This the NOTE 10
	ination can be made – More Inform	mation Needed	
12 10 0002 111	industrial be made 191010 miori	mation record	Part with
			. + 4 - 200 ⁶
	Approved	☐Not Approved	*A.A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
			the first has been been been been been been been bee
Signed	*	Date:	the size of the
			Tenisario Par Willy

Determination: Characterize the extent of soil and GW contamination PA/VSI Or RFA FILE REVIEW CHECKLIST

Facility Name: Hayes Lemmerz Tech Svc Inc. (CMI Tech Center Inc.)					
EPA ID: MID 041 803 123 City: Ferndale State: MI					
Name of Reviewer: Maureen McHugh Date of Review: 8/7/08					
1	Yes	No	Is this a one folder site?		
2	Yes	No	Are there Superfund files for this site?		
3	Yes	No	Did you Read the Executive Summary?		
			There are:4_ SWMUs and0_ AOCs at this site.		
4	Yes	No	Did you review the regulatory history?		
5	Yes	No	Does the facility have interim status or a permit?		
			This facility is a:X_ (CE)SQG, LQG, or Less than 90 day.		
6	Yes	No	Was the Facility closed per RCRA?		
			If Yes, was the closure: CC, or CIP.		
7	Yes	No	Are there documented (historical) releases? Briefly describe on Page 2.		
8	Yes	No	Were there releases identified during the inspection? Briefly describe on Page 2.		
9	Yes	No	Do you agree with the Conclusions and Recommendations?		
			If No, briefly describe on Page 2.		
		70,700,000,000,000,000,000,000,000,000,			
As a	result (of your r	eview of the PA/VSI or RFA file, please classify this site as:		
No further corrective action recommended or warranted: These are sites that closed the regulated units and any other SWMUs or AOCs at the site did not warrant any further corrective action (no historic releases or					
evidence of releases observed during the Visual Site Inspection).					
XFurther Action Required: Soil or sediment sampling or groundwater sampling or monitoring or any type of investigation that was recommended in the report in response to a documented or observed release at any SWMU or AOC and where such investigation, whether being addressed during the inspection or after, does not have the necessary documentation in the facility record files.					
	More Information Needed: There is no RFA, PA/VSI or RCRA closure information available.				

PA/VSI Or RFA FILE REVIEW CHECKLIST

Notes
Briefly describe any documented (historical) releases for any SWMU or AOC recorded in the report. For each release, please identify the SWMU or AOC and a one or two line description of release.
Organic contamination in the soil at SWMU2. Groundwater contamination was also present at 1-5ug/L of toluene and chloroform and 40-400ug/L of tetrahydrofuran. Traces of organic contamination at SWMU3
sk
Briefly describe any releases observed during the inspection for any SWMU or AOC recorded in the report. For each release, please identify the SWMU or AOC and a one or two line description of release.
PA/VSI Recommendations
PA/VSI Recommendations Characterize the extent of soil and groundwater contamination at SWMU2 and 3
Characterize the extent of soil and groundwater contamination at SWMU2 and 3
Characterize the extent of soil and groundwater contamination at SWMU2 and 3 Looked up in MI's Part 201 Site List and Ethyl Corp, which is located at the same intersection and is presumably the



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF:

HRE-8J

June 25, 1992

Mr. Jeff Norton CMI Southfield 26290 West 8 Mile Road Southfield, Michigan

Re:

CMI Southfield (formerly Ethyl Corporation) Ferndale, Michigan MID 041 803 123

Dear Mr. Norton:

As indicated in the letter of introduction sent to you on January 21, 1992, the U.S. Environmental Protection Agency is enclosing a copy of the final Preliminary Assessment/Visual Site inspection (PA/VSI) report for the referenced facility. The executive summary and conclusions and recommendations sections have been withheld as Enforcement Confidential.

If you have any questions, please call Francene Harris at (312) 886-2884.

Sincerely yours,

Kevin M. Pierard, Chief

Minnesota/Ohio Technical Enforcement Section

RCRA Enforcement Branch



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF:

HRE-8J

January 21, 1992

Mr. Jeff Norton CMI Southfield 26290 West 8 Mile Road Southfield, Michigan

Re:

Visual Site Inspection CMI Southfield (formerly Ethyl Corporation) Ferndale, Michigan MID 041 803 123

Dear Mr. Norton:

The United States Environmental Protection Agency (U.S. EPA) Region V will conduct a Preliminary Assessment including a Visual Site Inspection (PA/VSI) at the referenced facility. This inspection is conducted pursuant to the Resource Conservation and Recovery Act, as amended (RCRA) Section 3007 and the Comprehensive Environmental Response, Compensation, and Liability Act, as amended (CERCLA) Section 104(e). The referenced facility has generated, treated, stored, or disposed of hazardous waste subject to RCRA. The PA/VSI requires identification and systematic review of all solid waste streams at the facility. The objective of the PA/VSI is to determine whether or not releases of hazardous wastes or hazardous constituents have occurred or are occurring at the facility which may require further investigation. This analysis will also provide information to establish priorities for addressing any confirmed releases.

The visual site inspection of your facility is to verify the location of all solid waste management units (SWMUs) and areas of concern (AOCs) to make a cursory determination of their condition by visual observation. The definitions of SWMUs and AOCs are included in Attachment I. The VSI supplements and updates data gathered during a preliminary file review. During this site inspection, no samples will be taken. A sampling visit to ascertain if releases of hazardous waste or constituents have occurred may be required at a later date.

Assistance of some of your personnel may be required in reviewing solid waste flow(s) or previous disposal practices. The site inspection is to provide a technical understanding of the present and past waste flows and handling, treatment, storage, and disposal practices. Photographs of the facility are necessary to document the condition of the units at the facility and the waste management practices used.

The VSI has been scheduled for February 4, 1992 at 10:00 a.m. The inspection team will consist of Kevin Schnoes and Deb Harrity of PRC Environmental Management, Inc., a contractor for the U.S. EPA. Representatives of the Michigan Department of Natural Resources (MDNR) may also be present. Your cooperation in admitting and assisting them while on site is appreciated.

The U.S. EPA recommends that personnel who are familiar with present and past manufacturing and waste management activities be available during the VSI. Access to any relevant maps, diagrams, hydrogeologic reports, environmental assessment reports, sampling data sheets, environmental permits (air, NPDES), manifests and/or correspondence is also necessary, as such information is needed to complete the PA/VSI.

If you have any questions, please contact me at (312) 886-4448 or Francene Harris at (312) 886-2884. A copy of the Preliminary Assessment/Visual Site Inspection Report, excluding the conclusions and Executive Summary portion will be sent when the report is available.

Sincerely yours,

Kevin M. Pierard, Chief

OH/MN Technical Enforcement Section

enclosure - Attachment I

cc:

Ken Burda, MDNR - Lansing Dennis Drake, MDNR - Lansing Ben Okwumabua, MDNR - Livonia

ATTACHMENT I

The definitions of SWMU and AOC are defined as follows:

A SWMU is defined as any discernable unit where solid wastes have been placed at any time from which hazardous constituents might migrate, regardless of whether the unit was intended for the management of a solid or hazardous waste.

The SWMU definition includes the following:

- RCRA regulated units, such as container storage areas, tanks, surface impoundments, waste piles, land treatment units, landfills, incinerators, and underground injection wells.
- Closed and abandoned units.
- Recycling units, wastewater treatment units, and other units that EPA has generally exempted from standards applicable to hazardous waste management units.
- Areas contaminated by routine and systematic releases of wastes or hazardous constituents, such as wood preservative treatment dripping areas, loading or unloading areas, or solvent washing areas.

An AOC is defined as any area where a release to the environment of hazardous wastes or constituents has occurred or is suspected to have occurred on a nonroutine or non-systematic basis. This includes any area where such a release in the future is judged to be a strong possibility.

PRC is requesting that the following facility information (if appropriate and available) be provided at the February 4, 1992 visual site inspection:

- 1. A detailed map of the facility
- 2. Facility history, including dates of operation
- 3. Current facility operations
- 4. Processes that generate waste materials stored or disposed at the facility
- 5. Disposal of wastes generated at the facility
- 6. Security at the facility
- 7. Geological information and ground water and surface water uses in the area
- 8. Any permits the facility currently holds or has held in the past
- 9. Records of any spills that may have occurred at the facility
- 10. Descriptive operational information (location, dimensions, capacity, materials of construction, etc...), dates of start-up and closure, wastes managed, release controls, and release history for each SWMU

PRC Environmental Management, Inc. 233 North Michigan Avenue Suite 1621 Chicago, IL 60601 312-856-8700 Fax 312-938-0118



PRELIMINARY ASSESSMENT/ VISUAL SITE INSPECTION

T.C. REALTY, INC. (FORMERLY ETHYL CORPORATION) I ERNDALE, MICHIGAN MID 041 803 123

FINAL REPORT

Prepared for

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Waste Programs Enforcement Washington, DC 20460

Work Assignment No. : C05087

EPA Region :

 Site No.
 :
 MID 041 803 123

 Date Prepared
 :
 March 16, 1992

 Contract No.
 :
 68-W9-0006

PRC No. : 009-C05087MI2M

Prepared by : PRC Environmental Management, Inc.

Contractor Project Manager : (Kevin Schnoes)
Shin Ahn

Telephone No. : (312) 856-8700


EPA Work Assignment Manager : Kevin Pierard Telephone No. : (312) 886-4448

TABLE OF CONTENTS

Section	<u>Pag</u>	<u> 3e</u>	
EXEC	UTIVE SUMMARY ES-	- 1	
1.0	INTRODUCTION	1	
2.0	FACILITY DESCRIPTION	3	
	2.2 FACILITY OPERATIONS 2.3 WASTE GENERATING PROCESSES 2.4 HISTORY OF DOCUMENTED RELEASES 2.5 REGULATORY HISTORY	3 5 5 9	
	2.6.2 Flood Plain and Surface Water 2.6.3 Geology and Soils	10 10 11	
	2.7 RECEPTORS	12	
3.0	SOLID WASTE MANAGEMENT UNITS	13	
4.0	AREAS OF CONCERN	17	
5.0	CONCLUSIONS AND RECOMMENDATIONS	18	
REFE	RENCES	22	
Attach	<u>ments</u>		
A	EPA PRELIMINARY ASSESSMENT FORM 2070-12		
В	VISUAL SITE INSPECTION SUMMARY AND PHOTOGRAPHS		
С	VISUAL SITE INSPECTION FIELD NOTES		

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1	SOLID WASTE MANAGEMENT UNITS (SWMU)
2	SOLID WASTES 7
3	SWMU SUMMARY
	LIST OF FIGURES
Figure	Page Page
1	FACILITY LOCATION 4
2	FACILITY LAYOUT



PRC Environmental Management, Inc. (PRC), performed a preliminary assessment and visual site inspection (PA/VSI) to identify and assess the existence and likelihood of releases from solid waste management units (SWMU) and other areas of concern (AOC) at the TC Realty, Inc. (TCR), facility in Ferndale, Michigan. This summary highlights the results of the PA/VSI and the potential for releases of hazardous wastes or hazardous constituents from SWMUs and AOCs identified. In addition, a completed U.S. Environmental Protection Agency (EPA) Preliminary Assessment Form (EPA Form 2070-12) is included in Attachment A to assist in prioritization of RCRA facilities for corrective action.

The TCR facility is used for computer aided design (CAD), computer aided manufacturing (CAM), and product testing and analysis. The facility generates and manages the following waste streams: mineral spirits (D001), waste hydraulic oil, and waste motor oil. The facility has operated at its current location since 1987. The facility occupies 34 acres in an area of mixed use and employs about 110 people. The facility is a small-quantity generator of hazardous waste. Ethyl Corporation (Ethyl) owned the facility from 1936 to 1987. In 1983, Ethyl employeed about 50 people. On June 1, 1984, Ethyl donated the facility to the National Counsel for Community Development, Inc. (NCCD), a charitable organization; however, Ethyl remains responsible for any remedial action needed at the facility. CMI Tech Center, Inc. (CMI), purchased the facility from the NCCD on December 3, 1987. CMI has changed its name to TCR since then.

The PA/VSI identified the following 4 SWMUs at the facility:

Solid Waste Management Units

- 1. Former Drum Storage Area (DSA)
- 2. Burial Pit Area 1
- 3. Burial Pit Area 2
- 4. Container and Tank Storage Area (CTSA)

Releases of toluene, chloroform, and tetrahydrofuran to ground water from on-site burial pits have been documented in on-site monitoring well samples. Ethyl contends that the contaminants detected are either at too low a concentration to pose a threat to the environment, or are a result of monitoring-well installation. Ground water is not used as a source of drinking water in this area. Ground water in the area is not used for anything else.

The potential for a release to surface water is low. The nearest surface water body is a small isolated pond that measures about 100 feet by 50 feet about 1 mile southeast of the facility.



This pond does not appear to have any use. No other major surface water bodies exist in the vicinity of the TCR facility.

The potential for a release to the air is low. The SWMUs at the facility do not appear to emit vapors. Also, the facility has never had an air permit.

Releases of organic contaminants to the on-site soils have been documented. Drilling near the Burial Pit Area 1 (SWMU 2) in the northwest corner of the facility revealed organic contamination of subsurface soils.

No wetlands or sensitive environments exist within 4 miles of the facility. Also, there are no ground-water wells within 2 miles.

Access to the facility is restricted by a fence and a security guard system operating 24 hours a day, seven days a week. A logbook is kept to monitor on-site personnel.

The nearest residences are 1 mile adjacent to the east and west boundaries of the facility property.

PRC recommends that TCR and Ethyl continue with their monitoring programs. Also, the extent of soil and ground-water contamination should be determined.

1.0 INTRODUCTION

PRC Environmental Management, Inc. (PRC), received Work Assignment No. C05087 from the U.S. Environmental Protection Agency (EPA) under Contract No. 68-W9-0006 (TES 9) to conduct preliminary assessments (PA) and visual site inspections (VSI) of hazardous waste treatment and storage facilities in Region 5.

As part of the EPA Region 5 Environmental Priorities Initiative, the RCRA and CERCLA programs are working together to identify and address RCRA facilities that have a high priority for corrective action using applicable RCRA and CERCLA authorities. The PA/VSI is the first step in the process of prioritizing facilities for corrective action. Through the PA/VSI process, enough information is obtained to characterize a facility's actual or potential releases to the environment from solid waste management units (SWMU) and areas of concern (AOC).

A SWMU is defined as any discernible unit at a RCRA facility in which solid wastes have been placed and from which hazardous constituents might migrate, regardless of whether the unit was intended to manage solid or hazardous waste.

The SWMU definition includes the following:

- RCRA-regulated units, such as container storage areas, tanks, surface impoundments, waste piles, land treatment units, landfills, incinerators, and underground injection wells
- Closed and abandoned units
- Recycling units, wastewater treatment units, and other units that EPA has generally exempted from standards applicable to hazardous waste management units
- Areas contaminated by routine and systematic releases of wastes or hazardous constituents. Such areas might include a wood preservative drippage area, a loading-unloading area, or an area where solvent used to wash large parts has continually dripped onto soils.

An AOC is defined as any area where a release to the environment of hazardous waste or constituents has occurred or is suspected to have occurred on a nonroutine and nonsystematic basis. This includes any area where such a release in the future is judged to be a strong possibility.

The purpose of the PA is as follows:

- Identify SWMUs and AOCs at the facility
- Obtain information on the operational history of the facility
- Obtain information on releases from any units at the facility
- Identify data gaps and other informational needs to be filled during the VSI

The PA generally includes review of all relevant documents and files located at state offices and at the EPA Region 5 office in Chicago.

The purpose of the VSI is as follows:

- Identify SWMUs and AOCs not discovered during the PA
- Identify releases not discovered during the PA
- Provide a specific description of the environmental setting
- Provide information on release pathways and the potential for releases to each medium
- Confirm information obtained during the PA regarding operations, SWMUs, AOCs, and releases

The VSI includes interviewing appropriate facility staff, inspecting the entire facility to identify all SWMUs and AOCs, photographing all visible SWMUs, identifying evidence of releases, initially identifying potential sampling parameters and locations, if needed, and obtaining all information necessary to complete the PA/VSI report.

This report documents the results of a PA/VSI of the T.C. Realty, Inc. (TCR), facility in Ferndale, Michigan. The PA was completed on January 31, 1992. PRC gathered and reviewed information from the Michigan Department of Natural Resources (MDNR) and from EPA Region 5 RCRA files. The VSI was conducted on February 4, 1992. It included interviews with facility representatives and a walk-through inspection of the facility. Four SWMUs and no AOCs were identified at the facility.

PRC completed EPA Form 2070-12 using information gathered during the PA/VSI. This form is included in Attachment A. The VSI is summarized and three inspection photographs are included in Attachment B. Field notes from the VSI are included in Attachment C.

2.0 FACILITY DESCRIPTION

This section describes the facility's location, past and present operations (including waste management practices), waste generating processes, history of documented releases, regulatory history, environmental setting, and receptors.

2.1 FACILITY LOCATION

The TCR facility is located at 1600 West Eight Mile Road in Ferndale, Oakland County, Michigan (latitude 42°26'47"N and longitude 83°8'50"W), as shown in Figure 1. The facility occupies 34 acres in an area of mixed use.

The TCR facility is bordered on the north by Ferndale High School; on the west by Goodwill Printing and private residences; on the south by All American Car Rental, the Detroit Store Fixture Co., General Type and Supply, Al Transmissions, and Tuffy Service Center; and on the east by a Citgo gas station and private residences.


Access to the facility is restricted by a fence and a security guard system operating 24 hours a day, seven days a week. A logbook is also kept to monitor on-site personnel.

2.2 FACILITY OPERATIONS

The TCR facility is used for computer-aided design (CAD), computer-aided manufacturing (CAM), and product testing and analysis. The facility has operated at its current location since 1987 and employs about 110 people. The facility is composed of about 30 buildings, but not all are used.

TCR currently generates waste hydraulic and motor oil and waste mineral spirits (D001) from machining and research and development operations. These wastes are stored in three 500-gallon tanks in a Container and Tank Storage Area (CTSA) (SWMU 4). Waste hydraulic oil is also stored in the CTSA in drums ranging in size from 30 to 55 gallons.

Formerly, the facility was owned by Ethyl Corporation (Ethyl) for research and development. Ethyl owned the facility from 1936 to 1987. In 1983 the facility employed about 50 people. Ethyl conducted research on automotive fuel and lubricant additives, emissions controls, engine dynamometers, chassis dynamometers and road tests. Ethyl generated D001, D002, D003, F002, F004, and F005 wastes at the facility, which were managed in containers in SWMU 1, the former drum storage area (DSA) (Ethyl, 1980a; Ethyl 1980b).



While Ethyl owned the facility, they buried laboratory and pilot plant (testing plant) glassware and residues in shallow pits. These pits usually measured less than 1,000 square feet (10' x 10' x 10') in volume. Debris was placed in these pits (SWMUs 2 and 3) and were periodically covered with sand until full (Ethyl, 1985).

SWMUs (past and present) at the TCR facility are listed in Table 1. The facility layout, including SWMU locations, is included as Figure 2.

2.3 WASTE GENERATING PROCESSES

The primary waste streams at the TCR facility are waste hydraulic and waste motor oil and waste mineral spirits (D001). These wastes are generated from testing and analyzing automotive products. Wastes generated at the facility are discussed below and are summarized in Table 2.

TCR generates waste mineral spirits (D001) from cleaning machinery that tests automotive parts. This waste is stored in a 500-gallon tank in SWMU 4. The facility also generates waste hydraulic oil and waste motor oil from automotive testing. The two types of waste oil are stored in separate 500-gallon tanks in SWMU 4. Waste oils are also stored in 55-gallon drums in SWMU 4. All wastes are stored on site for less than 180 days.

Ethyl, the originator of the hazardous waste permit and former owners of the facility, also generated and stored hazardous waste on site. The facility's Part A hazardous waste permit listed codes for the container storage of 6,400 pounds of F002 waste; 5,600 pounds of F004 waste; and 21,000 pounds of F005 waste (Ethyl, 1980b). These wastes were also listed as ignitable (D001), corrosive (D002), reactive (D003), and toxic (D000) (Ethyl, 1980a). The wastes were generated by research and development activities at the facility. A RCRA Inspection Report by the MDNR dated August 4, 1982, noted that organophosphate wastes were also generated at the facility (MDNR, 1982). A RCRA Inspection by the MDNR dated January 19, 1984, revealed that Ethyl was generating about 1,800 gallons of waste oil and about 4,500 gallons of waste gasoline that year (MDNR, 1984). Information was not available about how these wastes were generated, how they were stored, or how they were disposed.

2.4 HISTORY OF DOCUMENTED RELEASES

This section discusses the history of documented releases to ground water, surface water, air, and on-site soils, at the TCR facility.

TABLE 1
SOLID WASTE MANAGEMENT UNITS (SWMU)

SWMU Number	SWMU Name	RCRA Hazardous Waste Management Unit*	Status
. 1	Former Drum Storage Area (DSA)	Yes	Closed in 1984
2	Burial Pit Area 1	No	Inactive
3	Burial Pit Area 2	No	Inactive
4	Container and Tank Storage Area (CTSA)	No	Active, less than 180-day storage of hazardous waste

Note:

^{*} A RCRA hazardous waste management unit is one that currently requires or formerly required submittal of a RCRA Part A or Part B permit application.


TABLE 2 SOLID WASTES

Waste/EPA Waste Code	Source	Primary Management Unit*
Mineral Spirits/D001	Machinery cleaning	SWMU 4
Waste Hydraulic Oil/NA**	Machining processes equipment	SWMU 4
Waste Motor Oil/NA	Automotive testing	SWMU 4

Notes:

^{*} Primary management unit refers to a SWMU that currently manages or formerly managed the waste.

^{**} Not applicable (NA) designates nonhazardous waste



No documented releases of hazardous material to the environment by TCR exist based on the PA file review and the VSI. However, the PA revealed releases to the environment by Ethyl, the former owner of the facility. In 1984, soil borings in the vicinity of Burial Pit Area 1 (SWMU 2) in the northwest corner of the facility revealed organic contamination in the soils (MDNR, 1986). No evidence of analytical samples is available to confirm this contamination. Ground-water samples from six monitoring wells installed around the most recently used and identified burial pit (SWMU 2) showed 1 to 5 micrograms per liter (μ g/L) of toluene and chloroform, and 40 to 400 μ g/l of tetrahydrofuran (MDNR, 1986). Ethyl believes that the toluene and chloroform are at concentrations too low to pose a threat to the environment. Ethyl also claims that the tetrahydrofuran is from pipe glue used in monitoring well construction at the facility (Ethyl, 1986b). Trace organic contamination was also noted in Monitoring Wells 8, 9, 10, and 14 near the east side of the facility and in the area of SWMU 3. Ethyl states that this contamination is minor and will evaporate from the ground water (Ethyl, 1986b).

In the mid-1980s, Ethyl excavated 73 underground storage tanks (USTs) ranging in size from 500 to 10,000 gallons (MDNR, 1986a). These tanks were used to store gasoline upon which research and development was being performed. Soil gas samples in the UST areas revealed no contamination and the Ferndale Fire Department monitored the excavation (Ethyl, 1986b).

Mr. Tyler Tennent, attorney for TCR, stated during the VSI that Ethyl has agreed to remediate the facility. The next round of sampling for the 14 existing monitoring wells is scheduled for completion before the end of March 1992. As a result of the on-site contamination by toluene, chloroform, tetrahydrofuran, and burial pits, the facility has been given a high priority for further action by the MDNR. Also, Mr. Tennent informed PRC inspectors that the facility is on the Michigan Priority List. This is a list of sites designated by the state of Michigan that require further study or action. TCR wishes to get the facility remediated so it can be removed from this list.

2.5 REGULATORY HISTORY

Ethyl, the former owner of the facility, submitted a notification of hazardous waste activity to EPA on August 6, 1980 (Ethyl, 1980a). The facility submitted a RCRA Part A permit application on November 14, 1980. This application listed container storage (S01) of 5,000 gallons of hazardous waste (Ethyl, 1980b). The application listed the following waste codes (and capacities): F002 (6,400 pounds); F004 (5,600 pounds); and F005 (21,000 pounds) (Ethyl, 1980b). Ethyl submitted a closure plan for its hazardous waste storage area (SWMU 1) on June 3, 1983. This plan was approved on October 11, 1983 (EPA, 1983). The closure was completed and

certified on February 14, 1984 (EPA, 1984). No activity by Ethyl occurred at the facility after closure; therefore, they did not file for an EPA hazardous waste activity status after this date.

Ethyl owned the facility from 1936 to 1987. On June 1, 1987, Ethyl donated the facility to the National Counsel for Community Development (NCCD), a charitable organization; however, Ethyl agreed to remain responsible for any remedial action needed at the facility. CMI Tech Center, Inc. (CMI), purchased the facility from the NCCD on December 3, 1987. CMI has changed its name to TCR (Clark, Klein, and Beaumont, 1992). Ethyl and TCR have installed monitoring wells at the facility to monitor possible ground-water contamination and contaminant migration.

TCR, the current owner of the facility, is classified as a small-quantity generator of hazardous waste. Ethyl and TCR do not operate under any air permits or National Pollutant Discharge Elimination System (NPDES) permits.

2.6 ENVIRONMENTAL SETTING

This section describes the climate, flood plain and surface water, geology and soils, and ground water in the vicinity of the TCR facility.

2.6.1 Climate

The climate in Oakland County is influenced by nearby Lake St. Clair. The average daily temperature is 48.5°F. The lowest average daily temperature is 16.1°F in January. The highest average daily temperature is 83.1°F in July (DOC, 1968).

The total annual precipitation for the county is 32 inches (DOC, 1968). The mean annual lake evaporation for the area is about 30 inches (DOC, 1968). The 1-year, 24-hour maximum rainfall is about 2.2 inches (DOC, 1963). The prevailing wind is from the southwest. The average wind speed is 10.3 miles per hour (NOAA, 1989).

2.6.2 Flood Plain and Surface Water

The TCR facility is not located in a 100-year flood plain (FEMA, 1990). The nearest surface water body, a small pond in a cemetery, is about 1 mile southeast of the facility and is apparently not used for recreation or any other purpose. No major surface water bodies exist in the vicinity of the TCR facility.

Surface water drainage at the facility is probably minimal because of the area's flat topography. The nearest storm sewer is located along the eastern boundary of the facility. This sewer ultimately discharges to the Detroit River. TCR does not operate under any storm water or wastewater discharge permits.

2.6.3 Geology and Soils

The geology and soils beneath the TCR facility consist of unconsolidated deposits overlying bedrock. The unconsolidated deposits are water-laid moraines consisting of sand and clay (WMU, 1981). Boring logs from 14 on-site monitoring wells show that a sand unit extends from ground surface to about 30 feet below ground surface. Below the sand unit, a clay unit is encountered. In 1941, Ethyl attempted to drill a water well on site. During drilling, the clay unit was encountered from 23 feet to 150 feet below ground surface. Mixed clay and shale was then encountered to 561 feet below ground surface (Ethyl, 1985).

Bedrock in the vicinity of the TCR facility is encountered at about 150 feet below ground surface. The uppermost bedrock units encountered are Mississippian Period Berea Sandstone and Bedford Shale, and in some instances Devonian Period Antrium Shale. The Berea Sandstone, Bedford Shale, and Antrium Shale are about 30, 50, and 70 feet thick, respectively, near the facility (WMU, 1981).

2.6.4 Ground Water

Ground water beneath the TCR facility is approximately 10 feet below ground surface in the sand unit. Measurements of ground-water levels in the 14 on-site monitoring wells indicate that ground water flows east to southeast below the facility. Ground water may be intercepted by a stormsewer system along the eastern boundary of the facility because of the fact that groundwater flow gradients increase towards the facility's eastern boundary. The sewer into which ground water may be discharging flows into the Twelve Town System designed to drain both sides of Pinecrest Avenue. This sewer ultimately discharges to the Detroit River. Estimates of the hydraulic gradient of the water table beneath the facility range from 0.0042 to 0.01. Hydraulic conductivity values for the sand unit range from 1.35×10^{-5} to 3.2×10^{-5} centimeters per second (cm/s) (Ethyl, 1986b).

The Geological Survey Division of the MDNR searched and found that its files contained no well log data or other information on any water wells within 3 miles of the facility. The MDNR also concluded that it is very unlikely an aquifer exists near the facility (Ethyl, 1986b).

Ground-water contamination has been noted in some of the on-site monitoring wells (see Figure 2 for on-site monitoring well locations). Chloroform and toluene were noted by Burial Pit Area 1. Concentrations of these constituents ranged from 1 to 5 parts per billion (ppb). Ethyl stated that it will be difficult to determine if chloroform is from a local source or at background concentrations because, according to Ethyl, even Detroit's municipal water supply contains about 30 ppb of chloroform (Ethyl, 1986a). Ethyl also felt that the toluene did not pose a threat to the environment because it was only found in one well, and because ground water is not used in the area as a source of drinking water (Ethyl, 1986b). Traces of organic contamination were also observed in Monitoring Wells 8, 9, 10, and 14. This contamination is most likely caused by past burial pit disposal by Ethyl in the area (Ethyl, 1986b). Ethyl states that the volatile and slightly soluble hydrocarbons will evaporate to the atmosphere from the unconfined ground water in the sand unit and therefore pose little threat to the environment (Ethyl, 1986b).

2.7 RECEPTORS

The TCR facility occupies 34 acres in an area of mixed use in Ferndale, Michigan. Ferndale has a population of 25,084 (PRC, 1992).

The facility is bordered on the north by a wooded area and Ferndale High School; on the west by Goodwill Printing and private residences; on the south by All American Car Rental, the Detroit Store Fixture Co., General Type and Supply, Al Transmissions, and Tuffy Service Center; and on the east by a Citgo gas station and private residences. The nearest school, Ferndale High School, is less than 1 mile north of the facility. Facility access is controlled by a security fence, a 24-hour, 7-day-a-week security guard system, and a logbook.

The nearest surface water body is a small pond about 1 mile southeast of the facility and does not appear to have any uses. No major surface water bodies exist within 2 miles of the facility.

Ground water is not used as a source of drinking water. There are no ground-water wells within 2 miles of the facility. No sensitive environments are located on site, and no wetlands exist within 4 miles of the facility. Palmer Park is 1.5 miles southeast of the facility, and a city park is 2 miles northwest of the TCR facility.

3.0 SOLID WASTE MANAGEMENT UNITS

This section describes the four SWMUs identified during the PA/VSI. The following information is presented for each SWMU: description of the unit, dates of operation, wastes managed, release controls, history of documented releases, and PRC observations. Figure 2 shows the SWMU locations.

SWMU 1

Former Drum Storage Area (DSA)

Unit Description:

The former DSA is outside near the middle of the facility property. The unit was used to store F002, F004, and F005 hazardous wastes in 55-gallon drums. The unit is a concrete pad which measures 95

by 130 feet (see Photograph No. 1).

Date of Startup:

The unit began operating in 1936.

Date of Closure:

The unit has been inactive since 1984, when it was certified closed.

(EPA, 1984).

Wastes Managed:

This unit managed F002, F004, and F005 hazardous wastes in containers. It is not known how these wastes were disposed; however, all wastes were removed before closure was approved and

certified.

Release Controls:

This unit is outside made of concrete and is not bermed.

History of Documented

Releases:

No releases from this SWMU have been documented.

Observations:

This unit did not contain any hazardous or nonhazardous wastes at

the time of the VSI.

SWMU 2

Burial Pit Area 1

Unit Description:

Burial Pit Area 1 (11 pits total) is in a wooded area in the northwest corner of the facility (see Photograph No. 2). Each pit was usually 10 by 10 feet in area and less than 10 feet deep.

Debris in the pits was periodically covered with sand until the pit was full.

Date of Startup:

These pits were first used in 1963 (Ethyl, 1985).

Date of Closure:

These pits have been inactive since the early 1980s (Ethyl, 1985).

Wastes Managed:

Laboratory and pilot plant glassware and residues were buried in

the pits (Ethyl, 1985).

Release Controls:

There are no release controls for these pits.

History of Documented Releases:

Soil borings in 1984 revealed soil contamination around the most recently dug pit. Also, monitoring well ground-water samples from around the most recent burial pit showed 1 to 5 μ g/L of toluene and chloroform, and 40 to 400 μ g/L of tetrahydrofuran. Ethyl believes that the toluene and chloroform are at too low a concentration to pose a threat to the environment, and that the tetrahydrofuran is from pipe glue used to install the wells.

Observations:

Snow cover at the time of the VSI prevented close inspection of the pits. Natural material excavated to form the pits was evident (see Photograph No. 2).

SWMU 3

Burial Pit Area 2

Unit Description:

Additional burial pits were excavated in the area now covered by the northwest corner of the parking lot on the east side of the facility. There is no indication of the size of these pits. Ethyl describes the pits as small, manually dug holes located between trees. Neither Ethyl nor TCR has any records of what these burial pits contained nor are they marked.

PRC and TCR facility representatives had no knowledge of these pits during the VSI. Evidence of these pits were revealed in Ethyl documents collected by TCR and sent to PRC after the VSI.

Date of Startup:

Ethyl began using these pits in 1939 (Ethyl, 1985).

Date of Closure:

These pits have not been used since 1955 (Ethyl, 1985).

Wastes Managed:

Laboratory and pilot plant glassware and residues were buried in

Burial Pit Area 2.

Release Controls:

There are no release controls for these pits.

History of Documented

Releases:

Traces of organic contamination were observed in ground water samples from Monitoring Wells 8, 9, 10, and 14 in this area (Ethyl,

1986b).

Observations:

Because these burial pits were discovered after the VSI, they were

not inspected.

SWMU 4

Container and Tank Storage Area (CTSA)

Unit Description:

The CTSA is outdoors near the middle of the facility property. The CTSA is used to store wastes for disposal. The unit measures approximately 30 by 50 feet and consists of a concrete floor and curb. The curb encloses both 55-gallon drums and three 500-gallon tanks in the CTSA. The unit is covered with a roof and enclosed in a chain-link fence with a gate (see Photograph No. 3).

Date of Startup:

This unit began operating around 1987.

Date of Closure:

This unit is active.

Wastes Managed:

This unit manages waste hydraulic and waste motor oil and waste mineral spirits (D001). Wastes in this unit are ultimately picked up

for disposal.

Release Controls:

This unit has a concrete floor and curbing.

History of Documented Releases:

No releases from this SWMU have been documented.

Observations:

The unit contained full and empty product drums at the time of the VSI. The unit also contained 11 drums, ranging in size from 30 to 55 gallons, of waste oil, and three 500-gallon aboveground storage tanks containing waste hydraulic oil, waste motor oil, and waste mineral spirits (D001). There were no cracks apparent in the concrete floor and curbing.

4.0 AREAS OF CONCERN

PRC identified no AOCs during the PA/VSI.



5.0 CONCLUSIONS AND RECOMMENDATIONS

The PA/VSI identified four SWMUs and no AOCs at the TCR facility. Background information on the facility's location, operations, waste generating processes, history of documented releases, regulatory history, environmental setting, and receptors is presented in Section 2.0. SWMU-specific information, such as the unit's description, dates of operation, wastes managed, release controls, history of documented releases, and observed condition, is presented in Section 3.0. AOCs are discussed in Section 4.0. Following are PRC's conclusions and recommendations for each SWMU and AOC. Table 3 summarizes the SWMUs and AOCs at the TCR facility and recommended further actions.

SWMU 1

Former Drum Storage Area

Conclusions:

This unit was certified closed by the MDNR in 1984. At the time of the VSI, this unit did not contain hazardous wastes. No documented releases from this unit have occurred. This unit has a low potential for release to ground water, surface water, air, and on-site soils.

Recommendations:

PRC recommends no further action for this SWMU.

SWMU 2

Burial Pit Area 1

Conclusions:

These pits were never regulated under RCRA. Sampling in the area of these pits revealed releases to the environment. The potential for release to environmental media is summarized below.

Ground Water: This unit has a documented release to ground water.

Ground water is about 7 feet below ground surface at the facility. In
1984, monitoring wells installed around the most recent burial pit revealed ground water contaminated with toluene, chloroform, and tetrahydrofuran.

Surface Water: The potential for a release to surface water is low. The nearest surface water body is a small isolated pond measuring about 100 by 500 feet about 1 mile southeast of the facility.

Air: The potential for a release to air is low. These units are covered by soil that inhibits the release of vapors.



TABLE 3 SWMU SUMMARY

	SWMU	Dates of Operation	Evidence of Release	Recommended Further Action
1.	Former Drum Storage Area	1936 to 1984	None	No further action at this time
2.	Burial Pit Area 1	1963 to early 1980s	Contaminated soil and ground water near most recent pit	Characterize extent of soil and ground-water contamination
3.	Burial Pit Area 2	1939 to 1955	Trace organic contamination of ground water	Characterize extent of soil and ground-water contamination
4.	Container Storage Area	1987 to present	None	No further action at this time

On-Site Soils: This unit has a documented release to on-site soils. Drilling near the most recent burial pit revealed organic contamination in subsurface soils.

Recommendations:

The extent of soil and ground-water contamination in the vicinity of the burial pits should be fully characterized.

SWMU 3

Burial Pit Area 2

Conclusions:

These burial pits were never regulated under RCRA. Sampling in the area of these pits revealed releases to the environment. The potential for release to environmental media is summarized below.

Ground Water: This unit has a documented release to ground water. Monitoring wells installed in the area of Burial Pit Area 2 revealed trace organic contamination of ground water.

Surface Water: The potential for a release to surface water is low. The nearest surface water body is a small isolated pond about 1 mile southeast of the facility that is apparently unused. No major surface water bodies exist within 2 miles of the facility.

Air: The potential for a release to air is low. These pits are covered by soil that inhibits the release of vapors.

On-Site Soils: The potential for a release to on-site soils is high. Wells installed near this SWMU revealed ground-water contamination. The soils around these pits may also be contaminated.

Recommendations:


The extent of soil and ground-water contamination in the vicinity of these burial pits should be fully characterized.

SWMU 4

Container and Tank Storage Area (CTSA)

Conclusions:

This unit is used to store hazardous wastes for less than 180 days, and has sufficient secondary containment. No documented releases from this unit have occurred. This unit has a low potential for release to ground water, surface water, air, and on-site soils.



Recommendations: PRC recommends no further action for this SWMU.

REFERENCES

- Clark, Klein and Beaumont, 1992. Letter from Tyler D. Tennent to PRC Environmental Management, Inc. (PRC), February 21.
- Ethyl Corporation (Ethyl), 1980à. Notification of Hazardous Waste Activity, August 6.
- Ethyl, 1980b. Resource Conservation and Recovery Act (RCRA) Part A Permit Application, November 14.
- Ethyl, 1985. Letter to Oakland County Health Division Environmental Health Service, December 6.
- Ethyl, 1986a. Letter to Michigan Department of Natural Resources (MDNR), Remedial Action Section, May 19.
- Ethyl, 1986b. Letter to MDNR, Ground-Water Quality Division, November 14.
- Federal Emergency Management Agency (FEMA), 1990. National Flood Insurance Program Community Status Book, Federal Insurance Administration, Washington, D.C.
- MDNR, 1982. RCRA Inspection Report, August 4.
- MDNR, 1986. Site Description/Executive Summary of Ethyl, March 14.
- National Oceanic and Atmospheric Administration, 1989. Local Climatological Data, Detroit Metropolitan Airport, Michigan.
- PRC, 1992. Telephone Conversation with Ferndale City Clerk, February 26.
- T.C. Realty, Inc., 1992. Facility sketch.
- United States Department of Commerce (DOC), 1963. Rainfall Frequency Atlas of the United States, Technical Paper No. 40, U.S. Government Printing Office, Washington, D.C.
- DOC, 1968. Climatic Atlas of the United States, U.S. Government Printing Office, Washington, D.C.
- United States Environmental Protection Agency (EPA), 1983. Letter to C. J. Worrell, Ethyl, October 11.
- EPA, 1984. Letter to W. J. Brown, Ethyl, March 16.
- United States Geological Survey (USGS), 1986. Topographic Map for the Royal Oak Quadrangle, 7.5-Minute Series.
- Western Michigan University (WMU), 1981. Hydrogeologic Atlas of Michigan, Department of Geology, Kalamazoo, Michigan.

ATTACHMENT A

EPA PRELIMINARY ASSESSMENT FORM 2070-12



POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 1 - SITE INFORMATION AND ASSESSMENT

I. IDENTIFICATION		
01 STATE	02 SITE NUMBER	
MT ^	MTD041803123	

II. SITE NAME AND LOCATION						Į.
01 SITE NAME (Legal, common, or descriptive name of site) T.C. Realty Inc. (TCR)		•	T, ROUTE NO. OF W. Eight Mile		TION IDENTIFIER	
03 CITY Ferndale	2000 00 0	04 STATE MI	05 ZIP CODE 48220	06 COUNTY Oakland	07 COUNTY CODE 125	08 CONG DIST
	ONGITUDE 83°08'50"W					
10 DIRECTIONS TO SITE (Starting from nearest public rook Route 10 north to 8 Mile Road; east on 8 Mile		ut 2.8 miles; fa	cility is on nor	th side of 8 N	file Road	
III. RESPONSIBLE PARTIES						
01 OWNER (if known) TCR			T <i>(Business, mailii</i> W. Eight Mile		promovenskov s	
03 CITY Ferndale		04 STATE MI	05 ZIP CODE 48220	06 TELEPHONE (313) 399		- DAKAHA
07 OPERATOR (If known and different from owner)		08 STREE	T (Business, mailii	ng, residential)	O 40-ambito de a	
09 CITY	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10 STATE	11 ZIP CODE	12 TELEPHONE	E NUMBER	
13 TYPE OF OWNERSHIP (Check one) E. A. PRIVATE B. B. FEDERAL: (Agency Name) F. OTHER (Specify)					AL	
14. OWNER/OPERATOR NOTIFICATION ON FILE (Check ell that epply) B. A. RCRA 3010 DATE RECEIVED: 08/06/80 10 B. UNCONTROLLED WASTE SITE (CERCLA 103 c) DATE RECEIVED: / / B. C. NONE (by Ethyl Corporation) MONTH DAY YEAR						
IV. CHARACTERIZATION OF POTENTIAL HAZAR	iD					101111111111111111111111111111111111111
O1 ON SITE INSPECTION BY (Check all 1: A. EPA YES DATE 02/04/92		A CONTRACTOR H OFFICIAL	C. STATE		O. OTHER CONTR	ACTOR
	NAME(S):PRC I	Environmental l	Management, II	ne.		·
02 SITE STATUS (Check one) ■ A. ACTIVE □ B. INACTIVE □ C.UNKNOWN		O3 YEARS OF OPERATION 1940 Present				
04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED						
Ignitables (D001), corrosives (D002, reactives (K009 or K010), tetrahydrofuran (P110), wast			(F002), nonha	logenated solv	vents (F004 an	d F005), chloroform
05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION						
Potential hazard to the environment exists bee Ethyl Corporation, the previous owner of the		d ground-water	contamination	. This contarr	nination is the	result of operations by
V. PRIORITY ASSESSMENT						
01 PRIORITY FOR INSPECTION (Check one. If high or medium is checked, complete Part 2 - Waste Information and Part 3 - Description of Hazardous Conditions and Incidents.)						
☐ A. HIGH ☐ B. MEDIUM (Inspection required promptly) (Inspection required)	≅ C. LC (Inspect €	OW on time-available ba	D D. NON		complete current	disposition form)
VI. INFORMATION AVAILABLE FROM						
01 CONTACT Kevin Pierard	02 OF <i>(Agency/</i> U.S. EPA					03 TELEPHONE NUMBER (312) 886-4448
04 PERSON RESPONSIBLE FOR ASSESSMENT Kevin Schnoes	05 AGENCY	06 OR	GANIZATION PRC-EMI	07 TELEPHO (312)	NE NUMBER 856-8700	08 DATE 02/19/92 MONTH DAY YEAR
EPA FORM 2070-12(17-81)			•			Anna anna anna anna anna anna anna anna

ATTACHMENT B VISUAL SITE INSPECTION SUMMARY AND PHOTOGRAPHS

VISUAL SITE INSPECTION SUMMARY

T.C. Realty, Inc. (TCR) Ferndale, Michigan MID 041 803 123

Date:

February 4, 1992

Facility Representatives:

Jeff Norton, Environmental Engineer, TCR

Diane Zekind, Director - Advance Planning and Administration, TCR Tyler Tennent, Attorney from Clark, Klein and Beaumont, representing

TCR

Inspection Team:

Kevin Schnoes, PRC Environmental Management, Inc. (PRC)

Deb Harrity, PRC

Photographer:

Kevin Schnoes

Weather Conditions:

Calm, overcast, temperature 30°F

Summary of Activities:

The visual site inspection (VSI) began at 10:00 a.m. with an introductory meeting. The inspection team discussed the purpose of the VSI and agenda for the visit. Facility representatives then discussed the TCR facility's past and present operations, solid wastes generated, and release history. TCR representatives also discussed information they had concerning Ethyl Corporation, the previous owner of the facility. Most of the information was exchanged on a question-and-answer basis. TCR representatives provided the inspection team with copies of documents requested.

The VSI tour began at 10:45 a.m. The VSI tour included inspection of three on-site SWMUs. Burial Pits 2 (SWMU 3) was not inspected during the VSI because neither PRC or TCR representatives had any knowledge of this SWMU at the time of the VSI. The SWMUs inspected were the current Container and Tank Storage Area, Ethyl Corporation's Former Drum Storage Area, and the Burial Pit Area 1. The visit also included an inspection of areas that used to contain underground storage tanks (UST). Photographs of SWMUs 1, 2, and 4 were taken. However, SWMU 3 was not photographed.

The tour concluded at 11:30 a.m., after which the inspection team held an exit meeting with TCR representatives. The VSI was completed and the inspection team left the facility at 11:55 a.m.



Photograph No. 1
Orientation: North
Location: SWMU 1
Date: February 4, 1992

Description: Former drum storage area (DSA) used by Ethyl Corporation (Ethyl)



Photograph No. 2
Orientation: Northwest
Description: Old burial pit at northwest corner of the facility in Burial Pit Area 1 used by Ethyl




Photograph No. 3

Orientation: North

Description: Container and Tank Storage Area (CTSA) used by TCR; currently contains full and empty product drums in addition to drums and tanks containing waste oil and waste mineral spirits

ATTACHMENT C
VISUAL SITE INSPECTION FIELD NOTES



Strage are on seemd for collected in pits & pumped & pretitudingly, of coo god tank in powder deept NPDES & Air permits - well be sent at late date) VWW Prie treatment system & for realistic WW & cooling which was a hours with your extract in liquid dept. discharge permits ____ No USTS or PCBs. Sp.11 retice - 6 volation to WW Strag tark Suprobuet from batch Sgine
Off-spec west from batch Sgine
Operation
Discontinues rew material 15 @ 11 of spec product - Hydrogen personds. OD Discontinued naw molecues. (1) Les park - from les clanes. West strags Alves A gollon fuelets Off-spec. Pant shippe > ducontinued Delle solvents (Leb Pack) delengent Spectrum HDS in labor Lab worker (<u>a</u>)

Non- hey west all to be sond, bound, some wilding during of the B. Motor 7 (19: Mass goll 4)
Works orl Thurs 34 pull 1924 of (4) 44 floor) start to be to be had a be to hand to be to Und With Washieling tur. Et Maile S (in spendiam france 1978) Photo Conthan B B DO Photo 5 (1" flow) mid 1780 rather sould be sont Photos 3 radout 15x20 (3rd flor)
Container storage area (3rd flor)
empty -> approbang since with 1980s
Photos 4 (3rd floor) 1030 USI > Diressoy-Wyandolfe will
Photo 1 take Hair own photos
Lab area as PRC ~70 employees, 2 shifted 518. CSA - purbably CSD 1510 Fencies around site 1 Thate 2 (3rd floor) 1896 - bulley bult 3 pH valetions

and periods Actions SUM: Mixed Computering DWC PONTING warter so it love net hat started varing this to be East: BASI Corportation West: Residential Community Notice Residential Special washing out powlla crae. Tak is used to collect En VSI, Auto wep-up Material in teacher from 1148 - Site ONEG VECONNOJSONOS Dictional Schrist No actionment maeting





CORRECTIVE ACTION STABILIZATION QUE

Completed by:

Mary Wojciechowski

Date:

June 14, 1992

RECEIVED WMD RECORD CENTER

OCT 13 1905

Background Facility Information

Facility Name:	T.C. Realty, Inc. (formerly Ethyl Corporation)
EPA Identification No.:	MID 041 803 123
Location (City, State):	Ferndale, Michigan
Facility Priority Rank:	Low
	그리트 문제 (그는 그리트 그 시 그 그리트 등에 (기본 등 보고 그 프로그리고) 모른 사람들이 모르는 그리고 있다.

 Is this checklist being completed for one solid waste management unit (SWMU), several SWMUs, or the entire facility? Explain.

SWMUs		

Status of Corrective Action Activities at the Facility

- 2. What is the current status of HSWA corrective action activities at the facility?
 - () No corrective action activities initiated (Go to 5)
 - (X) RCRA Facility Assessment (RFA) or equivalent completed
 - () RCRA Facility Investigation (RFI) underway
 - () RFI completed
 - () Corrective Measures Study (CMS) completed
 - () Corrective Measures Implementation (CMI) begun or completed
 - () Interim Measures begun or completed

- 3. If corrective action activities have been initiated, are they being carried out under a permit or an enforcement order?
 - () Operating permit
 - () Post-closure permit
 - () Enforcement order
 - (X) Other (Explain)

Past UST remediation was overseen by the local fire department. Soil samples showed no remaining contamination.

- 4. Have interim measures, if required or completed [see Question 2], been successful in preventing the further spread of contamination at the facility?
 - () Yes
 - () No
 - () Uncertain; still underway
 - (X) Not required

Additional explanatory notes:

No interim measures have been formerly required, although they appear to be necessary to address existing soil and ground-water contamination. See Question 18 for further information.

5. To what media have contaminant releases from the facility occurred or been suspected of occurring?	The nearest surface water is one mile southeast of the facility. Ground water is not used for drinking and flows southeast.
(X) Ground water	
() Surface water	8a Ara anvironmental recentors assessed
() Air	8a. Are environmental receptors currently being exposed to contaminants released
(X) Soils	from the facility?
(21) 50115	from the facility?
6. Are contaminant releases migrating off-	() Yes (Go to 9)
site?	() No
•	(X) Uncertain
() Yes; Indicate media, contaminant	
concentrations, and level of certainty.	Additional explanatory notes:
Constant	
Groundwater:	It is not known if contaminants are moving
Surface water:	off site.
Air:	
Soils:	
() No	8b. Is there a potential that environmental
(X) Uncertain	receptors could be exposed to the
(11) 6 1101111111	contaminants released from the facility
7a. Are humans currently being exposed to	over the next 5 to 10 years?
contaminants released from the facility?	over the next 3 to 10 years?
containments released from the facility:	(Y) Von
() Yes (Go to 8a)	(X) Yes
() No	() No
(X) Uncertain	() Uncertain
(A) Olicertain	
A # #14111	Additional explanatory notes:
Additional explanatory notes:	
T4 '	The nearest surface water is 1 mile southeast
It is not known if contaminants are moving	of the facility. Ground water is not used for
off site	drinking and flows southeast.
7b. Is there a potential for human exposure to	
the contaminants released from the facility	
over the next 5 to 10 years?	
(X) Yes	
() No	1
() Uncertain	

Facility Releases and Exposure Concerns

Additional explanatory notes:

Anticipated Final Corrective Measures	Additional explanatory notes:
9. If already identified or planned, would final corrective measures be able to be implemented in time to adequately address any existing or short-term threat to human health and the environment?	It is not known if contaminants are moving off site.
(X) Yes () No () Uncertain	Technical Ability to Implement Stabilization Activities
Additional explanatory notes: The facility is on MDNRs list of priority sites and intends to go through remediation.	12. In what phase does the contaminant exist under ambient site conditions? Check all that apply.() Solid(X) Light non-aqueous phase liquids
10. Could a stabilization initiative at this facility reduce the present or near-term (e.g., less than two years) risks to human health and the environment? (X) Yes	(LNAPLs) () Dense non-aqueous phase liquids (DNAPLs) (X) Dissolved in ground water or surface water () Gaseous () Other
(A) les () No () Uncertain	13. Which of the following major chemical groupings are of concern at the facility?
Additional explanatory notes: Removal of contaminated soil and collection and treatment of contaminated ground water would be appropriate stabilization initiatives.	 (X) Volatile organic compounds (VOCs) and/or semi-volatiles () Polynuclear aromatics (PAHs) () Pesticides () Polychlorinated biphenyls (PCBs) and/or dioxins () Other organics () Inorganics and metals
11. If a stabilization activity were not begun, would the threat to human health and the environment significantly increase before final corrective measures could be implemented? () Yes () No	() Explosives () Other
(V) IImportate	

Anticipated Final Corrective Measures

(X) Uncertain

available to prevent the further spread of contamination, based on contaminant	Timing and Other Procedural Issues Associated with Stabilization
characteristics and the facility's environmental setting? [See Attachment A for a listing of potential stabilization technologies.]	16. Can stabilization activities be implemented more quickly than the final corrective measures?
(X) Yes; Indicate possible course of action.	() Yes () No (X) Uncertain
Removal of contaminated soil and collection and treatment of contaminated ground water would be appropriate stabilization initiatives.	Additional explanatory notes:
	More sampling needs to be conducted.
() No; Indicate why stabilization technologies are not appropriate; then go to Question 18.	17. Can stabilization activities be incorporated into the final corrective measures at some point in the future?
	(X) Yes () No () Uncertain
15. Has the RFI, or another environmental investigation, provided the site characterization and waste release data needed to design and implement a stabilization activity?	Additional explanatory notes:
() Yes (X) No	
If No, can these data be obtained faster than the data needed to implement the final corrective measures?	
(X) Yes () No	

Conclusion

18. Is this facility an appropriate candidate for stabilization activities?
() Yes
() No, not feasible
() No, not required
(X) Further investigation necessary
Explain final decision, using additional sheets if necessary.
In 1984, sampling revealed organic contamination in on-site soils. The source of contamination
is believed to be two inactive pits used for burial of laboratory and pilot plant glassware. The
research and pilot plant activities involved the use of automotive fuel, lubricant adhesives, emissions
controls, engine dynamometers and chassis dynamometers. Ground-water monitoring results revealed
1 to 5 ppb of toluene and chloroform and 40 to 4,000 pph of tetrahydrofuran. The facility is on the
MDNR list of priority sites and intends to undergo remediation. Ground-water monitoring is still
occurring.
Appropriate stabilization activities would include removal of contaminated soil and collection and
treatment of contaminated ground water. However, more sampling needs to be conducted before
stabilization can be implemented.